

VOL. 3
INDUSTRIAL CATALOG

Immediate Response Training, LLC



IN AN UNCERTAIN MARKET, ANSELL IS YOUR CONSTANT

Amid shifting tariffs and unpredictable supply chains, no one should gamble with safety. Ansell remains your reliable partner for safety solutions to help you navigate global disruptions and manage costs with our diverse portfolio of quality PPE solutions, which are fully supported by our team of experts dedicated to optimizing your operational and safety outcomes.



Resilient Supply Chain

Ansell has invested significantly to develop a differentiated, diversified global supply chain, ensuring consistent supply and quality during volatile periods.

With 90% of U.S. sales supported by manufacturing outside China, our strong supply network reduces reliance on any single region. This global scale enables faster response times and provides greater confidence in the reliability of your PPE supply.

13 Ansell plants
24 distribution centers across the globe

A robust global partner network

Expert Guidance That Delivers Value Where It Counts

With our complimentary AnsellGUARDIAN™ PPE assessments, our experts partner with you to understand your goals and deliver tailored solutions that align with your unique needs, resulting in improved operational efficiency. Whether you're looking to enhance worker safety, explore alternatives to your current PPE, or reduce costs, we'll build a customized plan that drives real, measurable results.



Unrivaled Portfolio

Whether you need hand, body, or eye protection, Ansell's diverse portfolio offers options across the value spectrum. You'll always find the right fit for your safety and budget needs—with no compromise on quality.

Your Trusted Partner

For over 130 years, Ansell has been dedicated to delivering superior quality and unmatched reliability, when it comes to workers' safety. We will continue working with you to navigate through these uncertain times and ensure that your people are kept safe.

Ansell, ® and ™ are trademarks owned by Ansell Limited or one of its affiliates. © 2025 Ansell Limited. All Rights Reserved.

Table of Contents

Adhesive Products 112
- Adhesives & Glues
- Putty

Air Hose Reels 161

Arc Gouging 172
- Arc Gouging Electrodes
- Arc Gouging Torches & Cables

Batteries 155

Bending & Flaring Tools 136
- Hand Benders

Bonded Abrasives 174
- Coated Flap Disc Abrasives
- Resin Bonded Abrasives

Brushing & Sweeping Products 180
- Brushes & Brooms

Chain, Cable, Rope & Accessories 181
- Straps & Bungee Cords

Clamps & Vises 123
- Clamps & Spreaders
- Vises

Cleaning Products 186
- Dishwashing Cleaners
- Floor & Carpet Cleaners
- Glass Cleaners

Cleaning Products 85
- Cleaners & Degreasers

Clothing Protection 54
- Aprons
- Coats & Jackets
- Coveralls & Overalls
- Pants & Shorts
- Rainwear
- Shirts
- Sleeves & Bibs
- Footwear Covers

Coated Abrasives 173
- Coated Disc Abrasives

Coco Mats 180

Compressors, Blow Guns, Hoses & Fittings 157
- Air Hose Fittings
- Blow Gun Parts & Accessories

Coolers & Chests 183

Covering Products 180
- Wheel Brushes
- Tarps

Cutting Tools 154
- Band Saws
- Circular Saws

Demolition Tools 160
- Pneumatic Chipping Hammers

Derrick Tapes 145

Drilling & Fastening Tools 149
- Drills
- Wrenches

Ear Protection 23
- Earmuffs
- Earplug Parts & Accessories
- Earplugs

Extension & Power Cords 157

Extractors & Sets 138
- Extractor Sets

Eye Protection 29
- Safety Glass Parts & Accessories
- Safety Glasses
- Safety Goggles
- Safety Goggles Protection Parts & Accessories

Fall Protection 47
- Fall Protection Parts & Accessories
- Harness Parts & Accessories
- Harnesses
- Ladder Safety System Parts & Accessories
- Ladder Safety Systems
- Lanyards
- Rescue Systems

Fastening Products 183
- Reclosable Fasteners

Files 127
- Half Round Files

Filler Metals 163
- MIG Welding Wires
- TIG Welding Wires
- Welding Stick Electrodes
- Welding/Brazing Alloys & Fluxes

Finishing Tools 153
- Grinders
- Blow Guns
- Pneumatic Angle Grinders
- Pneumatic Die Grinders
- Pneumatic Impact Wrenches

Fire, Gas & Water Protection 74
- Detectors
- Fire Extinguishers

First Aid Safety 67
- Antiseptics
- Eye Wash and Showers
- First Aid Kits
- Insect Repellents & Sunscreens
- Ointments
- Pain Relievers

Flashlights & Lanterns 156

Foot Protection 58
- Boots & Shoes

Gas Cutting & Welding 161
- Outfits

Gauging Tapes 145

Hammers, Sledges, Mallets & Axes 125
- Hammers

Hand Protection 35
- Glove Parts & Accessories
- Gloves
- Hand Pads & Warmers

Hand Tool Organizers & Belts 135
- Tool Bags
- Tool Pouches & Holders

Head/Face Protection 14
- Faceshields & Visors
- Hard Hat & Cap Parts & Accessories
- Hard Hats & Caps
- Welder Caps & Doo Rags
- Welding Helmet Parts & Accessories
- Welding Helmets

Heat Stress Protection 61
- Activity Drinks
- Bandanas
- Hydration Bottles
- Sweat Bands

Hex, Torx & Spline Keys 136
- Hex Key Sets

Insect Controlling Products 100
- Spray Gun Parts & Accessories
- Insect Killers

Inspection Mirror Refills 146

Inspection Mirrors & Magnifiers 145

Knives & Multi-Purpose Tools 129
- Knife Blades
- Knives

Lawn & Garden Tools 139
- Shovels & Spades
- Sprayers

Leak Detectors & Penetrants 96
- Leak Detectors
- Penetrants

Levels 144

Locking Devices 75
- Lock Boxes
- Lockouts & Hasps
- Padlocks & Cables

Lubricants & Penetrants 88
- Oils
- Silicone Lubricants
- Anti-Seize Compounds
- Chain & Cable Lubricants
- Corrosion Inhibitors
- Fluids
- Grease
- Grease Guns
- Multi-Purpose Lubricants

Manual Welding 163
- Electrode Holders

Markers 146

Mig Welding 162
- Quick Connects
- Tips & Nozzles
- Torches & Handles
- Mig Gun Parts & Accessories
- Mig Guns

Multi-Purpose Hand Tool Sets 138
- Multi-Purpose Tool Sets

Non Woven Abrasives 177
Non Woven Disc Abrasives

Paint & Paint Supplies 98
Surface Irregularity Testing Product Accessories
Coatings
Paint Brushes
Paints

Pencils 148

Personal Hygiene 184
Hand Cleaners

Pliers & Cutters 119
Bolt & Chain Cutters
Linemans Pliers
Locking Pliers
Multi-Purpose Plier Sets
Pipe Cutters
Specialty Pliers
Tongue & Groove Pliers
Tubing Cutters
Threaders Manual
Threaders Powered
Threaders Powered Accessories

Prying Tools 135
Bars

Putty Knives & Scrapers 138
Scrapers & Putty Knives

Respiratory Protection 5
Cartridge Respirator Parts & Accessories
Cartridge Respirators
Disposable Respirator Parts & Accessories
Disposable Respirators
Escape Respirators
Powered Air & Supplied Air System Parts & Accessories
Powered Air & Supplied Air Systems

Safety Storage 78
Safety Cans
Safety Storage Cabinets

Screwdrivers & Nutdrivers 137
Screwdriver Sets
Torx Screwdriver Sets

Sealing Products 102
Layout Fluids
Caulk Guns
Sealants
Threadlockers

Shears, Scissors & Snips 136
Shears & Scissors
Snips

Soapstone Holders 148

Soapstones 148

Sockets, Ratchets, Adaptors & Extensions . . . 128
Socket Sets

Soldering & Brazing 172
Soldering/Brazing Torches

Specialty Products 100
Finding Paste

Spill Control Safety 83
Sorbent Kits
Sorbents

Squares 145

Stands & Ramps 181

Strapping Products 181
Cable Ties
Tie Wire

Tape Measures 142
Water Hoses
Wheelbarrows

Tape Products 107
Duct Tapes
Electrical Tapes
Masking Tapes
Pipe Sealant Tapes
Specialty Tapes
Strapping Tapes

Tool Storage 131
Tool Boxes
Tool Storage Parts & Accessories
Tool Work Stations

Torch & Weed Burners 172

Traffic Safety 79
Safety Cones
Safety Fences
Safety Flags & Pennants
Safety Guards & Protectors
Safety Hats
Safety Signs

Traffic Safety 81
Safety Tapes
Safety Vests

Waste Receptacles 186
Dollies
Trash Can Liners
Trash Cans

Welding & Cutting Accessories 165
Anti-Spatter & Chemicals
Centering Heads
Cutting & Burning Guides
Cylinder & Caps
Cylinder Pliers & Wrenches
Dry Rod Ovens
Ground Clamps
Rod Holders
Spark Lighter & Flints
Tip Cleaners
Welding Blankets, Curtains, & Rolls
Welding Cables & Power Cables
Welding Clamps, Spreaders & Holders
Welding Hose & Compressed Gas Fittings
Welding Hoses

Wiping Products 183
Towels & Wipers

Wire Brush Abrasives 178
Non Woven Pad Abrasives
Cup Brushes
End Brushes
Scratch Brushes

Wrenches 114
Adjustable Wrenches
Adjustable Wrenches
Chain Tong & Strap Wrenches
Combination Wrench Sets
Combination Wrenches
Pipe Wrench Parts & Accessories
Pipe Wrenches
Torque Wrenches
Ratcheting Wrench Sets

APEX®
ASSEMBLY & FABRICATION TOOLS

Honeywell

ITW PRO BRANDS

MCR SAFETY

MSA
The Safety Company

Cartridge Respirator Parts & Accessories



3M™ 2000 Series Particulate Filters

Features:
- Lightweight and easy to breathe through.
- Bayonet compatibility allows use with many 3M™ half and full facepieces and certain 3M™ Scott™ full facepieces.

Filtration Grade: P100

SKU	For Model	Resistance
142-2091	3M™ Cartridges 6000 Series; Reusable Respirators	Oil and Non-Oil Based Particles
142-2097	3M™ Cartridges 6000 Series; Reusable Respirators	Nuisance Level Organic Vapor



3M™ 6000 Series Gas/Vapor Cartridges

Features:
- Swept-back design allows an enhanced field of view and comfort.
- Bayonet compatibility allows use with many 3M™ Half and Full Facepiece Respirators.
- Simple installation and usage requirements reduces training requirements.

SKU	For Model	Resistance
142-6001	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Organic Vapors (OV)
142-6003	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Acid Gases (AG); Organic Vapors (OV)
142-6006	3M™ Half/Full Facepieces 6000, 6500, 7000, 7500, 7800S, and FF-400 Series with bayonet filter holders	Formaldehyde; Organic Vapors (OV)



3M™ 6000 Series Half and Full Facepiece Accessories

Features:
- Replacement parts extend the life of the branded respirator.

SKU	For Model
142-6885	5000 Series; 6000 Series



3M™ Adapters & Retainers

Features:
- Easy attachment to the 3M range of half and full face pieces.
- Helps provide dual protection against vapor and particulates.

SKU	Type	For Model
142-501	Retainer 501	6000 Series



3M™ Combination Cartridges/P100 Particulate Filters

Features:
- Particulate filter is permanently attached to cartridge for easy, one-step assembly.

Filtration Grade: P100

For Model: 3M Reusable Respirators

SKU	Resistance
142-60921	Organic Vapor;Asbestos;Mold;Silica
142-60923	Acid Gases; Organic Vapors
142-60926	Multi-Gas/Vapor

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3M™ Particulate Filters

Features:
- NIOSH approved for environments containing certain non-oil based particles.

Usage: General Protection

SKU	For Model	Resistance	Filtration Grade
142-5N11	3M Respirators 5000 Series;3M Cartridges 6000 Series;3M Filter Retainer 501	Non-Oil Based Particles	N95
142-5P71	3M Respirators 5000 Series;3M Cartridges 6000 Series;3M Filter Retainer 501	Certain Oil and Non-Oil Particles	P95



Defender™ Multi-Purpose Cartridges

Features:
- Convenient cartridge/filter combination.
- Color coded for quick and easy identification.

Resistance: Organic Vapor; Chlorine; Hydrogen Chloride; Sulfur Dioxide; Hydrogen Sulfide (Escape); Hydrogen Fluoride; Chlorine Dioxide; Ammonia; Methylamine; Formaldehyde

Filtration Grade: P100

SKU	For Model
068-75SCP100L	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series



Combination Gas and Vapor Cartridges

Features:
- Convenient cartridge/P100 filter combination.
- Packed in pairs for fast, easy change outs.
- Color coded for quick and easy identification.
- Filters out different vapors.

Filtration Grade: P100

SKU	For Model	Resistance
068-7581P100L	5500, 7700 Half Masks; 5400, 7600 Full Facepieces	Particulates; Chemicals
068-7583P100L	5400/5500 Series; 7600/7700 Series; RU6500/RU8500 Series	Chlorine; Chlorine Dioxide; Hydrogen Chloride; Hydrogen Fluoride; Sulfur Dioxide; Organic Vapors; Hydrogen Sulfide (Escape)



Gas and Vapor Cartridges

Features:
- Lower profile so cartridges don't intrude into the work zone.
- Easy user seal check.
- Threaded connectors that fit North® half masks and full facepieces.

Resistance: Organic Vapor

SKU	For Model
068-N75001L	5500, 7700, 8500, 8800 Half Masks; 5400, RU6500, 7600 Full Facepieces

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Particulate Filters

Features:
- Low profile with curved top will not catch on pipes or other objects.

Resistance: All particulates
Filtration Grade: P100

SKU	For Model
068-7580P100	5500, RU8500 and 7700 Half Masks;5400, RU6500 and 7600 Full Facepieces



Advantage® Respirator Cartridges

Features:
- Advantage line of particulate, chemical, and combination cartridges are lightweight, low profile performance.
- Also fits 420 Half-Mask Respirators and 1000, 3000 and 4000 Full-Mask Respirators.

Resistance: Chemical and Particulate Aerosols
Filtration Grade: P100

SKU	For Model
454-815369	Advantage® Respirators



Comfo® Respirator Cartridges

Features:
- Cartridges fit Comfo®, Comfo® Classic, and certain half-mask and full-face Advantage Respirators with Adapter (809999).

Filtration Grade: P100

SKU	Type	Resistance
454-815180	Organic Vapor/ Acid Gas/P100 (GMC)	Chlorine (CL); Chlorine Dioxide (CD); Hydrogen Chloride (HC); Hydrogen Sulfide (HS); Particulates; Sulfur Dioxide (SD)
454-815182	Multigas/P100 (GME)	Organic Vapor (OV); Ammonia (AM); Chlorine (CL); Chlorine Dioxide (CD); Formaldehyde (FM); Hydrogen Chloride (HC); Hydrogen Fluoride (HF); Hydrogen Sulfide (HS); Methylamine (MA); Particulates; Sulfur Dioxide (SD)



Gas Mask Facepiece for Ultravue and Ultra Elite Full Facepiece Respirators

Features:
- Scratch-resistant polycarbonate lens that provides a wide field of vision.
- Features a nosecup that helps reduce lens fogging in low temperature conditions or in high-humidity conditions.

SKU	Resistance
454-480247	Gases; Organic Vapor; Particulate Matter; Scratch

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MSA
The Safety Company



Gas Mask Replacement Canisters

Features:
- Easy-to-install cartridges guard against ammonia, chlorine and phosphine.
- Canisters attach directly to the facepiece with a single port, standard thread filter connection at the chin.
- Provides lightweight, low profile performance.

Resistance: Hydrogen Fluoride; Chorline
Filtration Grade: P101

SKU	For Model
454-10067491	Advantage® 3100 Facepieces; Ultravue® Facepieces; Ultra Elite® Facepieces



Particulate Filters

Features:
- The MSA air-line filter removes a minimum of 99 percent of 0.3 micron and larger particulates, including dusts, mists, fumes, smokes and petroleum vapors.
- Caution: It does not remove carbon monoxide.
- The air-line filter can be used at inlet pressures up to 125 psig.
- The pressure drop is one psig at a maximum rated air flow of 25 cubic feet per minute.

Resistance: Dust; Mist; Fumes
Filtration Grade: P100

SKU	For Model
454-815177	Comfo Classic Half Mask; Ultra-Twin Full-Facepiece
454-10153412	Comfo® Classic Half Mask; Ultra-Twin Full-Facepiece

Cartridge Respirators

3M



3M™ Full Facepiece Respirator 6000 Series

Features:
- Unique center adapter directs exhaled breath and moisture downward, and helps reduce debris from depositing in the valve.
- Smooth surface allows for quick and easy cleaning.
- Large lens provides a wide field of view and excellent visibility.
- 3M™ Cool Flow™ Valve provides cool, dry comfort.
- Lightweight well-balanced design and silicone face seal for enhanced comfort and durability.

Body Material: Silicone; Thermoplastic Elastomer
Resistance: Gases; Vapors; Particulates

SKU	Size Group
142-6800	Medium
142-6900	Large



3M™ Half Facepiece Respirators 7500 Series

Features:
- Advance silicone material for increased comfort and greater durability.
- Proprietary 3M™ CoolFlow™ Valve helps makes breathing easier.
- Dual mode head harness adjusts easily for either standard or drop-down mode.
- Exhalation valve cover directs exhaled breath and moisture downward to reduce fogging.
- Color coded to indicate size for easy identification.

Body Material: Silicone
Resistance: NIOSH approved with various cartridges, filters and supplied air systems

SKU	Size Group
142-7502	Medium
142-7503	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



3M™ Half Facepiece Reusable Respirator 6000 Series

Features:
- Used with 2000, 6000 and 7000 Series filters and cartridges.
- Remarkably comfortable with soft, lightweight facepiece and the easy-to-adjust head straps.
- Just dispose of the cartridges/filters when used to capacity.

Resistance: Gases; Vapors; Particulates
Body Material: Thermoplastic Elastomer

SKU	Size Group
142-6100	Small
142-6200	Medium
142-6300	Large



7600 Series Silicone Full Facepiece Respirators

Features:
- Its dual flange silicone seal gives this facepiece superior fitting characteristics.
- Lens provides 200 degree field of vision, provides excellent optics, is scratch resistant and meets ANSI standards for impact resistance.

Body Material: Silicone
Resistance: Particulates;Chemical;Contamination;Gas

SKU	Size Group
068-760008A	Medium/Large



5400 Series Low Maintenance Full Facepiece Respirators

Features:
- Provides comfort and protection.

Resistance: Chemical; Contamination; Gas; Particulates
Body Material: Elastomer

SKU	Size Group
068-54001	Medium/Large



Full Face Respirators

Features:
- Silicone nose cup is soft and comfortable for all-day wear.
- Polycarbonate lens with wide field of vision maximized peripheral visions plus downward view for high impact.
- Five-point strap option includes center strap to help position and hold the mask for a more secure fit and offers quick, easy adjustments.
- Threaded cartridge connector secures cartridges and filters to avoid accidental disconnections.

Body Material: Silicone
Resistance: Gases; Particulates; Toxic Chemicals; Vapors

SKU	Size Group
068-RU65001M	Medium



7700 Series Half Mask Respirators

Features:
- Cradle suspension system allows the facepiece to seal evenly on the face without creating pressure points.

Body Material: Silicone
Resistance: Particulates; Chemical; Contamination; Gas

SKU	Size Group
068-770030M	Medium
068-770030L	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

NORTH BY PIP



RU6500 Full Face Respirators

Features:
- Silicone nose cup is soft and comfortable for all-day wear.
- Polycarbonate lens with wide field of vision maximizes peripheral vision plus downward view.

Body Material: Silicone
Resistance: Contamination

SKU	Size Group
068-RU65001L	Large

MSA The Safety Company



Advantage® 3200 Full-Facepiece Respirator

Features:
- Full face respirator features state-of-the-art design to lower breathing resistance.
- Preset upper straps make the mask easy to put on/take off.
- Scratch-resistant polycarbonate lens with wide field of vision.

Body Material: Silicone
Resistance: Particles; Gases

SKU	Size Group
454-10028995	Medium
454-10028997	Large



Comfo Classic® Respirators

Features:
- SoftFeel® facepiece material increases the comfort factor dramatically.
- Color-coded sizing system makes sorting and identification easy.

Body Material: Hycar™ Rubber
Resistance: Airborne particulates;Chemical;Vapor;Dust

SKU	Size Group
454-808076	Large

Disposable Respirator Parts & Accessories

ALLEGRO INDUSTRIES



Spray Socks

Features:
- Provides comfortable protection against overspray and other particulates.
- Spray sock fits over the head and can be worn with goggles, half mask, or full mask respirators.

Resistance: Overspray; Particulates

SKU	Used With
037-1410-12	Full-Mask/Half-Mask Respirators; Goggles

NORTH BY PIP



Mouthbit Escape Respirators

Features:
- Mouthbit respirators offer a quick and economical method to escape non-IDLH emergency situations.
- Large, soft and flexible nose pads hold securely without pinching.
- Wider nose clip fits a variety of facial types.
- Silicone mouthpiece is more comfortable to wear over long periods.

Depth: 9 in
Height: 3 in
Width: 4-1/2 in

SKU	Resistance
068-7902	Chlorine; Hydrogen Chloride; Hydrogen Fluoride; Hydrogen Sulfide; Sulfur Dioxide; Chloride Dioxide

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Disposable Respirators



3M™ N95 Particulate Respirators

Features:
- Two-strap design with single point attachment helps provide a secure fit.
- Adjustable noseclip reduces eyewear fogging and helps ensure a better fit and seal.
- Patented filter media with advanced electrostatically charged microfibers help make breathing easier and cooler for enhanced user comfort.

Size Group: One Size
Suspension: Two Fixed Straps
Filtration Grade: N95
Resistance: Dust; Non-Oil Particulates

SKU	Quantity	Includes
142-8210V	10 Masks per Box	3M™ Cool Flow™ Valve; Adjustable Noseclip
142-8511	10 Masks per Box	3M™ Cool Flow™ Valve; Adjustable Noseclip
142-8200	20 Masks per Box	Adjustable Noseclip
142-8210	20 Masks per Box	Adjustable Noseclip



2200 Series N95 Particulate Respirators

Features:
- For humid and/or dusty work environments, this is a mask that fits the bill.
- Dura-Mesh® shell stands up to extreme heat environments while providing better protection to the filter.
- Contoured face seal and molded nose bridge deliver enhanced comfort, particularly during extended periods of wear.

Size Group: Medium/Large
Resistance: Non-Oil Based Particulates
Suspension: 2-Strap

SKU	Filtration Grade
507-2200N95	N95



2300 N95 2-Strap Particulate Respirators with Exhale Valve

Features:
- Exhale valve lets workers breathe easy and stay cool.
- Dura-Mesh® shell resists collapsing in heat and humidity.
- Molded nose bridge seals easily without a metal noseband.
- Straps are securely attached so they don't break at the seal.
- Softspun® lining for increased comfort and durability.

Size Group: Medium/Large
Resistance: Non-Oil Based Particulate Aerosols
Suspension: 2-Strap

SKU	Filtration Grade
507-2300N95	N95



AirWave® N95 Plus Organic Vapor Relief Disposable Respirators

Features:
- Added carbon layer helps filter out nuisance levels of ozone and organic vapors.
- FlexFit® design moves easily with your face and stays in place.
- Can be used against most welding fumes (free of oil).

Size Group: Medium/Large
Resistance: Oil-Free Particulates
Suspension: SmartStrap® Adjustable Strap with Full Flange

SKU	Filtration Grade
507-4800	N95

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Escape Respirators

MSA The Safety Company



W65 Self-Rescuer Respirators

Features:

- Provides emergency respiratory protection against carbon monoxide gas resulting from underground fires or explosions.
- One time use device for escape purposes only.
- Protected by a rugged stainless steel case.
- Do not use in atmospheres containing less than 19.5% oxygen or in atmospheres containing other toxic gases and vapors.

Body material: Hopcalite Pre-Filter

SKU	Resistance
454-455299	Carbon Monoxide

Powered Air & Supplied Air System Parts & Accessories

Bullard



Air-Supplied Respirator Constant Flow Control Valves

Features:

- Replacement continuous constant flow control valve provides consistent flow of air to respirator.
- Designed to work with Bullard® models; including, CC20, RT, Spectrum, GR50, 88VX, and GVX series.

SKU
216-F30

Bullard




EVA Battery Chargers

Features:

- Smart charger.
- Suitable for EVABAT1, EVABAT2 lithium-ion batteries.

SKU	Used With
216-EVABAT1	EVABAT1/EVABAT2 Batteries

PureFlo



3000 Filter Cover Retaining Clips

Features:

- Great for keeping your air-purifying protection systems running in peak condition.
- Eliminate snag hazards to allow work in tight spaces.

SKU	Used With
343-PF3000-03-061	3000 PAPR



3000 PAPR HEPA Filters

Features:

- Provides respiratory protection against fine dusts, and oil- and water-based mists.
- Lightweight design, high capacity filter media and low pressure drop respiration, enables filters to provide complete protection with optimal longevity.

SKU	Used With
343-PF3000-02-002	3000 PAPR

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

3000 Pre-Filters

Features:
- To provide respiratory protection against dusts, mists and aerosols.

SKU	Used With
343-PF3000-04-005	3000 PAPR



Faceshield Retaining Clips

Features:
- These low-profile retaining clips eliminate snag hazards to allow work in tight spaces while keeping the ANSI-rated visor securely in place.

SKU	Used With
343-PF3000-03-016	3000 PAPR



Helmet Storage Bags

Features:
- Durable tear-resistant nylon shell bag to protect your PureFlo products from damage and scratches.
- Inside pocket allows you to store the batteries and charger.

SKU	Used With
343-PF3000-03-046	PureFlo ESM+ and 3000 PAPR



Tychem® QC Disposable PAPR Hoods

Features:
- Fully disposable, eliminating the need for decontamination.
- Helps protect the head from limited liquid chemical splashes and dusts when worn with the PureFlo ESM+ PAPRs.

Size Group: One Size

SKU	Used With	Type
343-PF3000-03-022	3000 PAPR	Drawstring Hood
343-PF3000-03-023	3000 PAPR	Slipover Hood

Powered Air & Supplied Air Systems



EVA Powered Air-Purifying Respirators

Features:
- Easy-to-read battery gauge displays the remaining battery capacity at a quick glance.
- Active Flow Technology automatically responds to a worker's need for more or less air flow.
- Two distinct audible alarms notify wearers of low battery and low air flow.
- EVA offers a single filter for easy use and ensures positive filter installation with a single click.

Includes: Powered Air-Purifying Respirator (PAPR) Hood System; Battery; Charger; Breathing Tube; EVA Blower; HEPA Filters (PAPRFC3) Sold Separately

SKU	Batt. Type
216-EVA20LF2M	Lithium Polymer

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3000 Welding Powered Air Purifying Respirators

Features:
- All-in-one head, eye, face, and respiratory protection.
- Ergonomic modern design for continuous comfort even with the welding shield.
- No fit test, beard approved.
- No hose or PAPR worn interference when using a fall protection harness.
- Exposed ears for hearing protection and communications.

Includes: Blue Hard Hat; Pro Deluxe Welding ADF; Spark Arrestor; FR Face Seal, HEPA Filter, Lithium-Ion Battery
Size Group: 63/4 in to 8 in Head Range

SKU	Batt. Type
343-PF3000-H2SB-03	Lithium-Ion

High Performance® Faceshield Windows

Features:
- Injection molded from propionate.
- Heat and scratch resistant.
- Fits easily and comfortably over required protective spectacles or respirators.

Thickness: 0.06 in
Lens Material: Propionate

SKU	Lens Coating/ Shade	Style	Length	Height
Used With: F-400, F-500, FH-66, FM-70, FM-71 Series				
280-4178CL	Clear	Wide View	16-1/2 in	8 in
Used With: F-400;F-500,;FH-66, FM-70, FM-71 Series;400500667071				
280-4178DGN	Dark Green	Wide View	16-1/2 in	8 in
Used With: F-400, F-500 & FH-66 Series;40050066				
280-4199CL	Clear	Extended View	19-3/4 in	9 in
280-4199IRUV5	Shade 5	Extended View	19-3/4 in	9 in

HEAD/FACE PROTECTION

Faceshields & Visors



Visors

Features:
- Durable and high-performance.

Thickness: 0.040 in

SKU	Lens Coating/ Shade	Lens Material	Binding	Length	Height
Used With: Jackson Safety® Head Gear/Cap Adaptors					
101-3440-B-CL	Clear	PETG	Aluminum Bound	15-1/2 in	9 in
101-3440-U-CL	Clear	PETG	Unbound	15-1/2 in	9 in
101-3465-5	Shade 5.0	PETG	Aluminum Bound	15-1/2 in	9 in
Used With: Fibre-Metal® Head Gear/Cap Adaptors					
101-4199-C	Clear	Proprionate	Unbound	19 in	9-3/4 in



Bionic® Face Shield Replacement Visors

Features:
- Curved window provides unobstructed view.
- Reinforced polycarbonate construction.

Used With: Bionic® Shield face shield
Style: Full shield
Height: 9-1/2 in
Lens Material: Polycarbonate
Thickness: 0.040 in

SKU	Lens Coating/Shade
763-S8550	Uncoated/Clear
763-S8565	Uncoated/Shade 5.0

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

UVEX BY PIP



Bionic™ Faceshields

Features:
- Shell offers built-in chin protection and extended top-of-head coverage.
- Highly adjustable headgear tilts visor nearer or farther from face depending on preference and application.
- Comfortable cell foam on back of headgear.
- Breathable, removable, washable headband.

Lens Material: Polycarbonate

SKU	Lens Coating/ Shade	Style	Length	Height	Thickness
763-S8500	Uncoated/ Clear	Face, chin and top of head coverage	14-1/2 in	9-1/2 in	0.040 in
763-S8510	HC/AF/Clear	Face, chin and top of head coverage	14-1/2 in	9-1/2 in	0.0040 in
763-S8555	Anti-Fog/ Anti-Scratch	Full Shield	14-1/2 in	9-1/2 in	0.040 in

JACKSON SAFETY



F30 Acetate Faceshields

Features:
- Ideal for scratch resistance and premium optics.
- High-grade cast sheet acetate protects against splash.
- 99.9% UV protection.

Binding: Aluminum Bound
Used With: Jackson® Safety Headgear
Style: D Shape
Lens Material: Acetate
Color: Clear
Length: 15.5 in
Height: 9 in

SKU	Lens Coating/Shade	Thickness	Model
138-29079	Uncoated	0.040 in	34-40
138-29091	Uncoated	0.047 in	3440 BULK

JACKSON SAFETY



F50 Polycarbonate Special Face Shields

Features:
- Designed to provide protection against high heat applications, flying debris, and D3 rating chemical splash.
- IRUV filter additives in shade 3 and 5 provide additional infrared and ultraviolet radiation protection.

Binding: Unbound
Used With: Hard Hat Interchange System; Protective Eyewear
Style: D Shape
Lens Material: Polycarbonate
Length: 15.5 in
Height: 8 in
Thickness: 0.060 in

SKU	Lens Coating/Shade
138-29080	IRUV 5.0

MCR SAFETY



Universal Faceshields

Features:
- Superior face protection from dangerous liquid splashes and flying debris.
- Compatible with a variety of brackets and face shield sizes and materials.

Color: Clear
Lens Material: PETG
Length: 16 in
Height: 8 in
Thickness: 0.04 in

SKU	Lens Coating/Shade
135-181640	Uncoated

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MSA The Safety Company

V-Gard® Accessory System General Purpose Visors

Features:
- Provides maximum UV protection.
- Wider design for improved resistance to impact and splash hazards.

Binding: Unbound
Used With: V-Gard® Frames
Style: Contoured
Lens Material: Polycarbonate
Color: Clear
Length: 17 in
Height: 8 in
Thickness: 0.060 in

SKU	Lens Coating/Shade
454-10115836	Anti-Fog; Anti-Scratch

PureFlo



3000 Faceshields

Features:
- Faceshield with optional tear-off layers.

Used With: PureFlo® 3000 PAPR
Color: Clear

SKU	Lens Coating/Shade
343-PF3000-03-044	Clear

Hard Hat & Cap Parts & Accessories

Bullard



Face Shield Brackets

Features:
- Band-mounted brackets that fit Bullard® hard hats and bump caps; including, competitor models.
- Visor retainer system that securely locks visor in place.
- Dielectric brackets are made from lightweight, durable nylon that is ideal for general-duty applications.

SKU	Used With
216-300BW	911 Models; 9C and 9H Hard Hats



High-Heat Series Suspension Replacements

Features:
- Designed specifically for use in high-heat environments.
- Used with high-heat series cap style or full brim hard hats.

SKU	Suspension
216-FRS6RC	Sure-Lock® 6-point Ratchet

MSA The Safety Company



Fas-Trac® III Replacement Suspensions

Features:
- Ratchet suspension and flush rear lug attachments eliminate pressure points for additional wearer comfort.
- Three levels of nape strap adjustment ensure a customized fit.

Suspension: 4-Point Ratchet

SKU	Used With
454-10148708	V-Gard®; V-Gard 500; V-Gard GREEN; SmoothDome®
454-10126693	MSA Skullgard® and Comfo-Cap® Helmets
454-10153385	MSA Skullgard® Helmets

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Sun Shields

Features:

- Front portion is Lexan tinted.
- Protects wearer's ears and neck from sun rays.
- Extends brim all the way around.

SKU	Used With
454-697410	V-Gard



V-Gard® H2™ Safety Helmet Replacement Parts

Features:

- Replacement parts for V-Gard H2™ safety helmets.
- Provides superior comfort and versatility while incorporating the latest technology to help protect against lateral impacts.

SKU	Used With
454-10242641	V-Gard H2™ Safety Helmet



C30 Classic Cap Style Hard Hats

Features:

- Wider profile helps protect against sun exposure, rain, snow, and dust.
- Easy to adjust Flex-Gear® ratchet suspension that stays on your head, even when bending over.
- Accessory slots accept a wide variety of attachments.
- Front, side, and rear vertical height adjustment.

Suspension: 6-Point Ratchet
Material: HDPE; Polyethylene
Type: Non-Vented
Size Group: 6.5 in to 8 in

SKU	Color
216-30DGR	Dove Gray
216-30WHR	White
216-30ORR	Orange
216-30KBR	Kentucky Blue
216-30FGR	Forest Green
216-30YLR	Yellow
216-30RDR	Red
216-30HOR	Hi-Viz Orange



C30 Classic Full-Brim Hard Hats

Features:

- Wider profile helps protect against UV rays, glare, rain, and splash.
- Easy to adjust Flex-Gear® ratchet suspension that stays on your head, even when bending over.
- Accessory slots accept a wide variety of attachments.
- Front, side, and rear vertical height adjustment.

Suspension: 6-Point Ratchet
Material: HDPE; Polyethylene
Type: Non-Vented
Size Group: 6.5 in to 8 in

SKU	Color
216-33NBR	Navy Blue
216-33WHR	White
216-33RDR	Red
216-33ORR	Orange
216-33BKR	Black
216-33KBR	Kentucky Blue
216-33DGR	Dove Gray
216-33HOR	Hi-Viz Orange
216-33HYR	Hi-Viz Yellow
216-33HGR	Hi-Viz Green

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



C71 Standard Full-Brim Hard Hats

Features:
- Lightweight, low profile, and has a low center of gravity, providing exceptional balance.
- Easy to adjust Flex-Gear® ratchet suspension.
- Vertical height adjustment capability (2 front, 2 rear) allow for a personal, secure fit.

Suspension: 4-Point Ratchet
Material: HDPE; Polyethylene
Type: Non-Vented
Size Group: 6.5 in to 8 in

SKU	Color
216-71FGR	Forest Green
216-71GGR	Gull Gray
216-71KBR	Kentucky Blue
216-71SKR	Sky Blue
216-71WHR	White
216-71CBR	Chocolate Brown
216-71YLR	Yellow



SuperEight® E1 Hard Hats

Features:
- Dissipates force on impact by reducing it to smaller increments and spreading it over a greater area.
- The exclusive smooth crown design contains a technically advanced suspension with eight load bearing points to stabilize and balance the hat or cap during everyday wear.

Suspension: 8-Point Ratchet
Material: Thermoplastic
Size Group: One Size Fits Most

SKU	Color
280-E1RW01A000	White



Fibre-Metal Climbing Style Safety Helmets

Features:
- The helmet incorporates an innovative suspension technology which helps to evenly distribute impact-generated force throughout the shell.
- The climbing style helmet benefits from accommodating a wide range of safety products and accessories as well as this unique set of features.

Suspension: Dual Locking Rachet Suspension
Material: HDPE
Style: Type II

SKU	Color	Type
280-CSH10001	White	Non-Vented
280-CSH11001	White	Vented



Skullgard® Protective Caps and Hats

Features:
- Tested to radiant heat loads producing temperatures up to, but not exceeding, 350° F.
- Smooth crown allows easy use of MSA welding equipment.

Suspension: Fas-Trac® Ratchet
Material: Phenolic
Type: Non-Slotted

SKU	Color	Size Group	Style
454-475395	Natural Tan	Standard; 6-1/2 to 8	Cap Style
454-475405	Natural Tan	Large; 7-1/2 to 8-1/2	Cap Style
454-475407	Natural Tan	Standard; 6-1/2 to 8	Full Brim
454-475408	White	Standard; 6-1/2 to 8	Full Brim

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



V-Gard H2® Full Brim Safety Helmet.

The new V-Gard H2 Full Brim Safety Helmet is the Type II hard hat you've been asking for, offering top and lateral impact protection with a full brim design. From MSA, the leader in head protection.
Learn more at http://msasafety.com/vgard-h2-full-brim

MSA
The Safety Company



V-Gard® H1 Trivent Safety Helmets

Features:
- Fas-Trac® III Pivot Ratchet Suspension for superior comfort, adjustability, and range of motion.
- Non-contact foam liner maximizes air flow and breathability for optimal cooling and hygiene.
- Field replaceable 4-point chinstrap with multiple adjustment points for customized fit and comfort.
- Premium moisture wicking sweatband with breathable foam and hook and loop attachment for easy field replacement.
- Patent pending "push-button" accessory attachment rail and universal lighting clips for quick installation and removal.
- Convenient rescue whistle integrated into the chin strap buckle.

Suspension: Fas-Trac® III Pivot Ratchet
Material: HDPE
Size Group: 6-1/2 to 8

SKU	Color
454-10194796	Hi-Viz Yellow/Green
454-10194797	Orange
454-10194783	White



V-Gard® H2™ Safety Helmets

Features:
- Optional Mips® brain protection system offers additional rotational impact protection to help reduce the risk of traumatic brain injury.
- Optional venting for improved air flow, cooling and reduced heat stress.
- Non-vented options for use in electrical applications where Class E certification is needed.
- Antimicrobial treatment of sweatband, crown pad & ratchet pad with Ionic+® high purity silver to eliminate odor-causing bacteria.

Suspension: Ratchet
Material: ABS
Type: Type II

SKU	Color
454-10242637	Yellow
454-10242813	White



V-Gard® Protective Hats

Features:
- Convenient caps and hats provide comfortable, lightweight protection.
- Polyethylene shell provides superior impact protection.

Suspension: Fas-Trac® Ratchet
Material: Polyethylene
Type: Slotted
Size Group: Standard; 6-1/2 to 8

SKU	Color
454-475369	White



V-Gard® Slotted Hard Hat Caps

Features:
- Comfortable, durable protection.
- Polyethylene shell provides superior impact protection.
- Iconic V design has been a mainstay for many years on even the toughest worksites.

Suspension: Fas-Trac® III Ratchet
Material: Polyethylene
Type: Slotted
Size Group: 6-1/2 in to 8 in; Standard

SKU	Color
454-475358	White

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Welder Caps & Doo Rags



Series 2000 Reversible Caps

Features:
- 6 panel, round crown, super soft brim reversible welders cap with custom print on 1 side and solid color on other.
- Cap measures approximately 7-1/4 inches from the top of the crown to the bottom of the cap.
- Caps are medium-crowned in order to cover welder's ears and neck, as well as round-crowned for that great look and fit.

Material: Cotton
Type: Reversible

SKU	Color	Size Group
118-2000E	Assorted Prints	One Size Fits Most

Welding Helmet Parts & Accessories



Custom-fit Replacement Headgear

Features:
- Deeply offset, pliable headband fits head contours comfortably.
- Overhead band with multiple adjustments helps position the glassholder for the best view of the weld and a comfortable working position.
- Exclusive "free-floating" arms balance and stabilize the helmet while minimizing pressure points.
- Strip-proof ratchet head size adjustment provides small increment sizing.

Suspension: Ratchet
Type: Pipeliner

SKU	Used With
280-1CR	F300 Series




HDG10 Face Shield Headgear

Features:
- Has spark deflector.
- Soft, absorbent, wrap-around, foam cushioned sweatband gently hugs natural shape of head.

Suspension: Ratchet

SKU	Used With
138-14381	12 in or 15-1/2 in Face Shield



Cover Lens

Features:
- Resistant to abrasion, pitting, spatter, chemicals and solvents.

Window Size: 4-1/4 in x 2 in
Material: 100% Polycarbonate

SKU	Lens Coating/ Shade
901-PCC-24	Clear



Cover Lens

Features:
- Convenient protective cover lens is resistant to abrasion, pitting, spatter, chemicals and solvents.
- Optically correct and balanced.
- Provides superior welding lens protection.

Resistance: Scratch; Static

SKU	Lens Coating/ Shade	Window Size	Material
901-SP-1	Clear	2 in x 4-1/4 in	70% CR-39 Plastic
901-SP-2	Clear	2 in x 4-1/2 in	100% CR-39 Plastic
901-SP-35	Clear	4-1/2 in x 5-1/4 in	50% CR-39 Plastic

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Glass Filter Plates

Features:
- Precision ground and edged to allow a safe and proper fit.

Window Size: 2 in x 4-1/4 in
Material: Hardened Glass
Color: Green

SKU	Lens Coating/ Shade
901-932-105-10	10



Safety Plate

Features:
- Safety plate provides strong impact resistance for added safety.
- Light-weight.

Material: Polycarbonate
Color: Clear

SKU	Lens Coating/ Shade	Window Size
901-932-440	Clear	2 in x 4-1/4 in
901-932-442	Clear	4-1/2 in x 5-1/4 in



Spatter Lenses

Features:
- External spatter lens is for welding only.

SKU	Lens Coating/ Shade	Type
343-PF3000-03-013	Clear	External Splatter Lens
343-PF3000-04-016	ADF	Internal ADF Splatter Lens



Speedy-Loop™ Mounting Systems

Features:
- Easy on/off system for mounting welding helmets onto protective caps.
- Fully adjustable.

Material: Plastic
Size: Adjustable

SKU	Used With
280-5000-H5	Fibre-Metal Protective Caps

Welding Helmets



Pipeliner™ Welding Helmets

Features:
- Compact design allows access to areas where there is no room for a standard helmet.
- Comfortable, functional headgear uses a constant-fit rubber headband for frequent re-adjustments as pipe welders move about their work.

Window Size: 2 in x 4-1/4 in
Material: Fiberglass
Suspension: Rubber Headband

SKU	Lens Coating/Shade	Color
280-110PWE	#10	White

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Tigerhood™ Classic Welding Helmets

Features:
- Unique welding helmet design provides extended throat protection while blocking fumes and smoke from the face.
- Molded-in colors eliminate chipping, peeling, and fading.
- Smooth, seamless shell deflects sparks and spatter reducing the risk of burn through.

Window Size: 2 in x 4-1/4 in
Material: Thermoplastic
Suspension: 3-C Ratchet

SKU	Lens Coating/Shade	Color
280-906GY	#10	Gray



QM24PLUS® Earmuffs

Features:
- QM24PLUS® features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin.
- Soft foam cushions are easy-to-clean with soap and water, and can be replaced for extended use.

Mounting: Multiple-Position Headband

SKU	Noise Reduction Rate (NRR)
154-QM24PLUS	25 dB

EAR PROTECTION

Earmuffs



3M™ PELTOR™ Optime™ 95 Earmuffs

Features:
- Stainless steel construction resists bending and warping.
- Earcup pivot points tilt for optimum comfort and efficiency.
- Lightweight with liquid/foam filled earmuff cushions.
- Color-coding for compliance sighting.

Mounting: Behind the Head

SKU	Noise Reduction Rate (NRR)
247-H6B/V	21 dB



VeriShield™ 100 Series Passive Earmuffs

Features:
- Large dimension range provides comfortable fit that is 17 percent more adjustable than earlier versions.
- Wide cup opening area increased by 16 percent over earlier versions.
- New unique memory foam combines denser and softer foam than previous models, suitable for wearers with sensitive ear canals or for wearing with hearing aids.
- Air Flow Control technology for optimum attenuations across all frequencies.

Mounting: Over-the-Head

SKU	Noise Reduction Rate (NRR)
154-1035108-VS	30 dB

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



The **Howard Leight VS110HFB VeriShield™ Full Brim Hard Hat Earmuff** delivers reliable 20 dB noise reduction in a helmet-mounted, thin-cup design—engineered for all-day comfort and seamless integration with full brim hard hats. With memory foam cushions and a robust build, it's protection that performs without compromise.



VeriShield™
Full Brim Earmuff

SKU	DESCRIPTION
1035211-VS	Howard Leight VS110HFB VeriShield™ Full Brim HH Earmuff

HOWARD LEIGHT

MSA The Safety Company



SoundControl® SH Cap Earmuffs

Features:
- Spring design offers low pressure and a high level of comfort.
- Three distinct wearing positions for ease of use.
- Excellent grip makes it easy to adjust the cups, even when wearing gloves.
- Provides maximum space for the ears inside the cup.
- Soft ear cup material for extended wear.
- Easy ear cup height adjustment.

Mounting: Cap-Mounted

SKU	Noise Reduction Rate (NRR)	Used With
454-10129327	25 dB	MSA Slotted Caps/Full-Brim Hats

Earplug Parts & Accessories

MOLDEX



PlugStation® Earplug Dispensers

Features:
- Compliance — High visibility to increase awareness for your hearing conservation program.
- Workers take one pair at a time so there are no wasteful grabbing of multiple pairs.
- When PlugStation® is empty, simply dispose of it and hang a new one.

Color: Assorted Color Swirls/Streaks Earplugs

SKU	Includes
507-6644	(6) Dispensers; (6) Mounting Brackets; 250 Pairs per Dispenser
507-6645	(4) Dispensers; (4) Mounting Brackets; 500 Pairs per Dispenser

Earplugs

3M



3M™ E-A-Rsoft™ Yellow Neons™ Foam Earplugs

Features:
- Self-adjusting foam provides a comfortable fit for most ear canals.
- Dermatologically safe foam is non-irritating to the skin.

Type: Uncorded
Quantity: 200 Pair per Box

SKU	Noise Reduction	Body Material
247-312-1250	33 dB	Polyurethane



3M™ E-A-R™ Classic™ Foam Earplugs

Features:
- Flame-retardant.
- Moisture resistant.
- Shape prevents shifting and keeps effectiveness of noise seal constant.
- Slow recovery PVC foam provides comfort with low pressure.

Type: Uncorded
Quantity: 200 Pair per Box

SKU	Noise Reduction	Body Material
247-310-1001	29 dB	Polymer Foam



3M™ E-A-R™ Express™ Pod Plugs™ Earplugs

Features:
- Design reduces the potential for hand-to-ear contamination.
- Unique pod design helps make an effective seal for most ear canals.
- First push-to-fit earplug, when a push to fit earplug is defined as having a slow recovery foam tip.
- A flexible stem makes inserting easy.

Type: Corded
Quantity: 400 Pair per Box

SKU	Noise Reduction	Body Material
247-311-1115	25 dB	Polyurethane

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3M™ E-A-R™ Push-Ins Foam Earplugs

Features:
- The patented E-A-R™ form foam tip is shaped and sized to mold comfortably to fit virtually every sized canal.
- The the unique foam actually softens and becomes more pliable with body temperature, the seal and comfort increases the longer the plugs are worn.

Type: Corded
Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material
247-318-1001	28 dB	Polyurethane



3M™ E-A-R™ Skull Screws™ Earplugs

Features:
- Screws combine the tough look of threaded metal with the soft, comfortable feel of foam.
- Push-to-fit convenience.

Type: Corded
Quantity: 120 Pair per Box

SKU	Noise Reduction	Body Material
247-P1301	32 dB	Polyurethane



3M™ E-A-R™ Ultrafit™ Earplugs

Features:
- Conforms to oval shape of ear.
- No rolling or touching plug portion during insertion.

Type: Corded
Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material
247-340-4004	25 dB	Elastomeric Polymer



3M™ Foam Earplugs

Features:
- Smooth, dirt resistant surface for hygiene.
- Tapered shape to fit the ear canal comfortably.
- Hypo-allergenic material.

Type: Uncorded Tapered
Quantity: 200 Pair per Box

SKU	Noise Reduction	Body Material
142-1100	29 dB	Foam



AirSoft® Reusable Earplugs

Features:
- Advanced air pocket design features internal noise-blocking fins.
- Firm stem facilitates easy insertion and removal.
- Four-flange profile creates better seal in the ear canal.

Type: Corded
Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material	Color
154-DPAS-30R	27 dB	Thermoplastic Elastomer	Blue/Red Cord
154-DPAS-30W	27 dB	Thermoplastic Elastomer	Blue/White Cord

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Fusion® Multiple-Use Earplugs

Features:
- FlexiFirm® stem is easy to grasp, ensuring easy insertion into the ear canal.
- SoftFlange™ creates comfortable seal in the ear canal for superior comfort and protection.
- Unique detachable nylon cord system adapts to virtually any application.

Type: Corded
Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material	Color
154-FUS30-HP	27 dB	Thermoplastic Elastomer	Blue/Yellow
154-FUS30S-HP	27 dB	Thermoplastic Elastomer	Green



Laser Lite® Disposable Earplugs

Features:
- Vibrant colors make protection visible.
- Self-adjusting polyurethane foam expands to fit virtually every wearer.
- Contoured T-shape for easy insertion and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

Body Material: Polyurethane Foam

SKU	Noise Reduction	Type	Quantity
154-LL-30	32 dB	Corded	100 Pair per Box
154-LL-1	32 dB	Uncorded	200 Pair per Box
154-LL-1-D	32 dB	Uncorded	500 Pair per Box



Laser Trak® Detectable Earplugs

Features:
- Non-ferrous metal grommet and bright colors – easily detected by visual and automated inspection.
- Self-adjusting polyurethane foam expands to fit virtually any wearer.
- Contoured T-shape for easy insertion and wear.

Type: Corded
Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material
154-LT-30	32 dB	Foam



MAXIMUM Disposable Earplugs

Features:
- Contoured design easier to insert, resists tendency to back out of ear canal.
- Polyurethane foam enhances comfort, especially for long-term wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.
- Bell shape delivers maximum in-ear comfort.

Body Material: Polyurethane Foam

SKU	Noise Reduction	Type	Quantity
154-MAX-30	33 dB	Corded	100 Pair per Box
154-MAX-1	33 dB	Uncorded	200 Pair per Box
154-MAX-1-D	33 dB	Uncorded	500 Pair per Box

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

HOWARD LEIGHT BY PIP



MAXIMUM LITE Disposable Earplugs

Features:

- Low pressure polyurethane foam expands gently for comfortable long-term wear.
- Contoured T-shape for easy insertion and wear.
- Smooth, soil-resistant closed cell-foam skin prevents dirt build-up.

Body Material: Foam

SKU	Noise Reduction	Type	Quantity
154-LPF-30	30 dB	Corded	100 Pair per Box
154-LPF-1	30 dB	Uncorded	200 Pair per Box
154-LPF-1-D	30 dB	Uncorded	500 Pair per Box



Quiet® Reusable Earplugs

Features:

- Patented "no-roll" design is easy to handle and fit.
- Contoured shape comfortably matches contours of the ear canal.
- Built-in insertion stem makes insertion quick and easy.
- Smooth, non-irritating skin provides all-day comfort, easy to clean for long-term use.

Type: Corded

Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material
154-QD30	26 dB	Foam

HOWARD LEIGHT BY PIP



SmartFit® Reusable Earplugs

Features:

- Conforming Material Technology™ adapts to the shape of the surrounding ear canal when in your ear, and returns the earplug to its original shape when removed.

Type: Corded

Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material
154-SMF-30	25 dB	TPE

MOLDEX



Pura-Fit® Foam Earplugs

Features:

- Bright color for easy compliance checks.
- Tapered design to fit the ear canal.
- Non-irritating, smooth surface for added comfort.

Body Material: Foam

SKU	Noise Reduction	Type	Quantity
507-6900	33 dB	Corded	100 Pair per Box
507-6800	33 dB	Uncorded	200 Pair per Box



Rockets® Reusable Earplugs

Features:

- Air bubble in the tip provides cushioned comfort.
- Pocket-Pak® carrying case for plug storage, slips easily into pocket.
- Washable and reusable.

Type: Corded

Quantity: 50 Pair per Box

SKU	Noise Reduction	Body Material
507-6405	27 dB	TPE

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MOLDEX




SparkPlugs® Foam Earplugs

Features:

- Extra soft foam and tapered design fit snugly and comfortable in the ear.
- Bright, fun colors provide easy compliance checks.

SKU	Noise Reduction	Type	Quantity
507-6654	33 dB	Corded	100 Pair per Box
507-6604	33 dB	Uncorded	200 Pair per Box



SparkPlugs® Metal Detectable Foam Earplugs

Features:

- Metal detectable for food processing applications.
- The ball bearing and cord are in separate holes so that the ear plugs remain detectable even if the cord is removed.
- Their tapered shape fits easily in the ear canal, and seals gently and snugly without pressure.

Type: Metal Detectable with Cord
Quantity: 100 Pair per Box

SKU	Noise Reduction	Body Material
507-6615	33 dB	Foam

EYE PROTECTION

Safety Glass Parts & Accessories

ANCHOR BRAND



Lens Cleaning Towelette Dispensers

Features:

- Pre-moistened with C-Clear Anti-Fog, Anti-Static formula for use on plastic, polycarbonate and glass lenses.
- Contains no silicone.
- Safe and effective with all lens coatings including Anti-Reflective Coating.
- Also good for use on goggles, face shields, CRT screens and microscopes.

Width: 5 in
Length: 8 in

SKU	Includes
101-70-AB	100 Individually Wrapped Wipes

UVEX® BY PIP



Fog Eliminator Plus

Features:

- Uvex® Fog Eliminator Plus now delivers 8 hours of anti-fog protection based on an extreme environment effectiveness (EEE) test at 122° F and 80% humidity for one hour.
- Fog Eliminator Plus Cloth and Gel on AF coating represents a minimum ~60X extension of the fog free time vs. AF coating alone.

Width: 5.25 in
Length: 2.25 in

SKU	Includes
763-S479	100 Individually Wrapped Wipes

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Spec Saver® Towelettes

Features:
- Premoistened towelettes are safe to use on plastic, polycarbonate and glass lenses.
- Safe and effective with all types of lens coatings.
- Ideal for glasses, goggles, face shields, and computer screens.
- Anti-fog, anti-static formula; contains no silicone.

Width: 8-1/2 in
Length: 5 in

SKU	Includes
135-LCT	100 Individually Wrapped Wipes



VisionAid™ Slip-On Sideshields

Features:
- These flexible sideshields are engineered to fit all types of eyewear including prescription glasses.
- Dust and nuisance protection.

Width: 2 in

SKU
292-99705

Safety Glasses



Clear Frameless Safety Glasses

Features:
- Good for everyday use or a visitor spec.
- Lightweight glasses that are good for long term wear.

Lens Material: Polycarbonate
Resistance: Scratch Resistant

SKU	Frame Color
101-VSC110	Clear



Rush+ Series Safety Glasses

Features:
- Features high impact 2.2 mm polycarbonate lens.
- Optimal fit and comfort with non-pressure co-molded temples.
- Anti-slip silicone nose pads.

Lens Material: Polycarbonate
Lens Coating/Shade: Platinum® Anti-Fog and Anti-Scratch

SKU	Frame Color	Temple Color	Lens Tint
286-40208	Black	Gray/Red	Gray
286-41080	Black/Red	Gray/Red	Clear
286-40256	Green/Blue	Blue	Clear



A800 Series Safety Glasses

Features:
- Soft padded inserts run down the length of the temple.
- Soft nosepiece for added comfort.

Lens Tint: Clear
Frame Color: Clear
Lens Material: Polycarbonate

SKU	Lens Coating/Shade	Resistance
812-A800	Hard Coat	Scratch
812-A805	Fog-Ban® Anti-Fog	Fog; Impact



Astrospec OTG® 3001 Eyewear

Features:
- Contemporary, lightweight unilens offers panoramic vision.
- Easy and economical lens replacement system.

Lens Tint: Clear
Frame Color: Black
Lens Material: Polycarbonate

SKU	Lens Coating/Shade	Resistance
763-S2500	Anti-Scratch; Hard Coat	Scratch
763-S2500C	Anti-Fog	Fog

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Hypershock™ Safety Eyewear

Features:
- Design offers high impact protection, with streamlined padded temples and a molded nosepiece for a secure, comfortable fit.
- 100% dielectric, can be worn in environments where accidental exposure to electrical charge is possible.

Lens Tint: Gray
Lens Material: Polycarbonate
Lens Coating/Shade: HydroShield™ AF

SKU	Frame Color
763-S2941HS	Matte Black



Protégé Eyewear

Features:
- Proprietary Floating Lens™ design offers increased flexibility for better fit.
- Soft temple tip pads.
- Soft and clear nose pads prevent slipping.

Lens Tint: Clear
Lens Material: Polycarbonate
Lens Coating/Shade: HydroShield™ Anti-Fog

SKU	Frame Color
763-S4200HS	Black



Uvex Genesis® Safety Eyewear

Features:
- Soft flexible fingers adjust and conform to any nasal profile and minimize slippage.
- Soft elastomer brow guard diffuses and deflects impact.

Lens Tint: Clear
Frame Color: Black
Lens Material: Polycarbonate

SKU	Lens Coating/Shade	Resistance
763-S3200HS	HydroShield™ Anti-Fog	Fog
763-S3200	Ultra-dura® HC	Scratch



V30 Nemesis™ Polarized Safety Glasses

Features:
- Tinted lenses are polarized for superior optical clarity, even outdoors as sunglasses in bright sunlight.
- Reduces the glare of reflected light, decreasing the risk of eye stress and eye fatigue.
- Wraparound frame has a base curve of 8 that extend the range of peripheral protection, as well as soft touch temples for comfort.
- Resistant to surface damage by fine particles, features superior anti-scratch performance.

Lens Tint: Smoke
Lens Material: Polycarbonate
Lens Coating/Shade: Polarized
Resistance: 99% UVA/UVB/UVC; Scratch

SKU	Frame Color
412-28635	Gunmetal



V30 Nemesis™ Safety Glasses

Features:
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.
- Polycarbonate lenses provide 99.9% UVA/UVB/UVC protection.

Lens Material: Polycarbonate

SKU	Frame Color	Temple Color	Lens Tint	Lens Coating/Shade
Resistance: 99.9% UVA/UVB/UVC				
412-19639	Blue	Black	Light Blue	Uncoated
412-14481	Black	Black	Blue Mirror	Mirror
412-25659	Black	Black	Amber	Uncoated
412-25671	Black	Black	IRUV Shade 5	Uncoated; IRUV Shade 5
412-25676	Black	Black	Clear	Uncoated
412-25685	Black	Black	Indoor/Outdoor	Uncoated
412-25688	Black	Black	Smoke Mirror	Mirror
412-25692	Black	Black	IRUV Shade 3	Uncoated; IRUV Shade 3
412-19644	Camouflage	Camouflage	Bronze	Uncoated
Resistance: 99.9% UVA/UVB/UVC; Fog				
412-22611	Red	Red	Smoke	Anti-Fog
412-22475	Black	Black	Smoke	Anti-Fog
412-25679	Black	Black	Clear	Anti-Fog
412-22609	Camouflage	Camouflage	Smoke	Anti-Fog

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

KLEENGUARD™



V60 Nemesis™ Rx Readers Prescription Safety Glasses

Features:
- Corrective lenses are hard coated for scratch resistance and longer life.
- Patented FLEX-DRY* nose piece designed to be extremely flexible, to channel sweat away from the eyes, and to help prevent slippage down the nose for long-term comfort.

Lens Tint: Clear
Frame Color: Black
Lens Material: Polycarbonate
Lens Coating/Shade: Hard Coated
Resistance: 99.9% UVA/UVB/UVC; Scratch

SKU	Diopter Strength
412-28621	+1.5
412-28624	+2.0

MCR SAFETY



BearKat® BK1 Series Safety Glasses

Features:
- The BearKat® BK1's super well thought-out construction combines the best in safety, comfort, and affordability.
- Your vision is unobstructed by the one-piece wraparound lens, which by its tight fit allows you maximum safety.
- Comfort is enhanced by the flexible temples and the non-slip temple sleeves are notched for a clip-on breakaway cord.

Lens Material: Polycarbonate

SKU	Frame Color	Lens Tint	Lens Coating/Shade
135-BK110	Clear	Clear	Duramass® Scratch-Resistant
135-BK110AF	Clear	Clear	Anti-Fog; Duramass® Scratch-Resistant
135-BK112	Gray	Gray	Duramass® Scratch-Resistant

MCR SAFETY



Checklite® CL1 Frameless Safety Glasses

Features:
- Rugged polycarbonate lens.
- Smaller frame sized to fit smaller faces.
- Good for everyday use or a new visitor spec.

Lens Tint: Clear
Lens Material: Polycarbonate Lens with Nose Piece
Lens Coating/Shade: Duramass® Hard Coat
Resistance: 99.9% UV; Scratch

SKU	Frame Color
135-CL110	Clear Polycarbonate

Smith & Wesson



Elite® Safety Glasses

Features:
- Dual lens offer wrap-around protection, and the wide temple provides structural integrity and stability.
- Lightweight and feature a retro design that provides a stylish fashion statement.

Lens Tint: Smoke
Lens Material: Polycarbonate
Lens Coating/Shade: Uncoated
Resistance: 99.9% UVA/UVB/UVC

SKU	Frame Color
412-21303	Black

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Soft-Sided Goggle

Features:
- Soft frame fits snugly and comfortably over face and Rx glasses.
- Hooded vents offer maximum fog-free protection.
- Accommodates magnifier plate.

Lens Coating/Shade: IR/UV 5.0
Lens Material: Hardened Glass
Frame Material: Vinyl
Ventilation: Hooded Vent
Strap Material: Elastic

SKU	Frame Color	Lens Tint
901-WG-2414SLF	Green	Green



Flex Seal™ Goggles

Features:
- Lightweight, silicone body conforms to assure the highest level of comfort and eye protection.
- Pivoting clips permit the wearer to position the goggle on a hard hat or position the headband above the ears.
- Fits over most prescription eyewear.

Lens Coating/Shade: Anti-Fog; Hydrophilic; Hydrophobic; Scratch-Resistant
Lens Material: Polycarbonate
Frame Material: Silicone
Ventilation: Indirect
Strap Material: Neoprene

SKU	Frame Color	Lens Tint
763-S3400HS	Navy	Clear



Stealth® Goggles

Features:
- Futuristic, low profile design for chemical splash and impact.
- Toric lens provides superior optics and peripheral vision.
- Prescription insert available.

Lens Coating/Shade: HydroShield® Anti-Fog
Lens Material: Polycarbonate
Frame Material: Polypropylene with Elastomer
Ventilation: Indirect Vent
Strap Material: Neoprene

SKU	Frame Color	Lens Tint
763-S3960HS	Gray	Clear
763-S39610HS	Teal	Clear



Stealth® OTG Goggles

Features:
- Low profile, wrap-around design fits comfortably over most prescription eyewear.
- Pivoting headband clip and wide adjustable slide headband provides flexibility and all-day comfort.
- Easy lens replacement system.

Lens Coating/Shade: Uvextreme Anti-fog; Ultra-dura Anti-scratch
Lens Material: Polycarbonate
Frame Material: Elastomer
Ventilation: Indirect
Strap Material: Neoprene

SKU	Frame Color	Lens Tint
763-S3970HS	Navy	Clear

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

UVEX BY PIP



Uvex Sub-Zero™ Goggles

Features:
- Top and bottom ventilation help create airflow to further minimize fogging.
- Soft face foam and a wide adjustable headband provide a comfortable fit.
- Easy and economical lens replacement system.
- Not for chemical splash.

Lens Coating/Shade: HydroShield® Anti-Fog

SKU	Frame Color	Lens Tint
763-S2380	Black	Clear

KLEENGUARD™



V80 Wildcat™ Goggles

Features:
- Extreme heat resistance, will not melt, drip, ignite at 350°.
- Adjustable side vents help increase airflow.
- Lightweight and comfortable with a pivot headband for optimal placement.
- Metal-free design to minimize electrical transference risk.

Lens Coating/Shade: Anti-Fog
Lens Material: Polycarbonate
Frame Material: Styrene-Butadiene Rubber (SBR) Foam; Thermoplastic Elastomer (TPE)
Strap Material: Nylon Button; Polyester and Natural Rubber

SKU	Frame Color	Lens Tint
412-20529	Black	IRUV Shade 5.0

JACKSON SAFETY



GPL500 Series Premium Goggles with Detachable Face Shield

Features:
- Ultra-soft body design conforms to your face for superior comfort, fit and safety.
- Made with indirect vents for added protection from dust and chemical splash.
- Extra-wide flame retardant strap is swivel mounted to goggle for easy positioning.

Lens Coating/Shade: Anti-Fog
Lens Material: Polycarbonate
Frame Material: PVC
Strap Material: Silicone

SKU	Frame Color	Lens Tint
138-21000	Blue	Clear



V90 Shields with Monogoggle™ XTR OTG Goggles

Features:
- The shield features the Monogoggle™ XTR OTG goggles, so there is no need to wear primary eye protection, like with other face shields.
- Provides eye and full face protection from liquids and particles.
- The shield has a D3 rating for droplet and splash protection.
- The goggles portion has a soft, pliable frame that conforms to the face for comfort, a cylindrical lens for increased visibility, indirect ventilation, and fit over most prescription glasses.

Lens Coating/Shade: Anti-Fog
Lens Material: Polycarbonate Face Shield and Goggles
Frame Material: PVC Frame and Nose Piece
Strap Material: Polyester/Rubber Weave

SKU	Frame Color	Lens Tint
412-18629	Blue	Clear

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Safety Goggles Protection Parts & Accessories



Stealth® Replacement Lenses with HydroShield™

Features:
- Provides up to 60X longer-lasting fog-free performance, even after extended wear and repeated cleanings.
- Keeps lenses clear by first absorbing and then repelling moisture to the sides of the lens once a saturation point has been reached.
- Coating is permanently bonded to the lens.
- Also provides 99.9% UV protection.

Lens Material: Polycarbonate
Material: Polycarbonate
Size Group: Universal

SKU	Lens Coating/Shade	Lens Tint
763-S700HS	Anti-Scratch; Anti-Fog	Clear

HAND PROTECTION

Glove Parts & Accessories



Squids® 3400 Glove Clip Holder with Dual Clips

Features:
- Holds face masks, gloves, mittens, keys, PPE, towels and more keeping them at the ready.
- Dual clip model connects to clothing, belt loops, tool belts, D-rings, and more.

SKU	Color
150-19113	Red
150-19112	Black
150-19117	Blue
150-19118	Hi-Viz Orange
150-19119	Hi-Viz Lime Green

Gloves



11-600 Palm-Coated Gloves

Features:
- Designed for light and delicate applications in dry environments that require high levels of dexterity.
- Offers comfortable and exact handling of small objects.

Coating: Polyurethane
Style: Palm Coated
Cuff Style: Knit-Wrist
Material: Nylon; Polyurethane

SKU	Size Group	Lining
012-11-600-9-BK	9	Nylon
012-11-600-10-BK	10	Nylon



Ninja® BNF Gloves

Features:
- Sturdy gloves made with a breathable nitrile foam (BNF) coating on palm and fingertips for added protection.
- Ergonomic design minimizes hand fatigue.
- Gloves ensure excellent grip, wet or dry.

Coating: Nitrile
Style: Work
Cuff Style: Knit-Wrist
Material: Nitrile; Nylon

SKU	Size Group
127-N96793L	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Ninja® Ice HPT® Fully Coated Insulated Work Gloves

Features:
- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- Coating remains soft in temperatures as low as -4° F.
- Fully coated for maximum protection.
- HPT® (Hydropellent Technology®) coating provides a 360 anti-wet treatment that keeps the liquids away from the glove.
- Treated with ActiFresh® to help control bacteria and odor.

Coating: Porous HPT®
Cuff Style: Knit-Wrist
Material: Acrylic; HPT®; Nylon
Lining: 7 ga Acrylic Terry

SKU	Size Group
127-N9690FCL	Large
127-N9690FCXL	X-Large



Ninja® Lite N9696 18-ga Nylon PU Coated Gloves

Features:
- Features an 18 gauge blue nylon shell for dexterity, sense of touch, and protection.
- Shell is palm/fingertips coated with polyurethane (PU).
- Sanitized with ActiFresh® to prevent odors and bacteria.

Coating: Polyurethane (PU)
Cuff Style: Knit-Wrist
Material: Nylon

SKU	Size Group
127-N9696L	Large
127-N9696XL	X-Large



Ninja® Ice HPT® Palm/Fingertip Coated Insulated Work Gloves

Features:
- Features 15-gauge nylon shell with acrylic terry liner for insulation/warmth.
- Coating remains soft in temperatures as low as -4° F.
- HPT® (Hydropellent Technology®) coating provides an anti-wet treatment that keeps the liquids away from the glove.
- The porous HPT® coating with anti-wet treatment repels liquid for an unprecedent firm grip in wet or dry conditions.
- Treated with ActiFresh® to help control bacteria and odor.

Coating: Porous HPT®
Cuff Style: Knit-Wrist
Material: Acrylic; HPT®; Nylon
Lining: 7 ga Acrylic Terry

SKU	Size Group
127-N9690M	Medium
127-N9690L	Large



Ninja® X Bi-Polymer Coated Palm Gloves

Features:
- Durable gloves with a shell blended from nylon/lycra with a proprietary bi-polymer coating.
- Comfortable gloves allow full dexterity and sense of touch.

Coating: Bi-Polymer
Cuff Style: Knit-Wrist
Material: Nylon; Lycra

SKU	Size Group
127-N9674L	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



MaxiFlex® Endurance™ MicroFoam Grip/Micro Dot Palm Coated Gloves

Features:
- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Touchscreen compatible to allow the user to operate a touch screen phone or device without removing gloves.
- Knit wrist helps prevent dirt and debris from entering the glove.

Coating: Nitrile
Cuff Style: Knit Wrist
Material: Nitrile; Nylon with Lycra®; Seamless Knit
Lining: Nylon with Lycra®

SKU	Size Group	Style
112-34-844/L	Large	34-844 MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-844/XL	X-Large	34-844 MicroFoam Coated Grip on Palm/Fingers and Micro Dot Palm
112-34-845/XL	X-Large	34-845 MicroFoam Coated Grip on Palm/Finger/ Knuckle Coated and Micro Dot Palm



MaxiFlex® Ultimate™ Nitrile Coated Micro-Foam Grip Gloves

Features:
- MicroFoam Nitrile coatings are compatible with light oils and will provide a good grip and excellent abrasion resistance.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Mimics the "hand at rest", reducing hand fatigue and increasing comfort.
- The micro-cup finish allows for a controlled and optimized grip.

Coating: Nitrile
Cuff Style: Knit Wrist
Material: Nitrile; Nylon; Elastane
Lining: Nylon; Elastane

SKU	Size Group
112-34-874/M	Medium
112-34-874/L	Large
112-34-874/XL	X-Large
112-34-874/XXL	2X-Large
112-34-874/XXXL	3X-Large



370B General Purpose Nitrile Coated Fingers/ Palm Gloves

Features:
- Perfect for precise handling and general assembly, these durable gloves feature ultimate grip and comfort.
- Unique form-fitting, ergonomic design fits like a second skin, allowing for unmatched tactile precision.
- Seamless knit with nylon liner.
- Elasticated wrist prevents debris from entering the glove.

Coating: Nitrile
Cuff Style: Elasticated Wrist
Material: Nylon; Seamless Knit

SKU	Size Group
845-370BL-08	Large



381 Ultra-Lightweight Nitrile Coated Gloves

Features:
- Embossed nitrile palm finish disperses oil to increase grip and longevity in light oily environments.
- The 0.84 mm finger thickness provides an excellent level of tactility and sensitivity.
- Protects from oils, grease and abrasion

Coating: Embossed Microporous Nitrile
Cuff Style: Knit-Wrist
Material: Engineered Yarn; Microfiber; Seamless Knit
Lining: Engineered Microfiber

SKU	Size Group
845-381L-08	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Atlas Fit® 350 Nitrile-Coated Gloves

Features:
- Superior dexterity and flexibility.
- Surface provides tactile feel and secure grip.
- Breathable back of hand minimizes perspiration.

Coating: Nitrile
Cuff Style: Knit-Wrist
Material: Cotton; Polyester

SKU	Size Group
845-350L-09	Large



KPG® PVC Coated Gloves

Features:
- Enjoy comfort and security, with coated seamless knit cotton liner gloves.
- Sturdy, PVC coating provides superior protection against abrasions, punctures and cuts.
- Easy slip-on style for added comfort.

Coating: PVC
Cuff Style: Slip-On
Material: Cotton; PVC
Lining: Seamless Cotton Knit

SKU	Size Group
845-960M-09	Medium; Size 9



ATLAS® 300 Latex Coated Fingertips/Palm Gloves

Features:
- Breathable open-back design maintains a comfortable temperature.
- Elasticated wrist prevents dirt from entering the glove.
- Rough-textured natural rubber palm coating provides maximum grip and dexterity.

Coating: Latex
Cuff Style: Elastic Knit-Wrist
Material: Cotton/Polyester Seamless Knit

SKU	Size Group
845-300S-07	Small
845-300M-08	Medium
845-300L-09	Large
845-300XL-10	X-Large



Cotton/Polyester Corded Double-Palm with Nap-In Finish Gloves

Features:
- Knit wrist helps prevent dirt and debris from entering the glove.
- Clute cut provides a roomy fit and straight thumb increases comfort in closed-fisted work.
- Double palm provides additional weight, durability, and protection.
- Nap-in finish offers greater durability due to its higher abrasion resistance.

Cuff Style: Knit-Wrist
Material: Cotton/Polyester; Fully Corded

SKU	Size Group
101-1060	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

HexArmor



Helix® High Dexterity Cut Resistant Work Gloves

Features:
- Incredibly strong knit fibers deliver high cut resistance.
- HPPE blend shell provides 360° cut resistance.
- Seamless construction for enhanced comfort and breathability.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

Cuff Style: Knit
Material: HPPE; Polyester; Fiberglass

SKU	Size Group
572-1074-S	Small
572-1074-M	Medium
572-1074-L	Large
572-1074-XL	X-Large

PIP GLOBAL SAFETY



MaxiFlex® Cut™ Cut-Resistant Gloves

Features:
- MicroFoam is a patented formulation of ATG's nitrile coating that allows gloves to be thinly coated for added grip, dexterity, comfort, and breathability.
- Reinforcement between the thumb and forefinger, improves cut resistance and extends glove life.
- Optimized grip delivered through our micro-cup finish.
- Seamless knit engineered yarn.
- Silicone free.

Cuff Style: Continuous Knit
Material: Nitrile MicroFoam

SKU	Size Group
112-34-8743/M	Medium
112-34-8743/XL	X-Large

Wells Lamont Industrial



FlexTech™ Cut-Resistant Gloves

Features:
- Seamless machine knit cut resistant shell provides all-day comfort and protection.
- Sandy nitrile palm coating delivers improved grip in wet and oily applications.
- Machine washable for longer service life.

Cuff Style: Knit Wrist
Material: High Performance Fibers; Stainless Steel

SKU	Size Group
815-Y9216L	Large

MICROFLEX



Diamond Grip™ MF-300 Latex Powder-Free Disposable Gloves

Features:
- Disposable latex gloves with enhanced finger thickness, for extra protection in rugged environments.
- Textured fingertips for a more secure, confident grip when handling slippery and oily objects.
- Double chlorinated for easy donning and a comfortable feel.

Thickness: 6.3 mil Palm; 7.9 mil Finger
Cuff Style: Beaded; Standard
Material: Natural Rubber Latex

SKU	Size Group
748-MF-300-L	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

SHOWA
Always Innovating. Never Imitating.



8005 Series Disposable Nitrile Gloves

Features:
- Rolled cuff prevents dirt from entering the glove and allows for easy removal of the glove in case of puncture.
- Ambidextrous and uses second-skin feel to significantly reduce hand fatigue over long periods of wear.
- Single-use gloves are lightweight and latex free.

Thickness: 8 mil
Cuff Style: Rolled
Material: 100% Nitrile

SKU	Size Group
845-8005PFL	Large
845-8005PFXL	X-Large

TouchNTuff



92-600 Nitrile Powder-Free Disposable Gloves

Features:
- Made with TNT Chemical Splash Resistance Technology for superior protection against harmful chemical splashes.
- Super soft nitrile provides a comfortable, silky feel for extended wear.
- Silicone-free design is paint, finish, and coating friendly.

Thickness: 4.9 mil Palm; 5.5 mil Finger
Cuff Style: Beaded; Standard
Material: Nitrile; Type I Latex

SKU	Size Group
012-92-600-8.5-9	Large

ANCHOR BRAND



Premium Grade Canvas Dotted Gloves

Features:
- Natural cotton canvas keeps hands cool and protected.
- Clute cut provides a roomy fit.
- PVC dot grip on palm, thumb, and forefinger.

Cuff Style: Knit-Wrist
Material: 10 oz Cotton Canvas; PVC Dots

SKU	Size
101-1090	Large

MCR SAFETY



Premium Grade Grain Goatskin Drivers Gloves

Features:
- Premium grade grain goatskin leather for unique softness and flexibility.
- Shirred elastic back.

Lining: Unlined
Cuff Style: Shirred Elastic Back; Slip-On Open
Material: Goatskin Leather

SKU	Size Group
127-3601M	Medium

TILLMAN



Drivers Gloves

Features:
- Family of drivers gloves are the right tool for hand protection and to get the job done.

Lining: Unlined
Cuff Style: Cinched
Material: Cotton Stitching; Top Grain Cowhide Palm; Split Cowhide Back-of-Hand (BOH)

SKU	Size Group
724-1414M	Medium
724-1414L	Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

HexArmor



1050 General Purpose Work Gloves

Features:
- Provides 360° cut resistance.
- Flexible polyurethane palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.

Cuff Style: Elastic Knit
Material: HPPE; Nylon; Polyurethane

SKU	Size Group
572-1050-M-8	Medium
572-1050-L-9	Large
572-1050-XL-10	X-Large



Helix® High-Dexterity Work Gloves

Features:
- Blend shell provides 360° cut resistance.
- Palm coating provides superior grip and abrasion resistance.
- Elastic knit wrist helps prevent dirt and debris from entering the glove.
- Seamless construction for enhanced comfort and breathability.

Cuff Style: Knit

SKU	Size Group	Material
572-1030-S	Small	Polyester
572-1030-M-8	Medium	Polyester
572-1092-M	Medium	Nylon; Elastane

Ironclad



KONG® 360° IVE™ Gloves

Features:
- Lightweight, breathable, and offers full back of hand protection on the fingers, knuckles and metacarpal bones.
- Patented IVE™ full TPR.
- 13 gauge HPPE blended knit.

Cuff Style: Knit Wrist
Material: HPPE Blended Knit; IVE™ Full TPR; Duraclad® Reinforced Thumb; Foam Nitrile Coated Palm

SKU	Size Group	Color
424-INDI-KC5G-03-M	Medium	Black; Green; Yellow
424-INDI-KC5-03-M	Medium	Black; Red; Yellow
424-INDI-KC5-04-L	Large	Black; Red; Yellow
424-INDI-KC5G-04-L	Large	Black; Green; Yellow
424-INDI-KC5-05-XL	X-Large	Black; Red; Yellow

MECHANIX WEAR



FastFit® Gloves

Features:
- Reinforced thumb and index finger provide added durability.
- Breathable TekDry material form-fits the back of the hand for cool and comfortable extended wear.
- Snug-fitting elastic cuff allows easy on/off flexibility.

Cuff Style: Elastic
Material: Spandex; Synthetic Leather; TrekDry®; Tricot

SKU	Size Group
484-MFF-05-009	Medium
484-MFF-05-010	Large
484-MFF-05-011	X-Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Original Gloves

Features:
- Flexible Thermal Plastic Rubber (TPR) closure provides a secure fit to the wrist.
- Reinforced thumb, high dexterity fingertips and two-ply thumb reduces wear and increases protection.
- Form-fitting Tekdry® helps keep hands cool and comfortable.
- Dual-layered fingertips and thumb for reduced wear and increased protection.

Cuff Style: Hook and Loop
Material: Nylon; Synthetic Leather; Thermal Plastic Rubber (TPR); TrekDry®; Tricot

SKU	Size Group
484-MG-05-010	Large
484-MG-05-011	X-Large



High Heat Wool-Lined Gloves

Features:
- Lined with heat-resistant 100% wool.

Cuff Style: Gauntlet
Material: Fiberglass
Lining: Wool
Temp Range: 750° F - 900° F

SKU	Size Group
101-FG-37WL	Large



High Heat Wool-Lined Kevlar® Gloves

Features:
- Lined with heat-resistant 100% wool.

Cuff Style: Gauntlet
Material: Kevlar®
Lining: Wool
Temp Range: 650° F - 800° F

SKU	Size Group
101-K-37WL	Large



Heatworx® 600

Features:
- Seamless 3D molded palm.
- HotShield™ palm provides dexterity and heat resistance.
- 100% Kevlar™ liner on shell and palm.
- Kevlar-blended shell for additional heat and cut resistance.
- Kevlar stitching.
- Rubberized knuckle protection.
- Intermittent heat resistance up to 600° F.
- Breathable, flexible, and 100% machine washable fabrics.

Cuff Style: Gauntlet
Material: Kevlar®
Lining: Kovenex®
Temp Range: - 600° F

SKU	Size Group
424-HW6X-02-S	Small
424-HW6X-03-M	Medium
424-HW6X-04-L	Large
424-HW6X-05-XL	X-Large
424-HW6X-06-XXL	2X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Reinforced Gloves

Features:
- Hotshield® palm technology combines high dexterity with heat, cut, abrasion and shrink resistance.
- Blended Back of Hand Made with DuPont™ Kevlar®.
- TPR Knuckle Impact Protection.

Cuff Style: Gauntlet
Material: Kevlar®
Lining: Kevlar®
Temp Range: - 450° F

SKU	Size Group
424-HW4-04-L	Large
424-HW4-05-XL	X-Large



Cowhide Leather Palm Gloves

Features:
- Durable split cowhide leather palm, index finger, fingertips and knuckle strap.
- Safety cuff provides extra protection.

Cuff Style: Rubberized Safety
Cuff Length: 2-1/2 in
Lining: Unlined
Material: Canvas Back; Select Shoulder Leather; Split Cowhide

SKU	Size Group
101-2100	Large



Standard Weight Jersey Gloves

Features:
- Soft, comfortable jersey for general duty and light abrasion applications.

Cuff Style: Knit-Wrist
Lining: Unlined
Material: Cotton; Polyester

SKU	Size Group
101-1200	Large



Leather Palm Gloves

Features:
- Color coded cotton hem for easy size identification.
- Double palm covers entire palm, index finger and thumb.
- Leather knuckle strap provides extra protection.
- An economical full feature standard split cowhide leather palm gloves are a great protection and comfort in general duty applications.

Style: Gunn Pattern; Wing Thumb
Cuff Style: Starched Safety Cuff
Cuff Length: 2-1/2 in
Lining: Cotton
Material: Split Cowhide; Standard Shoulder Leather

SKU	Size Group
101-2000	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



1871 Multi-Task Gloves

Features:
- Exclusive reverse-scalloped Boarhide™ cuff for protection against sparks and spatter.
- Reinforced thumb saddle for extended durability.
- Boarhide™ palm patch for extended wear and protection.
- Unlined and padded palm with wool insulated back.
- Ovis-Hide™ premium sheep grain pulse protector for added safety.
- Sewn with Kevlar® thread.
- Kontour™ exclusive 3-dimensional, pre-curved fingers, and form-fitting design for ultimate fit, comfort, and dexterity.

Cuff Style: Reverse-Scalloped
Material: Boarhide™ Leather; Kevlar® Thread; Ovis-Hide™ Premium Sheep Grain Leather

SKU	Size Group
607-1871-XL	X-Large



TrueFit® Leather-Palm Gloves

Features:
- Soft, durable, great flexibility reducing hand fatigue during those long days at the job site.
- Reinforced thumb to protect severe stress areas.
- All fingertips covered in leather for at this wear area for added security and double stitched for extra strength.
- Full DuPont™ Kevlar® lining style available.

Cuff Style: Elastic with Hook-and-Loop
Lining: Unlined
Material: Top Grain Goatskin/Rough Side Out Goatskin Palm; Spandex Back-of-Hand (BOH)

SKU	Size Group
724-1470M	Medium
724-1470L	Large
724-1470XL	X-Large



Big Jake® Premium A+ Side Split Leather Work Gloves

Features:
- Made from premium A+ grade side split cow leather.
- Sewn with super-strong, heat resistant DuPont™ Kevlar® thread.
- All styles generously cut.

Cuff Style: Rubberized Safety Cuff
Cuff Length: 2.75 in
Lining: 8 oz Jersey Palm Lining
Material: Cotton Canvas; Dupont™ Kevlar® Thread; Chrome Tanned Leather

SKU	Size Group
127-1700L	Large
127-1700XL	X-Large



G10 Kraken Grip™ Nitrile Gloves

Features:
- Fully textured palm and fingertips for grip when working with grease and slippery liquids.
- Raised textured pattern on fingers and palms channels away oil, grease, and solvent.
- Grip on the outside, powder-free moisture control on the inside.
- Beaded cuff to make donning easier and prevent roll down.
- Ambidextrous for time and cost saving.

Thickness: 6 mil Fingers/Palm
Cuff Style: Beaded

SKU	Size Group
412-49277	Large
412-49278	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



7500 Series Nitrile Disposable Gloves

Features:
- Latex-free, 100% nitrile.
- Rolled cuff prevents dirt from entering the glove.
- Bisque grip.

Thickness: 4 mil
Cuff Style: Rolled

SKU	Size Group
845-7500PFL	Large
845-7500PFXL	X-Large



7344 Leather Welding Gloves

Features:
- Welding is hard work—luckily, sturdy leather welding gloves provide superior heat protection.
- Strong, one-piece palm has no exposed seams.
- Sewn with heat resistant Kevlar® thread for additional protection.
- Features absorbent cotton sock lining for added comfort.
- Reinforced thumb and palm.

Lining: Full Cotton Sock
Cuff Style: Gauntlet
Material: Leather

SKU	Size Group
902-3030	Large



Anchor Brand 7-ga Standard Weight Seamless String-Knit Gloves

Features:
- Seamless cotton/polyester knit shell is comfortable and flexible.
- Knit wrist helps prevent dirt and debris from entering the glove.
- Reversible design allows replacing one glove at a time, rather than pairs.

Cuff Style: Knit Wrist
Material: Cotton/Polyester

SKU	Size Group
101-6700	Large



Welding Gloves

Features:
- Heat and abrasion resistance.
- Fully Kevlar® sewn.
- Durable and flexible.

Lining: Full Sock
Cuff Style: Leather
Material: Split Cowhide

SKU	Size Group
902-4200AL	Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



GM1540 Premium Goatskin MIG Gloves

Features:
- Padded DragPatch® for hot zone coverage.
- Seamless index finger for excellent trigger control.
- Lined palm provides extra defense from heat.
- Kevlar® stitching provides spark and abrasion resistance.

Lining: Lined
Cuff Style: Gauntlet
Material: Kevlar®; Cowhide Leather; Premium Goatskin Leather

SKU	Size Group
800-GM1510-WT-LRG	Large



1816 revolution® Deerskin FR Foam Fleece Lined MIG/Stick Welding Gloves

Features:
- Constructed with supple American Dearskin leather, cowhide cuff, and Kontour™ form-fitting design.
- Full sock-insulation with FR (flame resistant) foam/fleece.
- Patches, padding, and reinforcements for comfort and protection.
- Large pulse protector.
- Sewn with Dupont™ Kevlar® thread.

Lining: Full Sock-Insulation with FR Foam/Fleece
Cuff Style: Gauntlet
Material: American Deer Skin Leather; Dupont™ Kevlar® Thread; Fleece/Foam Insulation

SKU	Size Group
607-1816-L	Large

Hand Pads & Warmers



N-Ferno® Warming Packs

Features:
- To activate, just open the pack.
- All natural ingredients heat up when they make contact with oxygen.
- Seal from oxygen in resealable bag and reuse the next day.
- Stays warm up to 5 hours.

Material: Outer Material Non-Woven Fabric Polyethylene; Inner ingredients Iron Powder; Water; Activated Carbon; Vermiculite; Wood Powder; Salt

SKU
150-16990



HEAT PAX™ Warmers

Features:
- Air activated, instant warmth.

Material: Orange Woven Pack Inside Metallic Film
Length: 6.1 in
Width: 4.84 in

SKU	Quantity
561-1100-10R	5 Warmers per Box
561-1100-80D	40 Warmers per Box

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Fall Protection Parts & Accessories



Concrete D-Bolt Anchors

Features:
- Great for applications with concrete, lightweight concrete and grout-filled blocks that meet required specifications (min. 2000 psi).
- Versatile anchor can be installed on a vertical wall or overhead for versatility.
- Mechanical expansion allows for immediate attachment.
- Can be installed in a bottomless hole to allow for the insert to be driven flush with the surface after use.

Material: Steel
Connection Type: D-bolt Anchorage Connector
Includes: 5/8 in stud-type expansion anchor

SKU	Load Cap
493-417C/	310 lb



Manual Rope Grabs

Features:
- Manual rope grabs move easily up and down vertical lifelines to provide continuous fall protection.
- In the event of a fall, rope grabs lock quickly.
- Compact design with corrosion-resistant stainless steel construction.
- Lightweight and easy to use rope grabs are a sturdy and dependable choice.

Material: Stainless Steel
Opening Size: 5/8 in; 3/4 in
Connection Type: O-Ring

SKU	Load Cap
493-8174/U	310 lb



MightEvac™+ Self-Retracting Lifelines with Tripod Bracket

Features:
- Self-Retracting Lifeline Series with a quick-activating retrieval mechanism for emergency evacuation.
- Durable and dependable, they are constructed of corrosion-resistant stainless steel and aluminum housing.

SKU	Load Cap
493-MME-GCB1-02/50FT	310 lb



Relief Step™ Safety Devices

Features:
- Alleviates the effects of orthostatic intolerance, also known as suspension trauma.
- Attaches to any brand full-body harness.
- When used, the Relief Step Safety Device provides support and enhances blood circulation until rescue, permitting the ability to move and flex leg muscles.

Material: Polyester; PVC Heat Shrinkable Tubing; Zinc Plated Steel
Connection Type: Button Snap
Load Cap.: 400 lb

SKU	Load Cap
493-9099X/12-H5	400 lb

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MILLER® BY PIP



Twist Lock Carabiners

Features:
- Twist-lock system ensures secure closure.
- Spring-loaded keeper simplifies use.
- Rust-resistant zinc-dichromate plating.

Material: Steel
Opening Size: 1 in
Connection Type: Twist Lock Carabiner
Load Cap.: 400 lb

SKU	Load Cap
493-17D-1/	400 lb

MSA The Safety Company



V-SERIES™ Standard Shock Absorbing Lanyards

Features:
- Lightweight safety lanyards not only limit force on the body in a fall, but also on the anchor location.
- Shock absorbing pouch includes a clear, durable protective cover on the labels to increase service life, and allow for easy inspection.

SKU	Load Cap
454-10191757	400 lb

WERNER



I-Beam Sliding Anchors

Features:
- Lightweight aluminum design moves smoothly across beam.
- Fits beams up to 1-1/4 in thick.
- Fits beam flanges from 3-1/2 in to 14 in.
- Easily adjusted with swivel D-ring for connection.

Material: Aluminum
Connection Type: D-Ring

SKU	Load Cap
865-A550000	5000 lb

WERNER



Reusable Concrete Anchors

Features:
- Lightweight design is easy to insert and remove.
- Drill hole of 3/4 inch with 3-1/2 inch minimum depth.
- Minimum 3000 psi concrete.
- Multi-directional use.

Material: Stainless Steel; Aircraft Cable
Connection Type: Ring

SKU	Load Cap
865-A510000	5000 lb



Reusable Swivel Concrete Anchors

Features:
- Push button removal, no tools required.
- Rigid and durable tri-wedge design.
- Minimum Breaking Strength (MBS) 5000 lb.
- 360 degree loading.
- Horizontal, vertical, or overhead use.
- Stainless steel construction.

Material: Stainless Steel
Connection Type: Ring

SKU	Load Cap
865-A510300	5000 lb

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Harness Parts & Accessories

Harnesses



H500 Industry Standard Full-Body Harnesses

Features:
- Smart anti-tangle for hassle-free donning experience.
- Webbing flexes to accommodate movement and body contours.
- New side-adjustment straps for better ergonomic fit.
- Horizontal leg design for greater user comfort.
- Anatomically and ergonomically designed pressure-relief breathable shoulder/back padding on some models.
- User friendly resettable pull-free Lanyard keepers.
- Two clearly identifiable fall impact indicators.
- Improved visible stitch pattern.
- Lightweight aluminum quick-release buckles and highly visible protected label protection.
- Water repellent webbing.

Connection Type: Back D-Ring
Fastening Method: Mating Chest Buckles; Tongue Leg Buckles
Style: IS1P Variant; Shoulder Pads; Vest
Material: Nylon/EVA Foam Shoulder Pads; Steel Hardware

SKU	Size Group	Load Cap.
493-H5ISP311002	Universal (L/XL)	420 lb



Revolution® Arc-Rated Full Body Harnesses

Features:
- Designed to protect workers from falls caused by electric arc-flash and arc-blast exposure when working at heights or in confined space applications near energized electrical sources.
- Leather insulators under all metal hardware offer additional protection for the worker.

Fastening Method: Quick-Connect Leg Strap Buckles
Material: Kevlar; Nomex; Elastic; Polyester; Leather; Brass; Valeron; Nylon; Aluminum; Stainless Steel; Urethane; Evoprene

SKU	Size Group	Load Cap.
493-RKNAR-QC/UBK	Universal	400 lb



Revolution™ Harnesses

Features:
- Unique rotary PivotLink™ connection.
- Integrated accessory system provides connection points for belts/tools/accessories.
- Easy, one-hand adjustment cam buckles.
- Semi-flexible ErgoArmor™ back shield.
- Web finials safely organize webbing.

Connection Type: Stand-Up D-ring
Fastening Method: Quick-Connect Buckle Legs
Material: DualTech™ Webbing

SKU	Size Group	Load Cap.
493-RDT-QC/UBK	Universal	400 lb



Titan™ II Non-Stretch Harnesses

Features:
- Designed for more comfort and better fit with lighter, strategically-placed padding that provides optimal airflow while working at heights.
- Easier vertical adjustability that stays in place.
- Back strap increases safety by preventing roll out in the event of a fall.

Connection Type: Back D-Ring
Fastening Method: Friction Shoulder Buckles; Mating Chest Buckles; Tongue Leg Buckles
Material: Elastic; Evoprene/Nylon Label Pack; Polyester Thread/ Webbing; Stainless Steel/Steel Hardware

SKU	Size Group	Load Cap.
493-T4500/UAK	Universal (Large/X-Large)	400 lb

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MSA The Safety Company



V-FIT™ Full-Body Harnesses

Features:

- Patented RaceFLEX® buckle allows for a close comfortable full body harness fit, eliminating the need for a bulky chest strap.
- Athletic cut that contours to the body and allows for increased upper torso mobility.
- Pull-down adjustment allows for quick and easy harness adjustment to ensure proper fit.
- Dedicated attachment point for Personal Fall Limiters allows quick and easy attachment.
- Styles with shoulder padding conforms to your body, eliminating pressure points and chafing; can be removed for cleaning.
- Construction style harness has adjustable waist pad.

Connection Type: Back D-Ring
Fastening Method: Quick-Connect (QC) Chest/Tongue-Buckle Leg Straps
Material: Anodized Forged Aluminum Buckles/D-Rings

SKU	Size Group	Load Cap.
454-10194889	Standard	400 lb

Ladder Safety System Parts & Accessories

MILLER® BY PIP



GlideLoc® Parts and Accessories

Features:

- Used with GlideLoc® Vertical Height Access Ladder System.

SKU	Material
493-FPH_14622	Galvanized Steel



Söll Vi-Go™ Vertical Cable System Fall Arresters

Features:

- Provides the ultimate in safety with continuous fall protection when climbing fixed ladders.
- Ergonomic and versatile vertical steel rope system with integrated fall protection.

SKU	Material
493-FPH-VC570	Stainless Steel

MILLER® BY PIP



Vi-Go™ Ladder Climbing Top Bracket Assemblies

Features:

- For Vi-Go™ Ladder climbing safety system.

SKU	Material
493-TRTB-7/	Galvanized Steel

Ladder Safety Systems

MILLER® BY PIP



Vi-Go™ System Kits with Automatic Pass-Through

Features:

- Automatic pass-through cable guides secure lifeline to prevent cable wear and enable the system to accommodate curves.
- Easy, one-hand operation for attachment/detachment from the system.
- The Vi-Go Cable Sleeve is constructed with durable, corrosion-resistant aluminum and stainless steel components.
- Uniquely-designed, patent-pending Vi-Go Cable Sleeve automatically bypasses intermediate cable guides, keeping both hands free for climbing: travels smoothly along cable and locks instantly in the event of a fall.

Length: 30 ft

SKU	Cable Material
493-VG/30FT	Galvanized Steel

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Lanyards



3130M Coiled Cable Tool Lanyards

Features:
- Constructed with PU covered aircraft cable.
- Coil design prevents snag and tangle hazards.
- Swiveling design prevents tangles and fast recoil.
- Captive eye carabiner.

Load Capacity: 5 lb

SKU	Length
150-19131	48 in



Squids® 3100 Tool Lanyards

Features:
- Captive eye design better predicts direction of load on carabiner and prevents lanyard from sliding into carabiner gate.
- Durable, made with shock-absorbing tubular nylon webbing and lock stitching at both ends for added security.
- Locking screw-gate aluminum carabiner for easy, secure attachment to tools.

Load Capacity: 10 lb

SKU	Length
150-19003	42 in



Squids® Tool Lanyards

Features:
- Adjustable barrel lock for tool attachment.
- Aluminum carabiner.
- Cord stretches for full range of motion.
- Stretchable cord surrounded by tubular nylon webbing with silver Mylar reflective thread.
- Tethers tools to worker to help prevent injury and lost productivity from dropped tools.
- Lock stitching at both ends for extra security.

Length: 35 in - 42 in
Strap Material: Tubular Nylon Webbing with Silver Mylar Reflective Thread

SKU	Load Cap
150-19002	10 lb



Titan II Tubular Shock-Absorbing Lanyards

Features:
- For ultimate fall protection and safety.
- Hi-Viz color for increased worksite safety.

Load Capacity: 310 lbs

SKU	Length
493-T5111-Z7/6FTAF	6 ft



BackBiter™ Tie-Back Lanyards

Features:
- The innovative Miller BackBiter Tie-Back Lanyard with a 5K Snap Hook was designed from top to bottom for tie-back use.
- The webbing and snap hooks of regular lanyards are not designed to withstand the rigors of tying back.

Load Capacity: 310 lb
Bottom Connector: Locking Snap Hook

SKU	Length	Top Connector
493-913B/6FTGN	6 ft	Locking 5K Snap Hook

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Squids® 3155 Elastic Hard Hat Lanyards with Clamps

Features:
- Comfortable high-stretch elastic material.
- Easily attaches to hard hats and other headwear.
- Quick-connect clamp attaches securely to fabric.
- Item does not include the helmet.

Load Capacity: 2 lb

SKU	Length
150-19155	48 in



6 FT Bantam Compact Self Retracting Lifelines

Features:
- Lightweight and compact construction with 6ft Dyneema/Polyester web working length.
- Impact Resistant Nylon Housing with swivel top.
- Durable labels and shock pack cover to aid inspection.

Length: 6 ft

Material: Webbing; High Impact Nylon

SKU	Includes
865-R431006-R	Swivel Top with Steel Carabiner
865-R431006-SR	Swivel Top with Steel Carabiner

Rescue Systems



DuraHoist™ Confined Space System Parts and Accessories

Features:
- Lightweight, high-strength aluminum construction for easy handling and long service life.
- Modular design adapts to many applications, lowering cost of ownership and providing effective safety solutions.
- Miller® DuraHoist™ Confined Space Systems provide safe, lightweight, portable and fixed base solutions for a variety of confined space applications, including confined space entry, rescue, positioning and personnel/material handling.
- Provides three independent swivel tie-off points for fall arrest anchorage, three-stage/four-position telescoping design and horizontal lifeline capabilities.

SKU	Used With
493-DH-20SS/	DH-1; DH-2



Max Patrol™ Self Retracting Lifelines

Features:
- Galvanized steel cable lifeline with swivel snap hook.
- Recessed labels and durable shock pack cover to aid inspection.
- Blue accent provides clear identification of Class 1: Overhead only and Yellow accent provides clear identification of Class 2: Leading Edge.

Material: Galvanized Steel Cable; ThermoPlastic

SKU	Includes	Length	Edge Rating
865-R410020	Swivel Top with Steel Carabiner	20 ft	Standard
865-R410030	Swivel Top with Steel Carabiner	30 ft	Standard
865-R410030LE	Swivel Top with Steel Carabiner	30 ft	Leading Edge

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



300L Rope Lifelines

Features:
- These specialized vertical rope lifelines are made, using a blend of polypropylene and high modulus polyethylene resins that produce a co-polymer fiber rope.
- 300L lifelines have a locking snap-hook on one end and loop on the other.

Load Capacity: 310 lb

SKU	Length
493-300L-Z7/50FTBL	50 ft



Falcon™+ Self-Retracting Lifelines

Features:
- Withstands the harsh rigors of the toughest applications.
- Pound for pound the strongest, most durable line of Self-Retracting Lifelines.

Load Capacity: 310 lb

SKU
493-MFS-OGC1-02/30FT



TurboLite™ TurboLite™+ Edge Cables

Features:
- Can be connected at foot level and above worker.
- Helps reduce your fatigue, increase your productivity.

Load Capacity: 420 lb

Top Connector: One Pin Connector

SKU	Bottom Connector	No. of Legs
493-MTL-LEP2-62/9FT	Locking Rebar Hook	2
493-MTL-LEP1-61/9FT	Locking Snap Hook	1



Turbolite™+ Fall Limiters

Features:
- Enhanced graphics, icons, and colors on UV-resistant scratch-resistant labeling.
- Designs aligned with Honeywell harnesses for mix and match protection.
- Abrasion-resistant webbing, integral swivel reduces lifeline twisting.

Load Capacity: 420 lb

SKU	Top Connector	Bottom Connector	No. of Legs	Length
493-MTL-OHW1-01/11FT	Carabiner	Steel Locking Snap Hook	1	11 ft
493-MTL-OHW1-01/6FT	Carabiner	Steel Locking Snap Hook	1	6 ft
493-MTL-OHW1-02/6FT	Carabiner	Steel Locking Rebar Hook	1	6 ft
493-MTL-OHW2-22/6FT	Carabiner with G2 Connector	Steel Locking Rebar Hook	2	6 ft
493-MTL-OHW2-28/6FT	Carabiner with G2 Connector	Aluminum Locking Rebar Hook	2	6 ft



Turbolite™+ Scorpion Fall Limiters

Features:
- Enhanced graphics, icons, and colors on UV-resistant scratch-resistant labeling.
- Designs aligned with Honeywell harnesses for mix and match protection.
- Abrasion-resistant webbing, integral swivel reduces lifeline twisting.

Load Capacity: 420 lb

Bottom Connector: Locking Snap Hook

No. of Legs: 1

SKU	Top Connector
493-MTL-OHS1-01/9FT	Carabiner

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

CLOTHING PROTECTION

Aprons



Bib Aprons

Features:
- High quality vinyl apron withstands a broad range of acids, solvents, grease, chemicals.
- Adjustable shoulder & waist cloth strap.
- Apron conceals a large portion of the body.

Width: 35 in
Material: Vinyl

SKU	Length
101-AG-100	45 in

Coats & Jackets



F9-30C Flame-Resistant Cotton Welding Jackets

Features:
- Standup Welder's collar for enhanced protection.
- 6 convenient snap buttons; including, collar button.
- Leather reinforcements on all snaps.
- Scribe pocket holds welding pencils, soapstone, and paint markers.
- Inside pocket keeps small items secure.

Material: 9 oz FR Cotton
Closure Type: Snaps

SKU	Size Group	Length
800-F9-30C-M	Medium	30 in; 34 in Sleeve
800-F9-30C-L	Large	30 in; 34 in Sleeve
800-F9-30C-XL	X-Large	30 in; 36 in Sleeve
800-F9-30C-2XL	2X-Large	30 in; 36 in Sleeve



JF1012 FR Safety Welding Jackets with 2 in Reflective Tape

Features:
- X reflective tape pattern on back.
- Standup Welder's collar helps protect neck.
- Back access slot for pass-through of fall protection harness.
- Inside pocket and scribe pocket.
- Snap front and wrists.

Material: 2 in Reflective Tape; 9 oz FR Cotton
Closure Type: Snaps

SKU	Size Group	Color	Length
800-JF1012-LM-MED	Medium	Safety Lime	34 in Sleeve
800-JF1012-LM-LRG	Large	Safety Lime	34 in Sleeve
800-JF1012-OR-LRG	Large	Safety Orange	34 in Sleeve
800-JF1012-LM-XLG	X-Large	Safety Lime	36 in Sleeve
800-JF1012-OR-XLG	X-Large	Safety Orange	36 in Sleeve
800-JF1012-LM-2XL	2X-Large	Safety Lime	36 in Sleeve
800-JF1012-OR-2XL	2X-Large	Safety Orange	36 in Sleeve
800-JF1012-LM-3XL	3X-Large	Safety Lime	37 in Sleeve
800-JF1012-OR-3XL	3X-Large	Safety Orange	37 in Sleeve



Tyvek® 400 Two Pocket Lab Coats

Features:
- Labcoat offers front snap closures for easy donning and doffing.
- Provides enhanced frontal protection.
- Laydown collar.
- Open wrists.
- Two front pockets for holding writing instruments, small tools or parts.

Closure Type: Snap
Color: White

SKU	Size Group	Style
251-TY212S-SM	Small	Collar;Front Snap Closure;2 Pockets
251-TY212S-M	Medium	Collar; Front Snap Closure; 2 Pockets
251-TY212S-L	Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-XL	X-Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-2XL	2X-Large	Collar; Front Snap Closure; 2 Pockets
251-TY212S-4XL	4X-Large	Collar; Front Snap Closure; 2 Pockets

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Tyvek® Lab Coats No Pockets

Features:

- Inherent barrier protection against dry particulate hazards.
- Even after abrasion, stops sub-micron particles better than reusable garments.
- Serged seams.

Style: Front Snap Closure
Closure Type: Serged
Length: 16 in

SKU	Size Group
251-TY210S-XL	X-Large



Tyvek® Lab Coats No Pockets Knee Length

Features:

- Tyvek® 400 garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.
- Protection is built into the fabric itself; there are no films or laminates to abrade or wear away.
- Tyvek® 400 fabric's durability advantage over microporous film fabrics delivers consistently better barrier, even after wear and abrasion.

Style: Laydown Collar; Front Snap Closure; Elastic Wrists; Serged Seams; Extends to Knee
Closure Type: Front Snaps
Color: White

SKU	Size Group
251-TY211S-M	Medium
251-TY211S-L	Large
251-TY211S-XL	X-Large

Coveralls & Overalls



Tychem® 2000 Coveralls

Features:

- A lightweight, and durable fabric, Tychem® 2000 fabric provides at least 30 minutes of protection against >40 chemical challenges.
- Tychem® 2000 is used for light splash protection in a variety of industrial environments, including petroleum refining, pulp and paper manufacturing, food processing, chemical processing, and pharmaceutical manufacturing.

Color: Yellow
Style: Serged Seams; Attached Hood; Elastic Wrists and Ankles; Zipper Front; Storm Flap

SKU	Size Group
251-QC127S-2XL	2X-Large

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

DUPONT Tyvek



Tyvek® 400 Coveralls

Features:

- Offers inherent barrier against particles down to 1.0 micron in size.
- Protection built into the fabric itself, no films or laminates to abrade or wear away.
- Comfort fit design enables a greater range of movement while stretching and bending with reinforcement in high stress areas.

Resistance: Hazardous Aerosols/Dry Particles; Non-Hazardous Light Liquid Splash

SKU	Size Group
Style: Serged Seams; Attached Hood (Respirator Fit); Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap	
251-TY127S-M	Medium
251-TY127S-L	Large
251-TY127S-XL	X-Large
251-TY127S-2XL	2X-Large
251-TY127S-3XL	3X-Large
251-TY127S-4XL	4X-Large
251-TY127S-5XL	5X-Large
Style: Serged Seams; Collar; Elastic Waist, Elastic Wrists and Ankles; Zipper Front; Storm Flap	
251-TY125SWHMD002500	Medium
251-TY125S-L	Large
251-TY125SWHXL002500	X-Large
251-TY125S-2XL	2X-Large
251-TY125S-2X	3X-Large
251-TY125S-4X	4X-Large
251-TY125S-5X	5X-Large
Style: Serged Seams; Collar; Elastic Waist; Zipper Front; Open Wrists and Ankles; Storm Flap	
251-TY120S-M	Medium
251-TY120S-L	Large
251-TY120S-XL	X-Large
251-TY120S-2XL	2X-Large
251-TY120S-3XL	3X-Large
251-TY120S-4XL	4X-Large
251-TY120S-5XL	5X-Large
Style: Serged Seams; Attached Hood (Respirator Fit); Attached Skid-Resistant Boot; Elastic Waist, Wrists, Ankles; Front Zipper; Storm Flap	
251-TY122S-M	Medium
251-TY122S-L	Large
251-TY122S-XL	X-Large
251-TY122S-2XL	2X-Large
251-TY122S-3XL	3X-Large
251-TY122S-4XL	4X-Large

Pants & Shorts

DUPONT Tyvek



Tyvek® 400 Pants

Features:

- Pants with open ankle and elastic at waist for easy donning and removal.
- Suitable for applications that do not require the full body coverage of a coverall.

SKU	Size Group
251-TY350SWHMD005000	Medium



Tyvek® Pants with Elastic Waist

Features:

- Sturdy pants made from flash spun polyethylene provide a blend of comfort, protection and durability.
- Open ankle and elastic at waist allow for easy donning and removal.
- Suitable for applications that do not require the full body coverage of a coverall.

Material: DuPont™ Tyvek® Flashspun High-Density Polyethylene

SKU	Size Group
251-TY350S-XL	X-Large

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Rainwear



3-Pc Rainsuits

Features:
- Jacket is vented back for breathability, duo-layer front closer to prevent wet, two front patch pockets for storage, and a corduroy collar for comfort.
- Removable hood with drawstring.
- Adjustable suspenders for overalls with triangular buckles for perfect fit and single snap fly.

Material: PVC Over Polyester

SKU	Size Group
101-9000-L	Large
101-9000-XL	X-Large
101-9000-2XL	2X-Large

Shirts



WF2110 Flame-Resistant Cotton Work Shirts

Features:
- Stitched with durable FR threads.
- Shatter proof FR melamine buttons.
- Generous comfortable fit.
- Chest pockets with flaps and pencil slot.
- Curved hem provides enhanced protection when shirt is untucked.

Material: 7 oz FR Cotton

SKU	Size Group
800-WF2110-GY-L	Large
800-WF2110-GY-XL	X-Large
800-WF2110-GY-2XL	2X-Large



Tyvek® 400 Front Snap Shirts with Collar and Open Wrists

Features:
- Offers an inherent barrier against particles down to 1.0 micron in size.
- Composed of flashspun high density polyethylene, non-woven material.
- No films or laminates to abrade or wear away.
- Shirt designed with front snap closures for easy donning and doffing.
- Features laydown collar, open wrists, and serged seams.

SKU	Size Group
251-TY303S-XL	X-Large

Sleeves & Bibs



FR Sateen Sleeves

Features:
- Elastic bicep with snap wrist for arm protection.

Material: Flame Retardant Cotton Sateen
Closure Type: Elastic Bicep and Wrist

SKU	Size Group	Length
902-CA-340-18	One Size	18 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Tyvek® 400 Sleeves

Features:
- Inherent barrier protection against dry particulate hazards.
- Even after abrasion, stops sub-micron particles better than reusable garments.
- Serged seams.

Closure Type: Serged

SKU	Size Group	Length
251-TY500S	Standard	18 in

FOOT PROTECTION

Boots & Shoes



Chesapeake Rubber Boots

Features:
- Energy-absorbing Bay-Loc outsole.
- Lightweight modern design for long lasting comfort.
- 100% waterproof.
- Dunlop pull tab for easy on/off.

SKU	Size Group	Height	Material
Steel Toe/Pull-On/Knee Boots			
868-8677600.08	Unisex 8	14 in Boot; 1/2 in Heel	PVC; Steel Toe
868-8677600.10	Unisex 10	14 in Boot; 1/2 in Heel	PVC; Steel Toe
Plain Toe/Pull-On/Knee Boots			
868-8677500.09	Unisex 9	14 in Boot; 1/2 in Heel	PVC
868-8677500.10	Unisex 10	14 in Boot; 1/2 in Heel	PVC



Chest Waders

Features:
- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Chest high durable heavy PVC upper with non-absorbent lining provides excellent flexibility and comfort.

Material: PVC; Nylon Suspenders; Steel Toe
Lining: Non-Absorbent Cotton

SKU	Size Group	Height
Steel Toe Chest Waders		
868-8606700.09	Men's 9	16 in Boot; 33 in Inseam; 53 in Overall
868-8606700.10	Men's 10	16 in Boot; 34 in Inseam; 53 in Overall
868-8606700.11	Men's 11	16 in Boot; 34 in Inseam; 53 in Overall
868-8606700.12	Men's 12	16 in Boot; 35 in Inseam; 53 in Overall



Hazmax Steel Toe/Midsole Rubber Boots

Features:
- Specially formulated PVC allow protects you from some of the worst chemicals around.
- Steel toe, steel midsole, and steel shank Ultragrip® Sipe outsole provides superior, slip resistance and protection.

Material: PVC; Steel Toe/Midsole

SKU	Size Group	Height
Steel Toe and Midsole/Pull-On/Knee Boots		
868-8701200.11	Men's 11	16 in Boot; 1/2 in Heel
868-8701200.14	Men's 14	16 in Boot; 1/2 in Heel

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Hip Waders

Features:

- Cleated outsole for excellent traction clogging prevention in wet or muddy terrain.
- Hip high lightweight PVC upper with non absorbent lining provides excellent flexibility and comfort.

Material: Polyblend; PVC; Steel Toe/Midsole
Lining: Non-Absorbent Cotton

SKU	Size Group	Height
Steel Toe Hip Waders		
868-8605600.09	Men's 9	16 in Boot; 32 in Overall
868-8605600.10	Men's 10	16 in Boot; 32 in Overall
868-8605600.11	Men's 11	16 in Boot; 32 in Overall
868-8605600.12	Men's 12	16 in Boot; 32 in Overall



PolyGoliath Rubber Boots

Features:

- Polyblend compound offers superior resistance to fats, oils, and chemicals.
- Power Lug outsole powered by a multi tread design provides exceptional comfort and slip resistance.

Material: Polyblend; PVC; Steel Toe/Midsole

SKU	Size Group	Height
Steel Toe/Pull-On/Knee Boots		
868-8968200.09	Men's 9	16 in Boot; 1/2 in Heel
868-8968200.10	Men's 10	16 in Boot; 1/2 in Heel
868-8968200.11	Men's 11	16 in Boot; 1/2 in Heel



Purofort® Thermo+ Rubber Boots

Features:

- Lightweight for use all day long.
- SRC rated, dirt-repellent outsole for perfect grip.
- Slip-resistant for protection under cold conditions.

Material: Polyurethane; Purofort®; Steel

SKU	Size Group	Height
Steel Toe/Pull-On/Knee Boots		
868-E662843.10	Men's 10	16 in Boot; 1/2 in Heel
868-E662843.11	Men's 11	16 in Boot; 1/2 in Heel



White Rubber Boots

Features:

- Slip-resistant Safety-Loc outsole for superior traction on slippery surfaces.
- PVC upper provides mild chemical resistance and helps comply with HACCP guidelines.

Material: PVC

SKU	Size Group	Height
Plain Toe/Pull-On/Knee Boots		
868-8101100.07	Men's 7	16 in Boot; 1/2 in Heel
868-8101100.08	Men's 8	16 in Boot; 1/2 in Heel
868-8101100.10	Men's 10	16 in Boot; 1/2 in Heel
868-8101100.11	Men's 11	16 in Boot; 1/2 in Heel

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

APPAREL AND ACCESSORIES ASSORTMENT



Overshoes

Features:
- FLEX-O-THANE construction provides added cold weather flexibility and durability.
- 4-way cleated outsole is self cleaning with excellent slip resistance.

Material: Flex-O-Thane; PVC

SKU	Size Group	Height
Plain Toe/Pull-On/Snaps Overshoe		
868-8603000.XL	X-Large; Men's Boot Size 12 to 13	17 in
868-8603000.2X	2X-Large; Men's Boot Size 14 to 15	17 in

SERVUS



CT™ Economy Steel Toe Knee Boots

Features:
- Boot height increases with shoe sizes, assuring a better fit and greater comfort.
- Unique, tapered design won't catch on the back of your calf while walking.
- EVA foot form insole provides unsurpassed comfort for all-day wear.
- Contour heel cup reduces heel slippage.
- Unique, Trac10™ sole design ensures excellent traction.

Material: PVC

SKU	Size Group
922-18821-080	8
922-18821-090	9
922-18821-100	10
922-18821-110	11
922-18821-120	12

SERVUS



XTP™ XTRA TRACTION Steel Toe Boots

Features:
- Seamless, injection molded footwear is 100% waterproof to ensure workers' feet are dry and comfortable.
- Outsole perimeter is formulated for tough, long-wearing support.
- Centersole is dual compounded for cushioning, long wear and traction on slick surfaces.
- Steel shank is longer, wider, and thicker for outstanding arch support.
- Removable FOOT FORM™ contour cushion insoles provide all-day comfort and support.
- Open pattern outsole design self-cleans liquid and debris with every step, helping to prevent slip and trip hazards.

Material: PVC
Lining: FOOT FORM™ Insoles

SKU	Size Group
922-75109-080	8
922-75109-090	9
922-75109-100	10

Footwear Covers

BEST WELDS®





Spats

Features:
- Elastic top with 2 buckles on back of leg.
- Metal reinforced boot.
- Sold per pair.
- Velcro fasteners that ensure a secure fit for various shoe sizes.

Fastening Method: Buckles; Velcro

SKU	Size Group	Material
902-Q-15	Universal	Leather

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

DUPONT Tyvek



Tyvek® 400 Shoe & Boot Covers

Features:

- Protection is built into the fabric itself, there are no films or laminates to abrade or wear away.
- Tyvek® fabric offers an inherent barrier to particles down to 1 micron in size.
- Tyvek® fabric's durability advantage over microporous film and SMS fabrics delivers consistently better barrier, even after wear and abrasion.
- Tyvek® garments are composed of flash spun high density polyethylene which creates a unique, nonwoven material available only from DuPont.

Fastening Method: Elastic Opening

SKU	Size Group	Material	Color	Type
251-FC450S	One Size Fits Most	Tyvek® 400 FC	Gray	5 in H Shoe Cover w/ Serged Seams
251-FC454S	One Size Fits Most	Tyvek® 400 FC	Gray	18 in H Boot Cover w/ Serged Seams
251-TY450S	One Size Fits Most	Tyvek® 400	White	5 in H Shoe Cover w/ Serged Seams
251-TY454S	One Size Fits Most	Tyvek® 400	White	18 in H Boot Cover w/ Serged Seams
251-TY454S-XL-SR	X-Large	Tyvek® 400; Tyvek® 400 FC Sole	White	18 in H Boot Cover w/ Serged Seams; Skid Resistant

KLEENGUARD™



A40 Liquid and Particle Protection Boot Covers

Features:

- Protect your boots from damage—convenient boot covers are designed with an elastic top for a comfortable fit.
- Made from breathable, microporous film laminate.
- Covers offer better liquid barrier and particulate protection than TYVEK®.

Fastening Method: Elastic Top

SKU	Size Group	Material
412-44495	X-Large	Microporous Film Laminate

HEAT STRESS PROTECTION

Activity Drinks

GATORADE



20 oz Wide Mouth Bottles

Features:

- Make a refreshing beverage choice - this scientifically proven blend of carbohydrates and key electrolytes is designed to help athletes and active people hydrate, refuel and push through.
- Works to rehydate, replenish and refuel after a hard workout.

Flavor: Cool Blue; Fruit Punch; Lemon Lime
Quantity: 24 Bottles per Case

SKU	Capacity Vol.
308-05886	20 oz



G Series 02 Perform® Thirst Quencher Instant Powders

Features:

- Hydrates with electrolytes that help them replace the carbs, electrolytes and fluids they lose when they sweat.
- Carbohydrates help stimulate rapid fluid absorption and fuel the active body.

SKU	Package Yield	Capacity Vol.	Flavor
308-03944	2.5 gal	21 oz	Fruit Punch; Lemon-Lime; Orange; Frost Riptide Rush
308-03969	2.5 gal	21 oz	Lemon-Lime
308-03970	2.5 gal	21 oz	Orange
308-33673	2.5 gal	21 oz	Frost Riptide Rush
308-33677	2.5 gal	21 oz	Glacier Freeze
308-33691	2.5 gal	21 oz	Fruit Punch
308-03968	6 gal	51 oz	Orange
308-33676	6 gal	51 oz	Glacier Freeze
308-33690	6 gal	51 oz	Fruit Punch

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



G Zero Powder Sticks

Features:

- Gatorade® G Zero in convenient single serve sticks.
- Sugar-free G Zero packs are designed for those on the go, simply add to a 20 oz bottle of water.
- Gatorade® G Zero is an ideal electrolyte solution for those interested in maintaining a ketosis state.

SKU	Package Yield	Capacity Vol.	Flavor
308-04458	16.9 oz	0.10 oz	Glacier Cherry
308-04490	16.9 oz	0.10 oz	Orange
308-04457	16.9 oz	0.10 oz	Glacier Freeze
308-04713	16.9 oz	0.10 oz	Fruit Punch
308-04712	16.9 oz	0.10 oz	Grape



Liquid Concentrates

Features:

- Drink mixes have a blend of electrolytes and carbohydrates to help speed hydration and restore energy.
- Caffeine-free.

SKU	Package Yield	Capacity Vol.	Flavor
308-03955	6 gal	1 gal	Orange
308-03984	6 gal	1 gal	Lemon-Lime
308-33977	6 gal	1 gal	Fruit Punch



Powder Sticks

Features:

- Powdered mix contains the same electrolyte formula found in the original Gatorade.
- The refreshing choice when you need to replace electrolytes lost from sweat while performing rigorous physical activity.

SKU	Package Yield	Capacity Vol.	Flavor
308-04702	16.9 oz	1.23 oz	Fruit Punch
308-04701	16.9 oz	1.23 oz	Orange
308-04700	16.9 oz	1.23 oz	Lemon Lime



Qwik Stik® ZERO Sugar

Features:

- Great-tasting sugar-free electrolyte replacement.
- Ideal for diabetics and carb-conscious consumers.

SKU	Package Yield	Capacity Vol.	Flavor
690-159060099	20 oz	0.11 oz	Strawberry Lemonade
690-159060100	20 oz	0.11 oz	Orange
690-159060101	20 oz	0.11 oz	Mixed Berry
690-159060102	20 oz	0.11 oz	Fruit Punch
690-159060103	20 oz	0.11 oz	Lemonade
690-159060106	20 oz	0.11 oz	Lemon-Lime
690-159060107	20 oz	0.11 oz	Grape
690-159060109	20 oz	0.11 oz	Cool Citrus
690-159060119	20 oz	0.11 oz	Fruit Punch; Mixed Berry; Orange; Strawberry Lemonade

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Sqweeze® Freezer Pops

Features:

- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

SKU	Package Yield	Capacity Vol.	Flavor
690-159060962	3 oz	3 oz	Cherry; Grape; Lemon-Lime; Mixed Berry; Orange



Sqweeze® ZERO Freezer Pops

Features:

- Great way to cool down the body during hot or fatiguing work situations.
- Just freeze and serve to administer a tasty way to provide electrolytes to any work crew but without the sugar.
- Formulated to be absorbed significantly faster than water, allowing the body to replenish electrolytes and minerals for proper hydration.

SKU	Package Yield	Capacity Vol.	Flavor
690-159200231	3 oz	3 oz	Dragon Fruit; Mixed Berry; Orange; Punch; Watermelon

Bandanas



Cooling Towels

Features:

- Just add water.
- Towel temperature drops 15 to 20 degrees in 1 to 2 min.
- Once activated this product assists in lowering temperature.
- Absorbs up to 12 times its dry weight.
- Reusable.

Length: 27 in
Size Group: 17 in x 27 in

SKU	Material
118-91000	PVA Poly Vinyl Alcohol



Chill-Its® 6602 Evaporative Cooling Towels

Features:

- Super-evaporative PVA material to absorb water to then allow it to evaporate slowly for instant, long-lasting cooling relief.
- Designed to create a feeling colder than ambient air temperature and absorb and hold more water than other cooling towels on the market for a longer-lasting cooling.
- Can last up to 4 hours, simply re-wet to increase cooling duration.
- Run the PVA cooling towel under water for one minute or until saturated, wring out excess water and twirl or snap in the air for no-drip cooling.
- Perfect cooling headwear for anyone working in the heat and exposed to possible heat-related illnesses like heat cramps, heat strokes, or heat exhaustion are possible.

Length: 29-1/2 in

SKU	Material
150-12420	PVA

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Chill-Its® 6603 Evaporative Cooling Bands

Features:
- Advanced PVA cooling technology.
- Super-evaporative, feels significantly cooler than ambient air.
- Activates fast and easy - run under cold water for one minute.
- 1/3 the size of the Chill-Its® 6602 with the same cooling power.
- Use as a neck wrap by pulling end of wrap through slit.
- Wear for hours or for quick relief.
- Simply re-wet to reactivate.
- Machine washable.

Length: 29-1/2 in

SKU	Material
150-12418	PVA



Chill-Its® 6700 Evaporative Cooling Bandanas

Features:
- Activated polymers bring cooling power where you need it most.
- Activate by soaking in water for 2-5 minutes.
- Remains hydrated for up to 4 hours.
- Re-usable: just soak in water to re-activate.
- Bandana/headband - tie closure.

Length: 36.5 in
Material: Cotton

SKU	Color
150-12303	Stars/Stripes
150-12305	Red Western
150-12307	Solid Blue



MiraCool® Cooling Towel

Features:
- Lightweight super absorbent material holds water without weighing you down.
- Instant cooling relief, just add water; reusable, easy to charge.
- Machine washable.

Length: 29.5 in

SKU	Material	Color
561-931-BL	Poly Vinyl Acetat	Blue



MiraCool® Neck Bandanas

Features:
- Increase alertness and productivity.
- Provide a great way for workers to reduce heat stress in outdoor and other high-heat environments.
- Soak the MiraCool® bandana in cold water for 30 minutes, and the cooling crystals activate, staying hydrated for several days.
- Works without freezing or ice.

Length: 34.75 in

SKU	Material	Color
561-940-018	100% Cotton; MiraCool Crystals	Navy

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Hydration Packs



Squeeze Bottles

Features:
- The fast-cap design provides quick hydration, while the high-flow valve prevents liquid loss.
- Hydrate on the go just like professional athletes.

Material: Plastic

SKU	Capacity Vol.
308-50313SM	20 oz.

Sweat Bands



Headgear Sweatbands

Features:
- Individually packaged.
- Hook & loop closure allows the fit onto most major brand headgear.
- Sweat absorbent air cushioned layer lined with 100% fleece cotton.

Strap Type: Hook and Loop

SKU	Material
101-SB320V	Fleece Cotton



Leather Sweatbands

Features:
- Individually packaged.
- Snaps on any headgear.
- Absorbent air cushioned layer lined with 100% fleece cotton.

SKU	Material
101-SB700	Cowhide



Headgear Sweatbands

Features:
- Air cushioned, sweat absorbing layer surrounded by 100% fleecy cotton cover.
- Flame retardant for industrial use.
- Hook & loop closure allows the fit onto most major brand headgear.

SKU	Material
902-SB310V	FR Fleece Cotton



Chill-Its® 6609 Hard Hat Sweatband Liners

Features:
- Prevents sweat from dripping into eyes.
- Four-snap button closures securely attach to forehead of suspension.
- Low-profile for no-bulk wear with hard hats.
- Machine washable.

SKU	Material
150-12440	Cotton Terry Cloth

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

FIBRE-METAL® BY PIP



Comfort Enhancing Sweatbands

Features:
- Welding helmet sweat bands.
- Circulating air evaporates sweatband moisture for cooling effect.

SKU	Material	Used With
280-FM44T	Terry Cloth	Primair FM 300 headgear
280-FM67	Soft Grain Leather	Welding and Faceshield Headgear



Sweatbands

Features:
- Highly absorbent fabric.
- Can easily be removed, cleaned, and replaced.

Used With: E1 E2 and P2 Series Helmets
Strap Type: SuperEight™ Swing Strap

SKU	Material
280-FM44RTV	Terry Cloth

JACKSON SAFETY



Cloth Sweatbands

Features:
- Great for absorbing moisture and keeping your head dry.
- Designed to add padding and comfort to the forehead area.

Used With: SC-6 and SC-16 Hard Hats

SKU	Material
138-14958	Terry Cloth

MSA The Safety Company



Custom Terri-Band Sweatbands

Features:
- Sturdy sweatbands are washable for repeated use.
- Works to protect eyes and face from sweat and drips.
- Easily snaps into all MSA industrial helmets.

Used With: All MSA Helmets

SKU	Material	Strap Type
454-10068911	Terry Cloth	Snap
454-696688	Terry Cloth	Clip-On

OccuNomix



Cellulose Sweatbands

Features:
- Anti-mold treated.
- No harmful dyes.

Strap Type: Elastic

SKU	Material
561-SBX-100	Cellulose



Disposable Pre-Moistened Cellulose Sweatbands

Features:
- Absorbent cellulose headbands provide a convenient disposable option for busy workers.
- Headbands provide cooling relief during hot tasks.
- Easy to use; simply dip in cold water, squeeze out and wear.

Strap Type: Rubber Band

SKU	Quantity	Material
561-SBR25	25 Sweatbands per Pack	Cellulose
561-SBR100	100 Sweatbands per Pack	Cellulose

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



MiraCool® Headbands

Features:
- Stays hydrated for several days.
- Works without freezing or ice.
- Reusable.

SKU	Material
561-954-018	Cotton



Original Disposable Sweatbands

Features:
- Ultra thin yet absorbent.
- Won't tear, break, flake or become dry and brittle.
- Contains no chemicals.
- Never requires hydration to soften.

SKU	Quantity	Material
561-SB25	25 Sweatbands per Pack	Viscose Cellulose
561-SB100	100 Sweatbands per Pack	Viscose Cellulose



Terry Toppers® Clip-On Hard Hat Sweatbands

Features:
- Designed with single napped cotton terry on one side plus a middle layer durable foam sponge.
- Installs in an instant with insulated metal stays.
- One size fits almost every hard hat.
- Machine washable.

SKU	Material
561-880-01	Terry Cloth



Terry Toppers® Snap On Hard Hat Sweatbands

Features:
- Easily attaches to hard hat suspension with snaps.
- Soft material made to absorb and wick away sweat.
- Machine washable.

Material: Terry Cloth

SKU	Color	Quantity
561-870-15	Beige	Single Pack
561-870-01	Navy	Single Pack
561-870B20-01	Navy	20 Sweatbands per Pack

FIRST AID SAFETY

Antiseptics



Respirator Cleaning Pads

Features:
- Individually foil-packaged, non-woven cloths saturated with 70% Isopropanol.

Quantity: 100 Pads per Box

SKU
037-1001

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Eye Wash and Showers

FIRST AID ONLY.



Eye and Skin Flush Emergency Station/ Replacement Twin Bottles

Features:

- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Bottles of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.

Hose Material: Plastic

SKU
579-24-102

FIRST AID ONLY.



Eye Flush Bottles

Features:

- Bottle of sterile isotonic buffered solution for washing, flushing, and irrigating the eyes and skin.
- Helps to clear eyes of foreign material such as dust, pollen, and chemicals and to relieve itching and burning.
- Plastic squeeze bottle and nozzle help create a fluid stream to direct solution into the affected areas.

Hose Material: Plastic

SKU
579-24-101

Guardian



AquaGuard Gravity-Flow Eye Wash Units

Features:

- Self-contained gravity flow eye wash units use gravity to deliver water through dual spray heads.
- Top operate unit, fill unit with clean potable water and add bacteriostatic additive (supplied with unit).
- Water flow is activated by pulling down on bright yellow eye wash tray.
- Integral full flow nozzles deliver soft spray of water, swing tray up to storage position to stop flow.
- Waste water is directed into drain opening in tank basin, 3 ft.
- Long drain hose in basin directs discharge into floor drain, storage tank or other receptor.
- Furnished with epoxy coated steel bracket for mounting unit on wall, unit can also be placed on countertop or other flat surface.

Hose Length: 3 ft

SKU
333-G1540

fend·all BY PIP



Tank-Style Eyewash Station Cleaning Kits

Features:

- For use with all tank-type, eyewash stations.
- Use prior to refilling to remove contamination to interior tank walls.

SKU
203-32-000518-0000

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Eye Wash Saline Concentrates

Features:

- Buffered saline eyewash.
- Sterile and pH-balanced solution is more hygienically reliable than conventional tap water which may contain contaminants.
- Simple to use -- just mix with clean, potable water (10:1 ratio).
- For use with Fendall Porta Stream® Eyewash systems.

SKU	Capacity Vol.
203-32-000509-0000	70 oz
203-32-000513-0000-H5	180 oz



Personal Eye Wash Solutions

Features:

- Designed for flushing nuisance particles such as pollen, dust, sawdust, smoke as well as for immediate treatment.
- Bottles contain a buffered, saline solution that is sterile and superior to tap water for emergency eye care.
- Blow-fill-seal bottles with extended-flow nozzles are tamper resistant, yet easily removed in an emergency.
- Deliver drops or an irrigating stream of solution, depending on the squeeze pressure applied to the bottle.

SKU	Capacity Vol.
203-32-000454-0000-H5	16 oz
203-32-000455-0000-H5	32 oz



Eyewash Wall Stations

Features:

- Mounts to wall with provided screws.
- Twist off, tamper resistant tabs prevent leaking and are easily removed in an emergency.
- Holds factory-sealed, sterile, preserved, buffered saline solution bottles firmly in place for easy access in an emergency.

SKU	Style
203-32-000460-0000	Single Bottle of 16 oz
203-32-000465-0000	2 Bottles of 16 oz
203-32-000461-0000	Single Bottle of 32 oz
714-32-000462-0000-H5	2 Bottles of 32 oz



Personal Eyewash Products

Features:

- Easy open top.
- User-controlled volume delivery.
- Quality assured manufacturing.

SKU	Capacity Vol.
203-32-000451-0000	1 oz
203-32-000452-0000	4 oz
203-32-000445-0000	8 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Dust Covers

Features:

- Protects eyewash basin from dirt, dust and debris.
- Attaches to the eyewash activation handle or pull strap.
- Cover and activation handle or pull strap are detached in one motion.

SKU
203-32-001015-0000



Fendall Porta Stream® II Reflective Jackets

Features:

- Protective cover helps maintain fluid temperature.
- Use in environments of high solar energy.
- Flap and pull strap are removed in one quick and easy motion.

Flow: 15 GPM

SKU
203-32-000532-0000



Pure Flow 1000® Emergency Eyewash Stations

Features:

- Delivers Eyesaline® Solution: purified, contaminant-free and physiologically correct from a sealed, integrated delivery module.
- Constant fluid flow rate and stream height for 15 minutes.
- Highly visible green color provides easy identification in an emergency situation.
- Sure-grip handle provides instant, simple activation.
- Integral drain valve allows easy draining of reservoir after use.
- Integral fluid reservoir captures waste fluid, eliminating potential safety hazards and simplifying fluid disposal.
- Provision for locking device.
- Cover keeps dirt and trash from collecting in the basin and nozzle.
- Upon activation, the dust cover rotates downward, exposing the nozzles and collection basin.

Flow: 0.4 gpm

SKU
203-32-001000-0000



Pure Flow 1000® Recommended Refills & Accessories

Features:

- Up to 24 month cartridge life.
- Preserved, buffered, pH balanced, saline solution.
- Cartridge change takes less than 5 minutes.

SKU	Capacity Vol.
203-32-001050-0000-H5	3.5 gal

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Universal Eyewash Stands

Features:
- Viable alternative to wall mounting.
- Constructed of lightweight, sturdy steel tubing.

SKU
203-32-001065-0000



Universal Eyewash Station Mobile Cart

Features:
- Use with all portable devices.
- Provides quick, easy potability for self-contained, gravity-fed emergency eyewash devices.

SKU
203-32-001060-0000

First Aid Kits



10 Person First Aid Kits

Features:
- 10 person first aid kit.
- ANSI Standard compliant.
- Durable plastic case.
- Water resistant gasket.

Length: 5.5 in
Width: 8.75 in
Height: 3 in

SKU
101-10-9-FAKP



25 Person First Aid Kits

Features:
- 25 Person First Aid Kits.

Height: 3 in

SKU	Case Material	Length	Width	ANSI Standard
101-25-3-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2003
101-25-9-FAKP	Plastic	10 in	7 in	ANSI Z308.1-2009
101-25-3-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2003
101-25-9-FAKM	Metal	11 in	7.5 in	ANSI Z308.1-2009

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Bloodborne Pathogen Kits

Features:
- Blood borne pathogen hazardous waste kits include blood spill clean-up tools.
- Kit has a wall mounted bracket and increased mobility case.

Length: 10 in
Width: 8.5 in
Height: 4 in

SKU	Case Material
101-BBPK-1-12	Plastic



10 Person ANSI First Aid Kits

Features:
- Neat, orderly interior packaging makes content easy to locate and use.

Length: 5 in
Width: 3 in
Height: 8 in

SKU	Case Material
579-6060	Weatherproof Plastic



25 Person ANSI Plus First Aid Kits

Features:
- Neat, orderly interior packaging makes contents easy to locate and use.
- Carry-handle or is wall mountable.

Length: 7 in
Width: 3 in
Height: 10 in

SKU	Case Material
579-6430	Weatherproof Plastic



50 Person ANSI First Aid Kits

Features:
- Kit has 50 units that come with a weatherproof plastic case.
- OSHA compliant box is wall-mountable.

Length: 9.38 in
Width: 9.38 in
Height: 3 in

SKU	Case Material
579-6088	Weatherproof Plastic



25 Person First Aid Kits

Features:
- General purpose first aid kits to treat common workplace injuries and illnesses.
- Kits contain bandages, antiseptics, and other supplies that treat non-critical conditions.
- Kit fills subject to change.

Length: 3 in
Width: 10 in
Height: 7 in

SKU	Case Material
899-740ANSI	Plastic

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Insect Repellents & Sunscreens



SunX30 Sunscreen Lotion Packets

Features:
- Contains aloe vera gel & Vitamin E and broad spectrum sunscreen with UVA/UVB protection.
- FDA rated water & sweat resistant with max allowed duration time (80 minutes).
- PABA free & oil free.

SKU	Capacity Vol.
579-18-350	1/4 oz



Deep Woods® Insect Repellent V

Features:
- Formulated with 25% DEET provides up to 8 hours of protection against mosquitoes.

Insect Type: Ticks; Mosquitoes; Black Flies; Sand Flies; Chiggers; Gnats; Fleas; No-see-ums

SKU	Capacity Vol.
889-334689	6 oz

Ointments



BURN JEL® Burn Care Ointments

Features:
- Dissipates heat and protects injuries from infection.
- Thick gels cool and soothe minor burns.

Active Compound: Lidocaine
Size: 5.1 in x 7.6 in

SKU	Capacity
899-66622	1.8 oz

Pain Relievers



Medi-Lyte® Electrolyte Replenishers

Features:
- Relief from heat stress, fatigue and muscle cramping due to minerals lost to heat and perspiration.
- Unit dose, tamper-evident dual layer foil packets.

Quantity: 500 Tablets per Box

SKU	Active Compound	Flavor
899-03013	Calcium; Potassium; Magnesium	Unflavored

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

FIRE, GAS & WATER PROTECTION

Detectors

Honeywell



Clip Single-Gas Detectors

Features:
- One button operation.
- Operates up to two years use without calibration, sensor replacement, or battery recharging/replacement.
- Wide angle flash which alerts simultaneously with audible and vibrating alarm.
- Automatic logging of the 35 most recent gas events.
- Compatible with IntelliDoX, Fleet Manager II Software.

Gas Type: Hydrogen Sulfide
Temp. Range: -40° F - 122° F
Sound Level: 95 dBA
Display Type: LCD
Power Source: Lithium Battery
Run Time: 2 Years

SKU	Sensor Type
126-BWC2-H	Surecell™

Fire Extinguishers

KIDDE



FA110 Multipurpose Home Fire Extinguishers

Features:
- Clear instruction label using graphics to show steps required to operate extinguisher.
- Easy-to-read gauge tells you fire extinguisher is charged and ready for use.
- Easy-to-pull safety pin.

Fire Type: Class A, B and C Fires
Mounting Position: Wall
Operating Temp.: -40° F - 120° F
Operating Distance: 6 ft - 8 ft

SKU	Capacity Wt.	Extinguishing Material
408-466142MTL	2.5 lb	Monoammonium Phosphate



Pro Multi-Purpose Fire Extinguishers

Features:
- Meets code requirements when installed and maintained in accordance with NFPA 10.
- QR code on extinguisher offers an easy way to access product information and customer support making servicing documentation more efficient.
- Rechargeable extinguisher can stay in service longer.
- Choose from lightweight aluminum cylinders or heavy-duty steel cylinders.

Fire Type: ABC
Mounting Position: Wall
Operating Temp.: -40° F - 120° F
Extinguishing Material: ABC Dry Chemical

SKU	Capacity Wt.	Operating Distance
408-21032142	5.5 lb	12 ft - 18 ft
408-21032149	10 lb	20 ft - 20 ft
408-21032152	18 lb	20 ft - 20 ft

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Lock Boxes



Group Lock Boxes

Features:
- Red lockout color identifies the safety lockout application.
- Effective alternative to requiring each authorized lockout team member to place one of their personal safety locks at every lockout point in the system.
- Up to 13 workers can apply their personal safety locks.

Length: 9-1/4 in
Height: 6 in

SKU	Material	Width
470-498A	Steel	3-3/4 in

Lockouts & Hasps



Electrical Lockout Tagout Kits

Features:
- Safely power down faster when you power up your lockout tagout readiness with one convenient, easily accessible and portable kit.
- Extremely portable — toolbox keeps padlocks and devices at the ready and goes where you go.
- All components specially designed for electrical lockout scenarios, including non-conductive nylon-body padlocks.

SKU	No. of Padlocks
262-153670	3



Grip Tight™ Circuit Breaker Lockouts

Features:
- Secure and simple mounting for a solid lockout.
- Grips tight with simple thumb turn and clamping handle.
- Accept all American Lock and Master Lock safety padlock shackles and lockout hasp diameters.
- Durable construction with powder coated steel and reinforced polymer allows operation in harsh environments.

Width: - 3/4 in
Length: 3 in

SKU	No. of Padlocks
470-493B	1



Portable Lockout Kits

Features:
- Kit includes padlocks and electrical focused high-use products.
- Supplies store securely in a rugged toolbox to help keep important lockout devices and padlocks together.
- For added individual worker convenience, padlocks are supplied keyed alike.

Width: 25/32 in Body -
Shackle Length: 1-1/4 in
Depicted Text: Danger Do Not Operate; Danger Locked Out Do Not Remove

SKU	No. of Padlocks
470-1457E410KA	4

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Safety Series™ Do Not Operate I.D. Tags

Features:
- Durable polyester laminate resists water, grease and extreme temperatures.
- Heavy-duty construction withstands up to 80 lbs. of pullout force (Meets OSHA Requirements).
- Prevents accidental removal.
- Customize with name, department, expected completion.
- 7/16" diameter brass grommet accepts all safety padlocks.

Width: - 3-1/8 in
Includes: (12) Tags; (12) Ties
Used With: Padlocks
Depicted Text: Danger; Do Not Operate

SKU
470-497A



Safety Lockout Hasps

Features:
- Compatible with No. 3, 410, 411 and 6835 safety lockout padlocks.
- Allows for lockout by up to six workers.
- Heavy gauge steel resists prying.

Width: - 1-3/4 in
Shackle Length: 1 in
No. of Padlocks: 6

SKU	Length
470-420	4-1/2 in

Padlocks & Cables



Solid Aluminum Padlocks

Features:
- Highly corrosion resistant.
- Laser engravable.

Shackle Diam: 1/4 in
Shackle Inner Width: 3/4 in
Shackle Material: Case Hardened Boron Alloy Steel

SKU	Code Format	Shackle Length
045-A1106RED	5-Pin Tumbler Rekeyable Cylinder	1-1/2 in



No. 140 Solid Brass Padlocks

Features:
- Select style and strength—this lock with a solid brass lock body is stylish and sturdy.
- Hardened steel shackle for extra cut resistance.
- 4-pin cylinder prevents picking and the dual locking levers provide resistance against prying and hammering.

Shackle Diam: 1/4 in
Shackle Inner Width: 13/16 in
Color: Brass
Shackle Material: Hardened Steel

SKU	Shackle Length
470-140D	7/8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



No. 1500 Combination Padlocks

Features:
- Hardened steel shackle for extra cut resistance.
- Combination security for keyless convenience.
- 3-digit dialing and 1,500 combinations for maximum security.

Shackle Diam: 9/32 in
Shackle Inner Width: 13/16 in
Shackle Material: Hardened Steel
Code Format: 3 Step Dial

SKU	Shackle Length
470-1500	3/4 in



No. 175 Combination Brass Padlocks

Features:
- Set-your-own combination convenience.
- Resettable to any of 10,000 personalized combinations.

Shackle Diam: 5/16 in
Shackle Inner Width: 1 in
Shackle Material: Hardened Steel
Code Format: 4 Step Dial

SKU	Shackle Length	Packaging
470-175	1 in	Bulk Pack of 6
470-175DLH	2-1/4 in	Single Pack
470-175LH	2-1/4 in	Bulk Pack of 6



No. 178 Solid Brass Combination Padlocks

Features:
- Set-your-own combination convenience and security.
- 4 digit dialing allows for thousands of possible combinations.

Shackle Diam: 5/16 in
Shackle Inner Width: 1 in
Shackle Material: Hardened Steel

SKU	Shackle Length
470-178BLK	1 in



Zenex™ Thermoplastic Safety Lockout Padlocks

Features:
- Durable, lightweight, non-conductive Thermoplastic lock body.
- Customize on-site with permanent, write-on labels.
- Compliance with "One Employee, One Lock, One Key" directive.
- High security, reserved-for-safety cylinder.
- Key retaining, ensures that padlock is not left unlocked.
- 6-pin tumbler for Keyed Alike (KA), Keyed Different (KD), and Master Keyed (MK) styles.
- Choose from 1-3/4 inch (406 and 410) or 3 inch (411) body heights.

Shackle Inner Width: 25/32 in
Shackle Material: Metal

SKU
470-410RED

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

SAFETY STORAGE

Safety Cans



Safety Cans

Features:
- Constructed of 24-gauge hot dipped galvanized steel, stainless steel, or poly.

Dia.: 12-1/2 in
Height: 13-1/2 in
Material: 24-ga Galvanized Steel

SKU	Capacity Vol.
925-UI50FS	5 gal



Red Oily Waste Cans

Features:
- Self-closing cover isolates contents from fire sources.
- Rugged, lead-free galvanized steel body with durable powder coat paint finish.
- Raised flow-through base dissipates heat.
- Trilingual safety label.

Dia.: 13-15/16 in
Height: 18-1/4 in
Material: 24-gauge Premium Coated Steel

SKU	Capacity Vol.
400-09300	10 gal



Type I Steel Safety Cans

Features:
- Color coding avoids accidents.
- Self-closing lid controls spills.
- Leakproof, auto-venting lid prevents explosion.
- Cans up to 1 quart feature a trigger-release handle, while larger capacities have a swinging handle to greatly ease carrying of heavier loads.

Material: 24-ga Galvanized Steel

SKU	Capacity Vol.	Type	Dia.	Height	Includes
400-7110100	1 gal	Gas	9.5 in	11.5 in	Stainless Steel Flame Arrestor; Swinging Handle
400-7125100	2.5 gal	Gas	11.75 in	11.5 in	Stainless Steel Flame Arrestor; Swinging Handle
400-7150100	5 gal	Gas	11.75 in	16.875 in	Stainless Steel Flame Arrestor; Swinging Handle
400-7150110	5 gal	Gas	11.75 in	16.875 in	Poly Funnel; Stainless Steel Flame Arrestor; Swinging Handle
400-7150210	5 gal	Diesel	11.75 in	16.875 in	Poly Funnel; Stainless Steel Flame Arrestor; Swinging Handle



Type II AccuFlow™ Safety Cans

Features:
- Color coding avoids accidents.
- Stainless steel flame arrester prevents flashback ignition.
- Easy-to-use Safe-Squeeze® trigger for controlled pouring.
- Two-openings, one for targeted pouring, one with ergonomically designed lift-lever for easy filling.

Dia.: 11.75 in
Height: 17.5 in
Material: 24 ga Galvanized Steel

SKU	Capacity Vol.	Hose O.D.	Color
400-7250120	5 gal	5/8 in	Red
400-7250130	5 gal	1 in	Red
400-7250230	5 gal	1 in	Yellow

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Safety Storage Cabinets

Justrite



Sure-Grip® EX Flammable Safety Cabinets

Features:

- 18-gauge thick double-wall, welded steel with 1-1/2-in of insulating air space.
- Adjustable, patented SpillSlope® galvanized steel shelves direct spills to back and bottom of 2-in leakproof sump.
- 3-point stainless steel bullet latching system.
- U-Loc™ handle with two keys—accepts optional padlock.
- Trilingual warning with Haz-Alert™ reflective labels.
- Includes dual vents with flame arresters, adjustable leveling feet, and grounding connector.

Height: 65 in
Material: 18 ga Steel

SKU	Capacities	Depth	Width
400-894500	45 gal	18 in	43 in
400-896000	60 gal	34 in	34 in

TRAFFIC SAFETY

Safety Cones

Cortina Safety Products



DW Series Traffic Cones

Features:

- Made from injection-molded PVC with a wide body design.

Material: PVC

SKU	Color	Height
831-03-500-05	Orange; Black Base	18 in
831-03-500-10	Orange; Black Base; Reflective Collar	28 in
831-03-500-07	Orange; Black Base	28 in

Cortina Safety Products



PVC Traffic Cones

Features:

- Brightly colored for high visibility.
- Ultraviolet stabilized color provides maximum resistance to fading.
- Wide-body design with rugged base.
- High-density base creates low center of gravity for maximum stability.

Material: PVC
Width: 12 in

SKU	Color	Height
831-03-500-21	Orange; Black	18 in



Triangle Warning Kit

Features:

- Ensure your safety, even in an emergency, with a sturdy triangle reflector kit - the flourescent plastic is bright and provides effective warning, even in daytime.
- A convenient living hinge box allows for quick and compact storage.

Material: Acrylic; Steel; ABS; Polypropylene
Width: 18 in

SKU	Color	Height
831-95-03-009	Red; Hi-Viz Orange	18 in



W Series Traffic Cones

Features:

- Injection molded PVC.
- Wide body design.
- Colored base.
- Available with reflective collars.
- MASH Approved.


Material: PVC

SKU	Color	Height
831-03-500-100	Orange with Reflective Collar	28 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Safety Fences



Safety Fences

Features:
- Convenient, highly visible safety fencing.
- Durable safety fences are UV stabilized.

SKU	Height	Length
831-03-900	4 ft	50 ft

Safety Flags & Pennants



Pennants

Features:
- Durable, weather-resistant vinyl pennant is a reliable choice for drawing attention to demarcated areas.
- Superior tensile strength.

Length: 100 ft (String)
Material: Vinyl

SKU	Color
831-03-400	Red

Safety Guards & Protectors



General Purpose Utility Wheel Chocks

Features:
- Weather-resistant, lightweight polyurethane construction.
- Resistant to oils, fuels, and solvents.
- High-visibility orange color.

Height: 6.25 in
Length: 8.5 in
Material: Urethane

SKU	Outside Dia.
916-UC1700	27 in to 35 in



General-Purpose Rubber Wheel Chocks

Features:
- Highly durable rubber construction.
- Resistant to weather elements.
- Either side can be positioned against the tire.
- Ideal for small vehicles and trailers.

Height: 5.5 in
Material: Rubber

SKU	Length
916-RC450-S	10 in
916-RC815	10.5 in



EZ Grab Delineator Post

Features:
- Post is made from 100% impact-resistant polyethylene material.
- EZ-Grab handle provides portability, allowing you to move post from place to place with ease.
- Each post comes with two high intensity reflective bands.

Height: 45 in
Material: Polyethylene; Rubber

SKU	Outside Dia.
831-03-734RBC	3 in



Wheel Chocks

Features:
- Provides maximum durability and skid protection.
- Constructed to withstand extreme weather conditions.
- Includes zinc-plated eyebolt.

Height: 6 in
Length: 10 in
Material: Rubber

SKU	Outside Dia.
831-2048WC	8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Safety Hats



Baseball Style Bump Caps

Features:
- Polyester twill ball cap protects against bumps and scrapes.
- Includes polyurethane bump cap insert.

Size Group: 6-7/8 to 7-5/8 in

SKU	Material	Color
561-v410-b03	Polyester Twill; Polyethylene	Navy



Safety Paddles

Features:
- Letter size 8 inches for 24 inch paddles or 6 inches for 18 inch paddles.
- Extremely durable ABS material or 0.080 aluminum with scratch resistant paint finish.

Length: 9 in Polygrip Handle
Dia.: 18 in

SKU	Depicted Text	Color
831-03-851	STOP/SLOW	White Letters on Red; Black Letters on Orange

Safety Signs



Quadra Flex™ Roll-Up Utility Work Ahead Signs

Features:
- Fluorescent color provides maximum visibility.
- Lexan Polycarbonate pockets on all corners.
- Fiberglass Ribsets are included and are ready for use.
- Ribs are coated to prevent splinters and fraying.
- Overlays available for changeable message signs.

Width: 48 in
Height: 48 in

SKU	Depicted Text	Color
831-07-800-4046-L	Utility Work Ahead	Fluorescent Orange



Floor Safety Signs

Features:
- Closed warning message imprinted in English, French, German and Spanish for effective communication to broad audiences.
- Folding design for convenient storage.
- Durable plastic construction.
- Bright yellow design meets OSHA requirements.
- Stable base with low center of gravity to prevent tipping.

Length: 26 in
Width: 11 in
Height: 25 in

SKU	Depicted Text
640-FG611277YEL	Caution Wet Floor

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

BRADY



Heavy Duty Lockout Tags

Features:

- Constructed of heavy duty polyester, durable tag offers completely encapsulated graphics that withstand moisture, grease, chemicals and extreme temperatures.
- Tags accept pencil, pen and marker (pen and marker can be completely erased using isopropyl alcohol, allowing for repeated use).
- Heavy duty construction holds up to 80 lbs of pull force, preventing accidental removal.
- 3/8 inch diameter heavy-duty brass grommet accepts most padlock shackles.

Height: 5.75 in
Material: Polyester

SKU	Width
262-65520	3 in



Lockout Tags

Features:

- Two-sided tag with warning messages and graphics.
- Both sides have lines for writing additional information.
- Write-on surface allows for authorized signatures, dates and other special instructions.
- 3/8 inch diameter brass eyelet will accept most pad-lock shackles.

Height: 5.75 in
Material: Economy Polyester; Not Laminated

SKU	Width
262-66050	3 in

Master Lock



Do Not Operate Safety Tags, Spanish/English

Features:

- Heavy Duty English/Spanish Safety Tags feature durable polyester laminate to resist water, grease and extreme temperatures.
- The heavy duty construction withstands over 50 lbs.
- (23kg) of pull force to meet and comply with the OSHA lockout/tagout standard.
- The 7/16 in (11mm) diameter brass grommet accepts all safety padlocks.
- Tags are customizable with name, department and expected completion date.

Height: 5-3/4 in
Material: Polyester Laminate

SKU	Width
470-497AX	3-1/8 in

Safety Tapes

ANCHOR BRAND



Economy Barrier Tape

Features:

- Repeat wording clearly identifies hazard.
- Bright colors and Bolder Print to attract attention.
- Durable, yet easily disposable.

Width: 3 in
Length: 1000 ft
Material: Polyethylene

SKU	Depicted Text	Color
101-R10003	Danger	Red
101-Y10003	Caution	Yellow

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Safety Barricade Tapes

Features:
- Safety tapes indicating warning or danger areas.
- Large bold lettering is easy to read at a distance.
- Durable plastic material remains pliant in cold weather.

Width: 3 in
Length: 1,000 ft
Material: Plastic

SKU	Depicted Text	Color	Thickness
272-71-1001	Caution	Yellow	2 mil
272-77-1004	Danger	Red	4 mil

Safety Vests



GloWear® Safety Vests

Material: Polyester Mesh

SKU	Size Group	Closure Type	Color
150-20040	One Size	Hook and Loop	Lime
150-21023	Small/Medium	Hook and Loop	Lime
150-21053	Small/Medium	Zipper	Lime
150-21045	Large/X-Large	Zipper	Orange
150-21055	Large/X-Large	Zipper	Lime
150-21295	Large/X-Large	Zipper	Lime
150-21057	2X-Large/3X-Large	Zipper	Lime



SV6 Type R Class 2 Two Tone Surveyor Mesh Safety Vests

Features:
- Two-tone, contrasting trim on reflective stripes make workers much more noticeable in low light and broad daylight.
- Very functional pocket configuration so you can carry the tools you need to do your job.

Color: Hi-Vis Green
Material: 100% Polyester Mesh

SKU	Size Group	Closure Type
292-SV6-2ZGM-XL	X-Large	Zipper Front

SPILL CONTROL SAFETY

Sorbent Kits



SPC Allwik® Drum Spill Kits

Features:
- Allwik for oil, water based and chemical spills.
- Tough, secure and highly visible, this top quality screw topped over pack drum meets UN and DOT specifications.
- For large spill response.
- For oil, water based and chemical spills.

Absorption: 41 gal

SKU	Width
655-SKA55	24 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

BRADY



SPC® Economy Portable Spill Kits

Features:
- Highly visible yellow PVC bag.
- Perfect for small spills.
- Right price, right size and the right value.

Absorption: 5 gal

SKU	Width	Length
655-SKA-PP	16 in	20 in

ANCHOR BRAND



Universal Sorbent Pads

Features:
- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Length: 17 in
Width: 15 in

SKU	Absorption
103-AB-BPU500	17 gal
103-AB-BPU100	20.5 gal
103-AB-BPU200	34 gal

Sorbents

ANCHOR BRAND



Oil-Only Sorbent Pads

Features:
- White absorbents pick up petroleum-based fluids, paints and non-water soluble chemicals while repelling water - great for indoor & outdoor use.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Length: 17 in
Width: 15 in

SKU	Absorption
103-AB-BPO500	17 gal
103-AB-BPO100	20.5 gal



Universal Sorbent Rolls

Features:
- Highly versatile, grey absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- Heavy weight - specifically designed for continuous leaks and larger spills so you use less material.
- Meltblown polypropylene absorbents feature economical, single-ply construction.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Length: 150 ft
Width: 30 in

SKU	Absorption
103-AB-BRU120	38 gal

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

BRADY



MRO Plus™ Absorbents

Features:
- MRO Plus® products are strong, durable and medium-linting, making them the perfect go-to products for nearly every industrial setting.
- Highly versatile, gray absorbents pick up water-based, petroleum-based and non-aggressive, chemical fluids.
- 3-ply Meltblown (MMM) Polypropylene dimpled construction is designed for general industrial applications.
- Perforations provide cost control and reduce waste by allowing you to use only what you need.

Length: 19 in
Width: 15 in

SKU	Absorption
655-MRO100	26 gal

CLEANING PRODUCTS

Cleaners & Degreasers

Since 1918 Berryman



B-12 CHEMTOOL® Carburetor/Choke Cleaners

Features:
- Cleans petroleum residue from fuel systems, fuel injectors, valves, rings and pistons.
- Also works to disperse moisture.
- Great for use on oil returns, lifters, PCV valves, and oil pump screens.
- Regular use ensures higher compression, fewer repairs, lower operation costs and increased spark plug and injector life.

Chemical Compound: Acetone; Methanol; Toluene

SKU	Capacity Vol.
084-0117	16 oz

Since 1918 Berryman



Brake Cleaners

Features:
- Effectively removes brake fluid, grease, oil and other contaminants from all brake parts.
- Non-flammable, quick drying formula leaves no residue.

Chemical Compound: Methylene Chloride; Perchloroethylene; Toluene

SKU	Capacity Vol.
084-1820	19 oz

CRC



Brake Parts Cleaners

Features:
- Maintaining clean brake and disc parts can improve the life of your car's braking system and keep you safe on the roads.

SKU	Capacity Vol.	VOC
125-05084	14 oz	43.9%; 344.6 g/L; 2.87 lb/gal
125-05050	20 oz	9%; 70.2 g/L; 0.59 lb/gal
125-05088	20 oz	84%; 657.2 g/L; 5.5 lb/gal
125-05089	20 oz	0%; 0 g/L; 0 lb/gal



Contact Cleaner 2000® Precision Cleaners

Features:
- Designed to remove build ups of dirt, moisture, dust, flux, or oxides on contacts.
- Effective alternative to 141b-based cleaners when sensitive plastics are not a concern.
- Evaporates quickly and leaves no residue.

Chemical Compound: HFC

SKU	Capacity Vol.
125-03150	16 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Electrical Parts Cleaners

Features:
- Effective degreasing action with fast evaporation and no residue.
- Non-flammable, VOC exempt formula is designed for energized equipment use only.

Chemical Compound: Chlorinated

SKU	Capacity Vol.
125-02180	20 oz



Heavy Duty Degreasers

Features:
- Evaporates quickly.
- Leaves no residue and has no flash or fire point, making it an excellent alternative to 1,1,1-based cleaners.
- Use caution on plastics.

Chemical Compound: Chlorinated Solvent

SKU	Capacity Vol.
125-03095	20 oz



Lectra Clean® Heavy Duty Electrical Parts Degreasers

Features:
- Evaporates quickly, leaves no residue and has no flash or fire point.
- Designed and labeled to be used on equipment where energy and/or residual exists during cleaning.

Chemical Compound: Chlorinated; Solvent

SKU	Capacity Vol.
125-02018	20 oz



QD™ Contact Cleaners

Features:
- Suitable for cleaning sensitive electronics and electrical equipment without leaving a residue.
- Evaporates quickly, leaves no residue and is safe to use on all plastics.
- Use where lower flashpoint cleaners are acceptable.

Chemical Compound: Petroleum Distillate

SKU	Capacity Vol.
125-03130	11 oz



PreSolve® Orange Degreasers

Features:
- Fast acting, deep penetration.
- Natural based.
- Does not contain chlorinated solvents.
- Low residue.
- Safe on all metals and most plastics (test).
- Inverted spray valve.

Chemical Compound: Petroleum Distillates

SKU	Capacity Vol.
428-01420	15 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Industrial Cleaners and Degreasers

Features:

- Concentrate dilutes up to 1:30.
- Non-abrasive, non-corrosive, non-flammable and VOC compliant formula.
- Safe for use in cleaning equipment including floor scrubbers, carpet cleaners and parts washers.
- Orally non-toxic and readily biodegradable formula.

Chemical Compound: Ethoxylated Alcohol; Sodium Citrate; Sodium Carbonate; Citric Acid

SKU	Capacity Vol.
676-2710001213012	24 oz
676-2710200613005	1 gal
676-2700000113006	5 gal
676-2700000113008	55 gal



Crazy Clean All Purpose Cleaners

Features:

- Spray on and wipe off to remove dirty hand prints from walls and doors, scuff and crayon marks, grease spots, soot stains and smoke film.
- Non-abrasive.
- Breaks up grease and grime.

SKU	Capacity Vol.
893-SW031	20 oz



D3 Citrus Degreasers

Features:

- Natural citrus degreaser attacks oil, grime, grease, tar and other oil based contaminants on hard surfaces.
- Works on contact and leaves little or no residue.

SKU	Capacity Vol.
893-SW286	20 oz



Fabric Cleaners with Inverted Spray

Features:

- Quickly and effectively removes soils from most upholstered fabrics.
- Cleans effectively without leaving the fabric wet.
- The inverted valve allows for cleaning hard to reach areas.

SKU	Capacity Vol.
893-SW558	20 oz



Orange Citrus Crazy Clean

Features:

- Formulated with orange citrus solvents.
- Removes dirty hand prints from walls and doors, scuff marks from floors, bathtub rings, soot, grease, smoke film, oil, light carbon, dust, lipstick and crayon marks.
- Deodorizes as it cleans!

SKU	Capacity Vol.
893-SW985	20 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Ultra Low VOC Brake Parts Cleaners

Features:

- VOC Compliant in all 50 states.
- Quickly removes grease, dirt, brake fluid and grime from critical brake components.
- Flushes away any contaminants without disassembling the brake unit.

SKU	Capacity Vol.
893-SW069	20 oz



Deep Penetrating Oils

Features:

- Penetrates rust, scale and corrosion to free parts and assemblies INSTANTLY.
- Loosens red and white lead, tar, grease, carbon and graphite deposits.
- Contains NO silicones, making it safe in paint and shop environments.

SKU	Capacity Vol.
296-RE12	11 oz

LUBRICANTS & PENETRANTS

Oils



Kroil Penetrating Oils

Features:

- Kroil quickly loosens rusted nuts and bolts, frees frozen shafts, pulleys, and more.
- Will not attack or damage metals.
- Use on any corroded threads or tight parts.

SKU	Capacity Vol.
885-KS102C	10 oz
885-KS132C	13 oz
885-KS162C	16.5 oz



Marvel® Air Tool Oils

Features:

- Specially formulated for use in all piston type and rotary air tools, as well as in-line air lubricators.
- Prevents rust formation while providing positive lubrication for smooth starting and longer tool life.
- Assures maximum performance by dissolving gum and sludge that cut down tool speed and reduce power output.

SKU	Capacity Vol.
465-080	4 oz
465-MM085R1	32 oz



Marvel® Mystery Oil Gas and Oil Additives

Features:

- Engine and fuel additive helps prevent oil breakdown caused by extreme temperatures.
- Reduces and prevents valve-sticking by removing harmful sludge and carbon deposits.

SKU	Capacity Vol.
465-013R	1 qt
465-MM14R	128 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

RIDGID



Thread Cutting Oils

Features:

- Cools threads and pipe during operation.
- Speeds metal removal.
- Reduces threading torque.
- Free of chlorine and other halogens, PCBs and heavy metals (complete MSDS available).

SKU	Container Size	Color
632-70830	1 gal	Black
632-70835	1 gal	Yellow

Silicone Lubricants

CRC



Food Grade Silicone Lubricants

Features:

- Harmless to Most Rubbers and Plastics.
- Wide effective temperature range .
- Excellent release agent and lubricant for all surfaces.
- Convenient 360° spray valve - can be sprayed from any position.

SKU	Capacity Vol.
125-03040	10 oz

Anti-Seize Compounds

JET-LUBE®



Kopr-Kote® High Temperature Anti-Seize and Lubricants

Features:

- Provides a shield against metal-to-metal contact, preventing seizure and corrosion.
- Assures protection against rust, oxidation, and corrosion.
- Specially formulated to prevent excessive over torque issues and has a very high static friction factor of 0.17.
- Unique blend of complex thickeners to help evenly distribute the copper flake onto the metal surfaces to eliminate metal to threaded metal contact.

Chemical Compound: Petroleum Based

SKU	Capacity Wt.
399-10004	1 lb

LOCTITE®



Food Grade Anti-Seize

Features:

- Prevents seizure, galling, and friction in stainless steel and other metal parts.
- Used in industrial food industries and general plant maintenance.
- Metal free formulation.

Chemical Compound: Mineral Oil; Calcium Dihydroxide

SKU	Capacity Wt.
442-1167237	8 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



LB 8008™ C5-A® Copper Based Anti-Seize Lubricants

Features:

- Exclusive formula suspends copper and graphite in a high quality grease.
- Establishes greater clamp load.

Chemical Compound: Petroleum; Mineral Oil; Calcium Dihydroxide; Copper; Graphite; Quartz

SKU	Capacity Wt.
442-234263	8 oz
442-160796	1 lb



Silver Grade Anti-Seize Lubricants

Features:

- Heavy duty, temperature resistant, petroleum-based lubricant compound fortified with graphite and metallic flake.
- Inert and will not evaporate or harden in extreme cold or heat.
- For use in assemblies.

NLGI Grade: 1

Chemical Compound: Graphite; Mineral Oil

SKU	Capacity Wt.
442-235005	1 lb



Nickel Anti-Seize

Features:

- For preventing corrosion, seizing, galling in harsh, chemical environments, and temperatures.
- Contains tenacious metals, oils and graphite materials which cannot be burned away or removed by slow moving parts.

Chemical Compound: Graphite; Mineral Oil; Nickel

SKU	Capacity Wt.
442-235028	8 oz
442-135543	1 lb



Pure Nickel Special Compounds

Features:

- Excellent heat dispersing qualities.
- Prevents galling on steel-to-stainless, titanium, magnesium and other hard metals.

Chemical Compound: Nickel; Graphite

SKU	Capacity Wt.
535-30803818	8 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

NEVER-SEEZ
Anti-Seize & Lubricating Compound



Regular Grade Compounds

Features:

- Protects against rust, corrosion, carbon fusion and seizure at high temperatures.
- Keeps parts working longer with less wear, and enables faster disassembly when repairs are needed.

Chemical Compound: Copper; Graphite; Aluminum

SKU	Capacity Vol.
535-30803820	8 oz
535-30803827	16 oz
535-30803817	1 lb

Chain & Cable Lubricants

CRC



Food Grade Chain Lubes

Features:

- Non-drying film.
- Designed to keep roller drive and conveyor chains lubricated.
- Foaming action.
- P-stream button dispenses narrow, forceful stream.
- Reduces friction and wear that causes metal fatigue, including in surface cracks and overhead applications.
- Uses include non-food applications as well as where incidental food contact may occur, including in meat and poultry plants.

SKU	Capacity Vol.
125-03055	12 oz

LUBRIPLATE



Chain & Cable Fluids

Features:

- A cleansing non-gumming oil.
- Lubricates wire rope, chains, cables, any moving metal surfaces.
- Prevents rust and corrosion.
- Protects brightwork, loosens rusty nuts and bolts.

SKU	Capacity Vol.
293-L0135-063	11 oz

Corrosion Inhibitors

CRC



3-36® Multi-Purpose Lubricants and Corrosion Inhibitors

Features:

- A versatile petroleum-based compound that forms a clear, thin film that lubricates and protects against wear and corrosion.
- Multi-purpose product lubricates, protects, displaces moisture, and cleans.

Chemical Compound: Petroleum Based

SKU	Capacity Vol.
125-03005	16 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



SP-400™ Corrosion Inhibitors

Features:
- Firm, waxy film is highly resistant to humidity and salt spray and never becomes brittle.
- Long term protection (up to 2 years outdoors) for all metals during shipment or extended storage.

Chemical Compound: Solvent

SKU	Capacity Vol.
125-03282	16 oz



Cold Galvanizing Compounds

Features:
- Provides corrosion protection to ferrous metal surfaces.
- Great for welded joints, guard rails, corrugated metal buildings, and refinery pipes.
- Best long term rust protection.
- Dry time set to touch in 3-5 min., hard dry in 48 hrs.

Chemical Compound: Zinc

SKU	Capacity Vol.
205-7007	13 oz



Zinc-It® Instant Cold Galvanize Coatings

Features:
- High-performance coating of >93% pure zinc that electrochemically bonds with ferrous metals to form a galvanic cell.
- Actively fights rust and corrosion.
- Dries quickly.
- Outdoor protection for 1 to 2 years.

Chemical Compound: Acrylic

SKU	Capacity Vol.
125-18412	16 oz



Galva Bright Premium

Features:
- Stops rust and corrosion on any iron or steel surface.
- Zinc-rich formula for long-lasting protection.
- Ready-to-use, the application can be sprayed or brushed on.
- Drying Time -Tack-free: 3-5 min., Dust-free: 5-10 min., To touch: 15-20 min., Dry: 24 hrs.

Chemical Compound: Zinc

SKU	Capacity Vol.
205-7008	13 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Preventive & Lubricants

Features:
- Lanolin based rust/corrosion preventive and lubricant that provides long term protection and lubrication for all metal surfaces.
- Locks out and displaces moisture while lubricating moving parts for extended periods of time.

Chemical Compound: Petroleum Oil

SKU	Capacity Vol.
275-AS11	11.75 oz



3® Premier Rust Inhibitors

Features:
- Protects steel against rust and corrosion for up to 2 years indoor storage (9 months outdoor storage).
- Penetrates to displace moisture.
- Resists moisture, sand, dirt, dust and vibration.
- Does not contain chlorinated solvents or silicone.
- Non-staining.

Chemical Compound: Petroleum

SKU	Capacity Vol.
428-00316	11 oz



Brite® Zinc® Galvanizing Compounds

Features:
- Repair damaged or welded galvanizing.
- Weld-thru, fast dry, meets ASTM A780.
- Brite silver, matches hot-dip.

Chemical Compound: Zinc Rich

SKU	Capacity Vol.
388-B-100	16 oz

Fluids



Rapid Tap® Heavy Duty Cutting Fluids

Features:
- Greatly extends tool life.
- Super-fine machined finish in operation after operation.
- Excels in tough materials.
- Contains no 1,1,1-trichloroethane or other ozone-depleting chemicals.

SKU	Capacity Vol.
618-RAPTAP-PTNEW	1 pt

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



EP-Xtra® Cutting Fluids

Features:

- Outstanding performance for any cutting operation on any metal.
- Absolutely without equal on hard metals and on cuts requiring extreme pressure or long cutting times.
- Metal cutting fluid used to increase speed, extend tool life and improve cut quality

SKU	Capacity Vol.
702-10004E	4 oz
702-10012EL	12 oz
702-10016E	16 oz
702-10128E	1 gal



Jump Start® Starting Fluids with Lubricity

Features:

- Re-start your engine in both cold and humid conditions.
- Specially formulated to work and withstand even the harshest winter weather, in freezing temperatures as low as -65° F.
- Can be used on diesel engines and gas engines, making it economical and versatile.
- Spray in air intake or air cleaner while engine is off.

SKU	Capacity Vol.
125-05671	11 oz

Grease



White Lithium Greases

Features:

- Superior lubrication and durability in any weather or temperature.
- Perfect for use as a break-in lubricant for bearings or as a general purpose lubricant and corrosion inhibitor for tools, machinery, and equipment.
- Tough, high viscosity film.

SKU	Capacity Vol.
125-03080	16 oz



Automotive Lubricants

Features:

- A smooth light-bodied grease made especially for motor assembly.
- Prevents "Dry-Start".
- Provides lubrication during the initial start up before the motor oil has circulated.
- Protects freshly machined engine parts from rust and corrosion.

SKU	Capacity Vol.
293-L0034-094	10 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Mystik LUBRICANTS



JT-6® Hi-Temp Grease

Features:
- Formulated with a high dropping point for use over a wide temperature range.
- Provides excellent protection in severe service and outstanding shock load protection.

SKU	Capacity Vol.
122-665005002080	14 oz



JT-6® Multi-Purpose Grease

Features:
- Waterproof and highly water wash resistant.
- Excellent extreme pressure properties.
- Prevents against shock loading.
- Outstanding rust and corrosion prevention.
- Very low oil separation rate.
- Good oxidation resistance.

SKU	Capacity Vol.
122-665006002080	14 oz

Grease Guns

LINCOLN



Lever Type Heavy-Duty Grease Guns

Features:
- Flip-over follower is set for cartridge use.
- Extra-heavy follower spring insures positive priming and uninterrupted pumping action.

Outlet Type: 6 in Extention/Coupler

SKU	Capacity Vol.	Operating Pressure
438-1142	16 oz Bulk; 14.5 oz Cartridge	6000 psi



Pistol Grip Heavy-Duty Grease Guns

Features:
- Rugged cast pump head for strength and durability.
- Jam-proof toggle mechanism prevents binding or accidental bending of plunger.
- Exclusive "Flip-Over" follower allows a superior seal for either cartridge or bulk loading applications.
- Tough, resilient and impervious to lubricant.
- Extra-heavy follower spring insures positive priming and uninterrupted pumping action.
- Accessible check valve allows easy cleaning without gun disassembly.
- Precision fit and hardened plunger prevents lubricant bypass, resists scoring for longer life.
- Follower rod locks into follower to force prime.

Outlet Size: 1/8 in
Outlet Type: 18 in Whip Hose/Coupler

SKU	Capacity Vol.	Operating Pressure
438-1133	16 oz Bulk; 14.5 oz Cartridge	7500 psi

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Multi-Purpose Lubricants



1® Premium Lubricants

Features:
- Provides a dry, thin, lubricating film.
- Resists oil, dust, and dirt build-up.
- Ideal for delicate mechanisms.
- Removes carbon build-up from surfaces.
- Displaces moisture.
- Safe on paint, fabric, and most plastics.
- Used world-wide in aviation.
- VOC compliant in all 50 states.

Chemical Compound: Petroleum

SKU	Capacity Vol.
428-00116	11 oz



2® Industrial-Strength Lubricants

Features:
- Strong, multi-purpose lubricant, and penetrant.
- Provides a non-drying, light, oily film for use on indoor equipment.
- Reduces wear caused by friction and corrosion.
- Loosens rusted or frozen parts.
- Strong, multi-purpose lubricant and penetrant with added corrosion protection.

Chemical Compound: Petroleum Distillates

SKU	Capacity Vol.
428-00216	11 oz



Multi-Purpose Lubricants

Features:
- Lubricating ingredients are widely dispersed and hold firmly to all moving parts.
- Dissolves adhesives, allowing easy removal of labels, tape, stickers, and excess bonding material.
- Protects metal surfaces with corrosion-resistant ingredients to shield against moisture and other corrosive elements.
- Loosens rust-to-metal bonds and frees stuck, frozen or rusted metal parts.
- Product displaces moisture quickly and dries out electrical systems to eliminate moisture-induced short circuits.

SKU	Capacity Vol.	Packing Type
780-490026	8 oz	Aerosol Can
780-490040	11 oz	Aerosol Can
780-490057	12 oz	Aerosol Can
780-490088	16 oz	Aerosol Can
780-490118	1 gal	Canister
780-49012	5 gal	Pail

LEAK DETECTORS & PENETRANTS

Leak Detectors



Leak Detectors

Features:
- Non-Toxic, non-flammable.
- Does not collect dust.
- Does not contain chlorine, aliphalic amines, or ammonium compounds.

SKU	Capacity Vol.
747-8OZ-SNOOP	8 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Penetrants



PB™ Penetrating Catalysts

Features:

- Great for loosening rusted or frozen screws and bolts.
- Non-evaporating lubricant.
- Penetrates into hard-to-reach areas.
- Suitable for brake, exhaust and suspension system jobs.

SKU	Capacity Vol.
108-16-PB-DS	11 oz



Knock'er Loose® Penetrating Solvents

Features:

- An industrial strength, low viscosity super penetrant designed to quickly loosen and free seized, bound, or frozen fasteners.
- Quickly permeates rust, scale, gum, grease, and corrosion.

SKU	Capacity Vol.
125-03020	16 oz



Spotcheck® SKC-S

Features:

- Non-chlorinated cleaner/remover.
- Used as a precleaner, a post cleaner and a penetrant remover.

SKU	Capacity Vol.
387-01-5750-78	16 oz



Spotcheck® SKL-SP2 Solvent Removable Penetrant

Features:

- Choose a dependable penetrant, like this solvent removable red color contrast penetrant.
- Offers maximum reliability in locating surface-open flaws and discontinuities.
- Has been successfully used on non-porous ceramics and other similar materials.

SKU	Capacity Vol.
387-01-5155-78	16 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Surface Irregularity Testing Product Accessories

MAGNAFLUX



Spotcheck® SKD-S2 Solvent Developers

Features:
- Non-halogenated, ready-to-use solvent developer.
- Suspends white developing particles in a fast drying solvent.
- Produces opaque white coating that provides excellent contrasting background for penetrant indications.

SKU	Capacity Volume
387-01-5352-78	11.6 oz

PAINT & PAINT SUPPLIES

Coatings

BEST WELDS®



Bright Zinc Galvanizing Primers

Features:
- Reduced M.I.G. weld spattering.
- Prevents rust and corrosion.
- Protects welded surfaces.
- Repairs Hot Dip Galvanizing with brighter finish.
- Will not blister or burn away.

SKU	Capacity Vol.
905-RW109B-12	12.75 oz

Paint Brushes

ANCHOR BRAND



Acid Brushes

Features:
- Lightweight and disposable brush.
- Convenient for cleaning electrical contact points or debris in hard-to-reach spaces.
- Features tin shaft with horsehair bristles.

Trim Length: 3/4 in
Bristle Material: Black Horsehair
Thickness: 1/4 in
Handle Material: Tin Ferrule

SKU	Brush Width
102-AB-26	5/16 in
102-BW-180	3/8 in
102-BW-181	1/2 in

LINZER PRODUCTS CORP.



White Chinese Bristle Paint Brushes

Features:
- Natural wood finish handle with White Chinese bristles.
- Steel ferrule.
- Perfect for latex paints, chip, and touch-ups.

Trim Length: 1-1/2 in
Bristle Material: White Chinese
Handle Material: Wood

SKU	Brush Width	Thickness
449-1500-1	1 in	5/16 in
449-1500-2	2 in	5/16 in
449-1500-3	3 in	3/8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

KRYLON



Interior/Exterior Industrial Maintenance Paints

Features:
- VOC-compliant acrylic lacquer formula, free of lead hazards.
- Hard, protective, durable finish.
- High amount of solids assures maximum coverage with excellent adhesion.
- Dries fast, in just 12 minutes to the touch.
- Tough, high-gloss finish.
- Uniform coverage.
- No recoat window, recoat anytime.

Application Temp. Range: 50° F - 90° F
Dry Heat Resistance: 200° F

SKU	Capacity Vol.	Color
425-K01601A07	12 oz	Glossy Black

LOCTITE



7649™ Primer N™

Features:
- A solvent-based primer that features very long on-part life of 30 days.
- Use to speed the cure of all Loctite® brand anaerobic products and ensure proper cure on inactive metals.
- Ideal for cure conditions below room temperature.
- Dries in 30 - 70 seconds.

SKU	Capacity Vol.	Color
442-209715	4.5 oz	Clear Green

RUST-OLEUM INDUSTRIAL BRANDS



High Performance V2100 System Enamel Spray Paints

Features:
- Tough, professional finish that resists chipping, cracking and peeling.
- High-output tip covers 50% faster.
- Dries to the touch in 20 minutes.
- Meets USDA requirements for incidental food contact; accepted for use in federally registered Canadian food facilities; VOC-compliant nationwide.

Application Temp. Range: 50° F - 100° F
Dry Heat Resistance: 212° F

SKU	Capacity Vol.	Color
647-V2143838	15 oz	Safety Yellow
647-V2179838	15 oz	Gloss Black
647-V2182838	15 oz	Gray
647-V2192838	15 oz	Gloss White



Industrial Choice 1600 System Multi-Purpose Enamel Sprays

Features:
- Multi-purpose spray paint developed for everyday painting and industrial painting projects.
- Dries 12 minutes to the touch.
- High solids provides complete, even coverage.
- Durable finish, resists chipping, fading and peeling.

Application Temp. Range: 50° F - 100° F
Dry Heat Resistance: 212 °F

SKU	Capacity Vol.	Color
647-1679830V	12 oz	Gloss Black
647-1644830	12 oz	OSHA Safety Yellow

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

RUST-OLEUM INDUSTRIAL BRANDS



Industrial Choice® M1600/M1800 System Precision-Line Inverted Marking Paints

Features:
- Creates accurate, easy-to-read markings in bright, durable colors.
- Precision tip, virtually no overspray.
- Resists early fading and chalking.
- Adheres to hot surfaces, can be sprayed in the cold (to 25° F).
- Dries in under 5 minutes.

Application Temp. Range: 40° F - 90° F
Base Type: Solvent

SKU	Capacity Vol.	Color
647-203027V	20 oz fl oz	Fluorescent Orange

Spray Gun Parts & Accessories

ALLEGRO INDUSTRIES



Spray Socks

Features:
- Provides comfortable protection against overspray and other particulates.
- Spray sock fits over the head and can be worn with goggles, half mask, or full mask respirators.

SKU	Used With
037-1410-12	Full-Mask/Half-Mask Respirators; Goggles

INSECT CONTROLLING PRODUCTS

Insect Killers

CRC



Wasp and Hornet Killer Plus™ Insecticides

Features:
- Fast acting, high strength insecticide.
- Ergonomic trigger that provides control, even with gloved hands.
- Accurate up to 20 feet away.

Insect Type: Crawling Bugs; Hornets; Wasps

SKU	Capacity Vol.
125-14010	20 oz

SPECIALTY PRODUCTS

Finding Paste

KOLOR KUT WATER FINDING PASTE



Water Finding Pastes

Features:
- Golden brown turns red on contact.
- Gauges petroleums for water content, sulphuric acid, nitric acid, hydrochronic acid, ammonia, soap, salt, and other chloride solutions.

SKU	Capacity Vol.
460-KK01	3 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



WORLD-CLASS MAINTENANCE, REPAIR, AND OPERATIONS SOLUTIONS

As a leader in the MRO industry, LPS® delivers superior maintenance chemicals to industrial, aerospace, food processing, military, contractor, and energy development facilities worldwide. These premium-performance chemicals save time and money by extending equipment life, reducing repair time, and lowering frequency of preventative maintenance.

Layout Fluids

DYKEM



Layout Fluids

Features:
- Prevents glare with a uniform, deep color.
- Dries in minutes.
- Lets you scribe sharp, clear precise lines.
- Reduces eyestrain.
- Translucent.
- Flexible, non-cracking, and non-chipping.

Color: Blue

SKU	Capacity Vol.
253-80000	16 oz

SEALING PRODUCTS

Caulk Guns

Red Devil



Caulking Guns

Features:
- Half-barrel caulk gun with smooth rod and quick-release mechanism.
- Suitable for light-to-medium applications of glazing, sealing or caulking.
- Holds most standard cartridges.
- Thrust ratio 7:1.

SKU	Cartridge Size
630-3985	1/10 gal

Sealants

DYKEM



Cross-Check™ Torque Seal® Tamper-Proof Indicator Paste

Features:
- Provides a convenient visual method for identification of vibratory loosening or tampering in nuts, bolts, fasteners, and assemblies.
- Highly visible under ambient light and fluorescent under UV light.
- Tamper-proof torque mark.
- Safe for most surfaces.
- Excellent adhesion.

Temp. Range: -20° F - 400° F
Color: Orange
Full Cure Time @ Temp.: 1 to 2 h

SKU	Capacity Vol.
253-83314	0.05 lb

J-B WELD



Cold Weld Compounds

Features:
- Nontoxic.
- Superstrong and durable.

Temp. Range: - 300° F
Color: Dark Gray
Full Cure Time @ Temp.: 4 h @ 70° F

SKU	Capacity
803-8276	1 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

LOCTITE



515™ Gasket Eliminator® Flange Sealants

Features:
- Makes flexible gaskets for rigid machined flanges with less than .050" gap.
- Flexes with flanges that move in service.

Temp. Range: -65° F - 300° F
Color: Purple
Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity
442-135479	50 ml



545™ Thread Sealants, Hydraulic/Pneumatic Fittings

Features:
- Specially formulated to offer high lubricity for easy assembly and removal.
- Recommended for fine threaded fittings as used in hydraulic and pneumatic installations and small fittings in general.
- Suitable for fittings up to 50 mm in diameter, including pneumatic and hydraulic fittings.
- Contains no fillers or particles that could contaminate system fluids, foul valves, or clog fine filters and screens.

Temp. Range: -65° F - 300° F
Color: Purple
Full Cure Time @ Temp.: 24 Hours @ 72° F

SKU	Capacity
442-135486	50 mL

LOCTITE



565™ PST® Thread Sealants

Features:
- A general purpose sealant for tapered and straight/tapered fittings.
- Controlled strength for ease of disassembly.

Temp. Range: -65° F - 300° F
Color: White

SKU	Capacity	Full Cure Time @ Temp.
442-88551	50 ml	72 h @ 72° F
442-88552	250 ml	24 h



567™ PST® Thread Sealants, High Temperature

Features:
- Great choice for high temperature and high pressure applications.
- Controlled strength for easy disassembly with hand tools.
- Prevents leaks, does not shrink, crack, creep, or shred.
- Eliminates galling on stainless steel.

Temp. Range: -65°F - 480°F
Full Cure Time @ Temp.: 24 Hours @ 72°F

SKU	Capacity	Color
442-2087067	50 mL	Off White
442-2087069	250 mL	White



5900® Flange Sealants

Features:
- Provides instant seal.
- Non-corrosive, low odor, and low volatility.

Temp. Range: -65° F - 400° F
Color: Black

SKU	Capacity
442-212184	300 ml

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

LOCTITE



Superflex® Red High Temp RTV Sealants

Features:
- Makes gaskets that resist temperatures to 600°F intermittent.
- Resists aging, weather, and thermal cycling without shrinking, cracking, or hardening.

Temp. Range: -75° F - 600° F
Color: Red
Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity	Packing Type
442-135507	80 ml	Tube
442-198817	300 mL	Cartridge



Thread Sealants with PTFE

Features:
- A general purpose sealant with the added lubricity of PTFE for metal pipes.
- Won't shred like tape and allows easy disassembly.

Temp. Range: -65° F - 300° F
Color: White

SKU	Capacity
442-1527514	1 pt

Permatex



Form-A-Gasket® Sealants

Features:
- Options include No 1 Fast Drying/Hard Setting, No 2 Slow-Drying/ Non-Hardening, and No 3 Aviation Sealant Liquid.
- No 1 cures to a hard, semi-flexible seal through solvent evaporation.
- No 2 is a slow-drying, non-hardening sealant.
- No 3 Aviation is a slow-drying liquid that changes to a pliable, tacky film through solvent evaporation.

Temp. Range: -65° F - 400° F
Color: Black
Full Cure Time @ Temp.: 24 h

SKU	Capacity
230-80011	11 oz



Thread Sealants with PTFE

Features:
- Economical general-purpose fitting sealant.
- Outperforms tapes and pipe dopes.
- Seals and resists pressure in air, oil, diesel fuel and hydraulic systems.
- Remains pliable at high and low temperatures.

Temp. Range: -65° F - 300° F
Color: White

SKU	Capacity
230-80632	4 oz
230-80633	16 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

RECTORSEAL
A CSW Industrials Company



Tru-Blu™ Pipe Thread Sealants

Features:
- For refrigeration and industrial applications.
- Recommended for use on galvanized steel, iron, brass, copper, aluminum, stainless steel, polyethylene, fiberglass reinforced, PVC and CPVC pipe.
- Ideal for use as positive lock and seal on threaded fasteners.

Temp. Range: -50° F - 350° F
Color: Blue
Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity
622-31431	1 pt

Red Devil



100% Silicone Architectural Grade RTV Sealants

Features:
- Superior quality, multi-purpose sealant provides a long-lasting, weather-resistant seal to glass, metal, plastic and ceramic surfaces.
- Offers excellent adhesion, flexibility, and durability without cracking, shrinking, or peeling.
- Can be applied at temperatures below freezing.

Temp. Range: -60° F - 400° F
Color: Clear
Full Cure Time @ Temp.: 24 h @ 77 °F

SKU	Capacity
630-0826/01	9.8 fl oz

Red Devil



Polyurethane Triple Expanding Foam

Features:
- Seals, bonds, and insulates, filling large and small holes in ceilings, floorboards, concrete or cinder block walls, and around ducts, cables, plumbing areas, and central heating pipes.
- Can be used indoors or outdoors.

Temp. Range: 55° F - 90° F
Full Cure Time @ Temp.: 24 h @ 77 °F

SKU	Capacity
630-0909	12 oz

WHITE LIGHTNING



Contractor RTV Silicone Sealants

Features:
- Interior/Exterior, flexible watertight silicone sealant made with 100% silicone.
- Minimal shrinkage, great for around windows/doors, plumbing, and water pipes.

Temp. Range: -49° F - 302° F
Color: Clear
Full Cure Time @ Temp.: 24 h @ 77° F

SKU	Capacity
425-WL099110C	10 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Threadlockers

LOCTITE



242™ Threadlockers, Medium Strength

Features:
- Medium strength, medium viscosity, methacrylate-based threadlocking adhesive offering general purpose qualities.
- Provides quick fixture times on steel, brass and stainless steel of 5, 15 and 20 min respectively.
- Thixotropic to reduce adhesive migration.

Color: Blue
Thread Size: 1/4 in - 3/4 in
Temp. Range: -65° F - 300° F
Curing Method: Anaerobic

SKU	Capacity Vol.
442-135354	10 ml
442-135355	50 mL



243™ Medium-Strength Primerless Threadlockers

Features:
- General purpose threadlocker that provides a medium strength bond.
- Seals and secures metal nuts and bolts to prevent loosening due to shock and vibration.
- Works on all metals, including passive substrates, such as stainless steel, aluminum, and plated surfaces.
- Proven to be tolerant of minor contamination due to industrial oils, such as motor oils, corrosion prevention oils, and cutting fluid.

Color: Blue
Thread Size: 1/4 in - 3/4 in
Temp. Range: -65° F - 360° F
Fix Cure Time @ Temp.: 5 min @ 72° F
Curing Method: Anaerobic

SKU	Capacity Vol.
442-1329467	50 mL

LOCTITE



248™ Medium-Strength Threadlocker Solid Sticks

Features:
- Non-drip, easy-to-apply stick form.
- General purpose threadlocker with medium bond strength.
- Secures and seals bolts, nuts, and studs to prevent loosening due to vibration.
- Works on all metals, including passive substrates such as stainless steel, aluminum, and plated surfaces.
- Permits disassembly with hand tools.

Color: Blue
Thread Size: 1/4 in - 3/4 in
Temp. Range: -65° F - 300° F
Fix Cure Time @ Temp.: 5 min @ 70° F
Curing Method: Anaerobic

SKU	Capacity Vol.
442-826034	9g



262™ Threadlockers, Medium to High Strength

Features:
- Red, general purpose, medium to high strength, thixotropic methacrylate-based adhesive.
- Steel fixture time is 15 minutes, brass 8 minutes, and stainless steel 180 minutes.
- It fluoresces under UV light to allow monitoring.
- Ideal for applications where any migration of the adhesive must be prevented.
- Can tolerate slight contaminations of industrial oils.
- Suitable for all metal fasteners.

Color: Red
Thread Size: - Up to 3/4 in
Temp. Range: -65° F - 300° F
Curing Method: Anaerobic

SKU	Capacity Vol.
442-231926	10 ml
442-135374	50 ml

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

LOCTITE



263™ High Strength Red Threadlockers

Features:
- High strength threadlocker is designed for permanent locking and sealing of threaded fasteners.
- Primerless.
- Offers high temperature performance.
- Oil tolerant.
- Particularly suited for heavy duty applications.
- Works on active metals and passive substrates.

Color: Red
Thread Size: - 1 in
Temp. Range: -65° F - 360° F
Fix Cure Time @ Temp.: 10 min @ 72°F
Curing Method: Anaerobic

SKU	Capacity Vol.
442-1330585	50 mL



271™ High Strength Threadlockers

Features:
- High strength, low viscosity, red, methacrylate-based threadlocking adhesive which fluoresces under UV light to allow monitoring.
- With steel fixture time of 10 minutes, brass 5 minutes and stainless steel 15 minutes.
- Can tolerate slight contaminations of industrial oils.
- Suitable for all metal fasteners.
- Breakaway torque on M10 bolts of 26 Nm.

Color: Red
Thread Size: - Up to 1 in
Temp. Range: -65° F - 300° F
Curing Method: Anaerobic

SKU	Capacity Vol.
442-135380	10 ml
442-135381	50 ml

LOCTITE



277™ High-Strength Threadlockers

Features:
- High strength, high viscosity.
- Suited to large threads.
- Prevents fasteners from loosening due to vibration.
- Protect against rust and corrosion.
- Removable with heat and hand tools.

Color: Red
Thread Size: < 7/8 in - 7/8 in
Temp. Range: -65° F - 300° F
Fix Cure Time @ Temp.: 60 min @ 77° F
Curing Method: Anaerobic

SKU	Capacity Vol.
442-88448	50 mL

TAPE PRODUCTS

Duct Tapes

3M



3M™ DT11 Heavy-Duty Duct Tapes

Features:
- High-performance heavy-duty duct tape for challenging applications.
- Sticks immediately and stays on irregular surfaces without lifting.
- Aggressive natural rubber adheres to many substrates including metal, glass, plastic, and sealed concrete.
- Moisture-resistant seal in many containment situations, such as attaching heavy poly draping and pipe sealing.
- Water-resistant polyethylene backing resists wear and light abrasion.

Width: 1.88 in
Length: 60 yd
Thickness: 11 mil
Temp. Range: 150° F
Adhesion to Steel: 88 oz/in

SKU	Color	Tensile Strength
405-689330-17228	Black	29 lb·in
405-689330-17227	Silver	35 lb·in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



3M™ DT17 Super-Duty Duct Tapes

Features:
- Performs in the most demanding heavy-duty applications.
- Resists wear and abrasion with a tough, ultra-thick, water-resistant backing.
- Easily tears by hand.
- Instantly grips a wide variety of surfaces with an aggressive rubber adhesive, including metal, glass, plastic, and sealed concrete.
- High tensile strength due to tightly woven scrim is ideal for bundling applications.

Width: 1.88 in
Length: 35 yd
Thickness: 17 mil
Temp. Range: 150° F
Adhesion to Steel: 85 oz/in
Tensile Strength: 38 lb·in

SKU	Color
405-689330-17229	Black



3M™ All Purpose Duct Tapes DT8

Features:
- Instant adhesion to a wide variety of surfaces, including metal, glass, plastic and sealed concrete, by an aggressive natural rubber adhesive.
- Woven cloth scrim allows tape to tear easily by hand.
- Conformable backing is good for use on contoured surfaces.
- Good tensile strength for light duty bundling, repair, and holding.

Width: 1.88 in
Length: 60 yd
Thickness: 8 mil
Temp. Range: 150° F
Adhesion to Steel: 74 oz/in
Tensile Strength: 31 lb·in

SKU	Color
405-689330-17225	Silver
405-689330-17809	Black



3M™ Performance Plus Duct Tapes 8979

Features:
- Removes cleanly for up to six months from most opaque surfaces.
- Sticks immediately and stays on for up to one year without deterioration.
- UV-tolerant duct tape maintains versatile performance when exposed to the elements.

Width: 48 mm
Length: 54.8 m
Thickness: 11.5 mil
Temp. Range: 200° F
Adhesion to Steel: 57 oz/in
Tensile Strength: 36.5 lb

SKU	Color
405-021200-56468	Slate Blue

Electrical Tapes



3M™ Temflex™ Vinyl Electrical Tape 165

Features:
- Temflex™ Vinyl Electrical Tape 165 is a good quality, multi-purpose vinyl insulating tape.
- It has great resistance to moisture and varying weather conditions.
- It is a polyvinyl chloride (PVC) tape that is flame-retardant and conformable.
- Available in additional colors.

Color: Black
Material: Polyvinyl Chloride
Thickness: 6 mil

SKU	Length	Width
405-076308-92568	60 ft	3/4 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



General Purpose Vinyl Electrical Tapes

Features:
- Excellent adhesion and elongation properties.
- General purpose electrical tape for household and industrial applications.

Color: Black
Material: PVC; Vinyl
Thickness: 7 mil

SKU	Length	Width
761-602	60 ft	3/4 in



Scotch® Vinyl Electrical Tape Super 88

Features:
- For indoor and outdoor applications.
- Pressure sensitive rubber based adhesive.
- Compatible with solid dielectric cable insulations.
- Compatible with rubber and synthetic splicing compounds, as well as epoxy and polyurethane resins.
- Inhibits corrosion of electrical conductors.

Color: Black
Material: Polyvinyl Chloride (PVC) Backing
Thickness: 8.5 mil

SKU	Length	Width
500-061434	66 ft	3/4 in



Scotch® Super 33+™ Vinyl Electrical Tape

Features:
- Premium grade tape that provides electrical insulation for all wires and cables rated up to 600 V.
- Designed for above/below grade, indoor/outdoor, low and high voltage applications, and for harnessing cables.
- Offers electrical and mechanical protection with the combination of a pressure sensitive, rubber resin adhesive and elastic, PVC backing.
- Provides a protective jacket for high voltage cable splices.
- Highly resistant to UV rays, abrasion, moisture, alkalis, solvents, and many acids.
- Compatible with solid dielectric cable insulation, synthetic cable insulations, jackets, and splicing compounds.

Color: Black
Material: Rubber-Based Adhesive; Vinyl (PVC) Backing
Thickness: 7 mil

SKU	Length	Width
500-061335	52 ft	3/4 in
405-638060-29035	76 ft	3/4 in



Scotch® Vinyl Electrical Color Coding Tapes

Features:
- Designed for use in phase identification, color coding of motor leads and piping systems and for marking safety areas.
- Has excellent electrical insulating properties, wraps smoothly, conforms well and holds over a wide range of temperatures.
- Pressure-sensitive rubber based adhesive.
- Inhibits corrosion of electrical conductors.

Thickness: 7 mil

SKU	Length	Width	Color
Material: Polyvinyl Chloride (PVC) Backing			
500-108108	66 ft	3/4 in	Red
500-108283	66 ft	3/4 in	White
Material: Vinyl Backing			
500-108856	66 ft	3/4 in	Brown
500-108443	66 ft	3/4 in	Yellow
500-108368	66 ft	3/4 in	Blue
500-108511	66 ft	3/4 in	Green
500-108696	66 ft	3/4 in	Orange

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Masking Tapes



3M™ 401+ High Performance Masking Tapes

Features:
- Designed to deliver super-sharp paint lines and resist paint bleed-through.
- Provides superior adhesion to metal, glass, rubber and plastic.
- Comes off cleanly with no sticky residue left behind.
- Can withstand surface temperatures up to 250°F for 30 minutes.

Width: 48 mm
Roll Length: 55 m
Thickness: 6.7 mil

SKU	Color
405-051115-64763	Green



3M™ UV Resistant Green Masking Tapes

Features:
- Helps ensure dependable performance in outdoor applications for up to 14 days.
- Resists bleed through to deliver crisp paint lines.
- Removes cleanly from most surfaces with little to no edge residue.
- Offers an easy unwind and manual tearing for indoor and outdoor applications.
- Securely grips to a variety of substrates.

Width: 1.890 in (48 mm)
Roll Length: 60.149 yd (55 m)
Thickness: 4.8 mil

SKU	Color
405-710367-73723	Green



3M™ General Use Masking Tapes 201+

Features:
- Proprietary, solvent-free adhesive formula removes cleanly in one piece with no adhesive residue.
- Sticks with confidence on wood, plastic, glass, metal and painted surfaces.

Roll Length: 55 m (60.14 yd)
Thickness: 4.4 mil

SKU	Color	Width
405-511156-47406	Tan	24 mm (0.94 in)
405-051115-64742	Tan	48 mm (1.88 in)



Scotch® Multi-Surface Painter's Tapes

Features:
- This tape removes cleanly without adhesive transfer or surface damage for up to 14 days, even in direct sunlight.
- It is a medium adhesion tape that is ideal for painted walls and trim, woodwork, glass and metal.

Width: 2 in
Roll Length: 60 yd
Thickness: 5.4 mil

SKU	Color
405-051115-03686	Blue

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Pipe Sealant Tapes



White PTFE Thread Sealant Tapes

Features:
- Easy installation, several wraps around the male threads and you're done.
- Made of 100% PTFE; compatible with almost any process fluid (except molten alkalis and elemental fluorine).
- Unlimited shelf life, no age deterioration, non-hardening.

Thickness: 0.0035 in
Color: White

SKU	Length	Width
102-1/2X520PTFE	520 in	1/2 in
102-3/4X520PTFE	520 in	3/4 in
102-1X520PTFE	520 in	1 in
102-1/2X1296PTFE	1296 in	1/2 in
102-1X1296PTFE	1296 in	1 in

Specialty Tapes



3M™ Aluminum Foil Tape 425

Features:
- Withstands exposure to flame, weathering, moisture and UV.
- Thermally conductive tape helps dissipate heat and improves heating and cooling efficiency to protect temperature sensitive materials.
- Resistant to chemicals to protect surfaces during de-paint process and other chemical masking operations.

Thickness: 4.6 mil
Color: Silver

SKU	Width	Length
405-051125-85311	2 in	60 yd

Strapping Tapes



3M™ Filament Tapes 8934

Features:
- Light-duty high strength tape for utility bundling, reinforcing and pallet unitizing applications.
- Synthetic rubber adhesive bonds easily to most fiberboard, plastics and metal surfaces.

Color: Transparent
Tensile Strength: 100 lb/in

SKU	W x L	Thickness
405-021200-86521	48 mm x 60.14 yd	4 mil



3M™ Filament Tapes

Features:
- Glass yarn filaments add strength for box closing, bundling, and more.
- Synthetic rubber adhesive bonds easily to most fiberboard, plastics, metals, and oily surfaces.
- Long-term holding power and very-high tensile strength.

Color: Clear
Tensile Strength: 380 lb/in

SKU	W x L	Thickness
405-051131-06897	18 mm x 55 mm	6.6 mil

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Adhesives & Glues



3M™ Scotch-Weld™ Concrete Repair DP600, Gray, Self-Leveling

Features:
- Fast, convenient repair of cracks and spalls to horizontal concrete surfaces.
- Self-leveling urethane material flows freely into repair areas.

Adhesive Tensile Shear: 2,000 psi

SKU	Capacity vol.
405-021200-96596	8.4 oz



3M™ Super 77™ Multi-Purpose Spray Adhesives

Features:
- Versatile, quick drying and transparent.
- Fast, permanent bond provides quick results.
- Aggressive tack provides high initial grab with enough time to position materials properly.
- Resists dripping or running when used in vertical applications.

Adhesive Tensile Shear: 300 psi
Tensile Strength: 300 psi

SKU	Capacity vol.
405-021200-21210	16.75 oz
405-051111-97956	24 fl oz



5 Minute® Epoxies

Features:
- Rapid-curing, general-purpose adhesive/encapsulant which easily dispenses and mixes in seconds.
- Dries in 15 minutes and reaches functional strength in 1 hour.
- Bonds rigid durable substrates such as metals, glass, ceramics, concrete and wood in all combinations.

Adhesive Tensile Shear: 1,900 psi @ 0.050 in Bondline

SKU	Capacity vol.
230-14250	25 mL



404™ Instant Adhesive

Features:
- Fast fixturing.
- Designed for bonding of plastics and elastomeric materials.
- Frequently used for rubber O-ring bonding.

Tensile Strength: 3,500 psi
Working Time: 30 sec

SKU	Capacity vol.
442-135465	0.333 oz



495™ Super Bonder® Instant Adhesive

Features:
- Ensure a super-strong bond, with super bonder, designed to bond rubber, metal, and plastic parts.
- Cures rapidly at room temperature without the need for heat or light.

Tensile Strength: 2,750 psi
Working Time: 15 sec

SKU	Capacity vol.
442-135467	1 oz

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

LOCTITE



Quicktite® Instant Adhesive Gel

Features:

- A general purpose instant adhesive featuring an innovative, precision flow control applicator.
- This new, patented, "squeeze grip" applicator allows for pinpoint control on the exact amount and placement of the adhesive.
- It is also designed to be clog-free, so the adhesive is always ready-to-use.

Adhesive Tensile Shear: Shear strength 3200 psi (steel to steel)

SKU	Capacity vol.
442-680522	0.14 oz

Devcon



Plastic Steel® Putty (A) Kits

Features:

- Patch and repair areas where welding or brazing would be undesirable or impossible.
- Bonds to most metals, concrete, and some plastics.
- Cures at room temperature and forms a tough durable metallic mass that can be drilled, tapped, machined, or painted.

Hardness: 85 Shore D

Full Cure Time @ Temp.: 7 days @ 75° F

SKU	Temp. Range
230-10110	Dry 250° F; Wet 120° F

Putty

Devcon



Plastic Steel® 5 Minute® Putty (SF) Kits

Features:

- Fast-curing, steel-filled epoxy for dependable emergency repairs in less than one hour.
- Mixes, applies, and cures at temperatures as low as 40° F.
- Cures to a tough, steel-filled material.
- Can be machined, drilled, tapped, or sanded.
- 5-minute working time.

Hardness: 66 Shore D

Full Cure Time @ Temp.: 7 days @ 75° F

SKU	Temp. Range
230-10240	200° F



Titanium Putty Kits

Features:

- High-performance, non-rusting titanium-reinforced epoxy.
- Engineered for making repairs to machinery and equipment that can be precision machined.
- Withstands heavy loads in hard chemical environments.
- High compressive strength.
- 21-minute working time.

Hardness: 87 Shore D

Full Cure Time @ Temp.: 7 days @ 75° F

SKU	Temp. Range
230-10760	Dry 350° F; Wet 150° F

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

WRENCHES

Adjustable Wrenches



Adjustable Wrenches

Features:
- Hardened and tempered.
- Precision machined jaws and knurled adjusting worm.
- Plated to resist rust.

Head Thickness: Tapered
Handle Type: I-Beam
Material: Drop-Forged Alloy Steel
Finish: Chrome Plated

SKU	Opening Size	Overall Length
103-01-008	1-1/8 in	8 in
103-01-010	1-5/16 in	10 in
103-01-012	1-1/2 in	12 in
103-01-015	1-3/4 in	15 in
103-01-018	2-1/16 in	18 in
103-01-024	2-7/16 in	24 in

Adjustable Wrenches



Adjustable Chrome Wrenches

Features:
- Wider knurl for easier adjustment.
- Laser etched scale provides a quick and convenient way to determine fastener size in either SAE or metric.
- Wide capacity jaw provides versatility to accommodate a greater size range of fasteners.
- Wider handle provides more comfort and less hand fatigue.

Material: Heat Treated Alloy Steel
Finish: Chrome Plated with Polished Head and Satin Finished Handle

SKU	Opening Size	Overall Length	Handle Type
181-AC212BK	1-1/2 in	12 in	Non-Cushioned
181-AC215BK	1-11/16 in	15 in	Non-Cushioned; Tapered
181-AC218BK	2-1/16 in	18 in	Non-Cushioned; Tapered

Chain Tong & Strap Wrenches



Strap Wrenches

Features:
- Strong, woven nylon strap gives tight grip.
- Polyurethane-coated strap prevents scratching.
- Additional sizes available.

Overall Length: 18 in
Handle Type: I-Beam

SKU	Opening Size
632-31360	5 in - 7 in

Combination Wrench Sets



14 Piece SAE Combination Wrench Sets

Features:
- Heat treated for maximum strength.
- Sizes stamped on both sides for easy identification.
- Nickel chrome plated for long lasting protection.

No. of Points: 12
Material: Chrome Vanadium Alloy Steel
Finish: Full Polish Chrome Plated
Includes: Roll-Up Pouch; 3/8 in; 7/16 in; 1/2 in; 9/16 in; 5/8 in; 11/16 in; 3/4 in; 13/16 in; 7/8 in; 15/16 in; 1 in; 1-1/16 in; 1-1/8 in; 1-1/4 in
Measuring System: SAE

SKU	No. of Points
192-CCWS4-05	12

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

SITERUNNER


3 Shelf Jobsite Cart - Keep Your Jobs Moving

A JOBSITE CART THAT HOLDS YOU WHEN NEED IT FOLDS WHEN YOU DON'T

Versatile Palm Grip
Optimized control and maneuverability. Doubles as hanging notch for tool belt, jacket, hard hat etc.

Tradesmen Work Shelf
Shelf geometry optimized for tradesmen end use applications

Lift Handle
Enables lifting over small objects on the jobsite



T-Lock
For secure storage between jobs

Tool Strap
Looped webbing for convenient tool storage and quick access

Holds up to 300 lbs 136kg
100 lb. capacity per shelf (300 lb. total)

Carry Handle
Durable handle supports easy transport



Item No.	Description
F3SCBL	SITERUNNER 3 Shelf Jobsite Cart

CRESCENT

GEARWRENCH



59-PC Combination Wrench Set with Foam Tray

Features:
- Off-corner loading design on box end provides better grip and reduces fastener rounding.
- Hard stamped size marking.
- Hex Keys made with alloy steel for maximum strength and to resist rotational distortion.

Material: Alloy Steel
Finish: Full Polish Chrome
Includes: (14) SAE 6 Point Combination Wrenches: 1/4 in, 5/16 in, 11/32 in, 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in, 15/16 in; (14) Metric 6 Point Combination Wrenches: 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm; (13) SAE Magnetic Long Arm Ball End Hex Keys: 0.05 in, 1/16 in, 5/64 in, 3/32 in, 7/64 in, 1/8 in, 9/64 in, 5/32 in, 3/16 in, 7/32 in, 1/4 in, 5/16 in, 3/8 in; (9) Metric Magnetic Long Arm Ball End Hex Keys: 1.5 mm, 2 mm, 2.5 mm, 3 mm, 4 mm, 5 mm, 6 mm, 8 mm, 9 mm, 10 mm; (9) Torx Magnetic Long Arm Ball End Hex Keys: T15, T20, T25, T27, T30, T40, T45, T50
Measuring System: SAE;Metric; Torx

SKU
329-GWMSCWS6SAEMM



Long Pattern Combination Wrench Sets

Features:
- Long pattern beam length for improved reach, leverage and torque.
- Offset for increased access.
- Off-corner loading design: stronger grip, reduces fastener rounding, more torque.

No. of Points: 12
Material: Alloy Steel
Finish: Chrome

SKU	Includes	Measuring System
329-GWMSCWL12MM	12 Point Long Pattern Combination Wrenches: 6 mm; 7 mm; 8 mm; 9 mm; 10 mm; 11 mm; 12 mm; 13 mm; 14 mm; 15 mm; 16 mm; 17 mm; 18 mm; 19 mm; 20 mm; 21 mm; 22 mm; 23 mm; 24 mm; 25 mm; 26 mm; 27 mm; 28 mm; 29 mm	Metric
329-GWMSCWL12SAE	12 Point Long Pattern Combination Wrenches: 1/4 in; 9/32 in; 5/16 in; 11/32 in; 3/8 in; 7/16 in; 1/2 in; 9/16 in; 5/8 in; 11/16 in; 3/4 in; 13/16 in; 7/8 in; 15/16 in; 1-1/2 in; 1-1/16 in; 1-1/8 in; 1-1/4 in; 1-5/16 in;	SAE

Combination Wrenches

ANCHOR BRAND



Combination Wrenches

Features:
- Polished heads and raised panel.
- 12 Point boxed in for more angles.
- Precision shaped to reduce rounding.
- Additional sizes available.

No. of Points: 12
Head Angle: 15° Box End
Offset Angle: 15°
Material: Carbon Steel
Finish: Nickel Chrome Plated
Measuring System: SAE

SKU	Opening Size	Overall Length
103-04-003	7/16 in	6-1/2 in
103-04-004	1/2 in	7 in
103-04-005	9/16 in	7 in



Jumbo Combination Wrenches

Features:
- Polished heads and raised panel.
- 12-point boxed in for more angles.
- Precision shaped to reduce rounding.
- Additional sizes available.

No. of Points: 12
Head Angle: 15° Box End
Offset Angle: 15°
Material: Carbon Steel
Finish: Nickel Chrome Plated
Measuring System: SAE

SKU	Opening Size	Overall Length
103-04-013	1-1/16 in	14-9/16 in
103-04-016	1-1/4 in	14-9/16 in
103-04-019	1-7/16 in	21-1/4 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Pipe Wrench Parts & Accessories

RIDGID



Pipe Wrench Replacement Parts

Features:
- Wrench Hook Jaw is a genuine Ridgid® part for steel or aluminum pipe wrenches.
- Its teeth provide a strong, dependable grip on your conduits.

SKU	Pipe Cap.	Type	Wrench Size	For Model
632-31700	3 in	Heel Jaw and Pin Assembly	24	E-24
632-31725	5 in	Heel Jaw and Pin Assembly	36	E-36
632-31695	3 in	Hook Jaw	24	E-24
632-31720	5 in	Hook Jaw	36	E-36
632-31745	6 in	Hook Jaw	48	48

Pipe Wrenches

ANCHOR BRAND



Adjustable Pipe Wrenches

Features:
- Hardened and tempered.
- Malleable handles with heavy duty enamel finish.
- Accurately machined jaws and adjustment nut.

Head Angle: 15°
Material: Malleable Alloy
Jaw Material: Drop Forged Steel
Handle Type: I-Beam

SKU	Pipe Cap.	Overall Length
103-01-312	2 in	12 in
103-01-314	2 in	14 in
103-01-318	2-1/2 in	18 in
103-01-324	3 in	24 in

ANCHOR BRAND



Aluminum Pipe Wrenches

Features:
- Hardened and tempered.
- Malleable handles with heavy duty enamel finish.
- Accurately machined jaws and adjustment nut.

Head Angle: 15°
Material: Aluminum
Jaw Material: Drop Forged Steel
Handle Type: I-Beam

SKU	Pipe Cap.	Overall Length
103-01-614	2 in	14 in
103-01-618	2-1/2 in	18 in
103-01-624	3 in	24 in

RIDGID



Aluminum Straight Pipe Wrenches

Features:
- Nearly 40% lighter than comparable cast-iron models.
- Jaws and all other parts identical to Ridgid heavy duty wrenches.

Material: Aluminum
Jaw Material: Alloy Steel
Handle Type: I-Beam

SKU	Pipe Cap.	Overall Length
632-31090	1-1/2 in	10 in
632-47057	2 in	12 in
632-31095	2 in	14 in
632-31100	2-1/2 in	18 in
632-31105	3 in	24 in
632-31110	5 in	36 in
632-31115	6 in	48 in



Offset Pipe Wrenches

Features:
- Nearly 50% lighter than comparable cast-iron models of the same size.
- Features a jaw opening parallel to the handle.
- Narrow hook jaw head provides easy entry into tight spots.

Material: Aluminum
Jaw Material: Alloy Steel

SKU	Pipe Cap.	Overall Length
632-31120	2 in	14 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

RIDGID



Heavy-Duty Straight Pipe Wrenches

Features:

- Instant grip/release.
- Heat-treated replaceable jaw.
- Easy spin nonstick adjustment nut.
- Fully floating forged hook jaw.
- Replaceable hook and heel jaws.

Material: Cast Iron Handle
Jaw Material: Steel
Handle Type: I-Beam

SKU	Pipe Cap.	Overall Length
632-31000	3/4 in	6 in
632-31005	1 in	8 in
632-31010	1-1/2 in	10 in
632-31015	2 in	12 in
632-31020	2 in	14 in
632-31025	2-1/2 in	18 in
632-31030	3 in	24 in
632-31035	5 in	36 in
632-31040	6 in	48 in
632-31045	8 in	60 in

Torque Wrenches

PROTO



C Series Micrometer Torque Wrenches

Features:


- Calibrated to +/- 3% in clockwise direction and +/- 6% in counter-clockwise direction.
- Manufactured to meet precision and accurate torque applications.

Torque: 120 ft·lb - 600 ft·lb
Torque Increment: 2 ft·lb
Overall Length: 41-9/16 in
Locking Type: Positive
Torque Setting: Adjustable
Material: Alloy Steel

SKU	Drive Size	Drive Type
577-6020AB	3/4 in	Male Square

Ratcheting Wrench Sets

GEARWRENCH



Modular Specialty Ratcheting Wrench Sets

Features:

- Off-corner loading design on box end provides better grip and reduces fastener rounding.
- Slim S-shape and Half-Moon designs allow for easy access around obstructions.
- Crowfoot wrenches provide improved access to nuts and bolts located in hard-to-reach places or confined space.
- Bright, full polish chrome finish wipes easily clean to resist rust and corrosion.

Finish: Full Polish

SKU	Includes	Measuring System
329-GWMSSRWSAE	(4) 72T 12 Point Reversible S-Shape Double Box Ratcheting Wrenches: 3/8 in x 7/16 in, 1/2 in x 9/16 in, 5/8 in x 11/16 in, 3/4 in x 7/8 in; (4) 72T 12 Point Reversible Half Moon Double Box Ratcheting Wrenches: 3/8 in x 7/16 in, 1/2 in x 9/16 in, 5/8 in x 11/16 in, 3/4 in x 7/8 in; (11) Ratcheting Crowfoot Wrenches: 3/8 in, 7/16 in, 1/2 in, 9/16 in, 5/8 in, 11/16 in, 3/4 in, 13/16 in, 7/8 in, 15/16 in, 1 in	SAE
329-GWMSSRWMM	(5) 72T 12 Point Reversible S-Shape Double Box Ratcheting Wrenches: 10 mm x 12 mm, 11 mm x 13 mm, 14 mm x 16 mm, 15 mm x 17 mm, 19 mm x 22 mm; (4) 72T 12 Point Reversible Half Moon Double Box Ratcheting Wrenches: 10 mm x 12 mm, 11 mm x 13 mm, 14 mm x 16 mm, 15 mm x 17 mm, 19 mm x 22 mm; (11) Ratcheting Crowfoot Wrenches: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm	Metric

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Bolt & Chain Cutters

RIDGID



Heavy-Duty Bolt Cutters

Features:
- Hardened alloy steel jaws are designed and manufactured to assure the longest possible blade life.
- One-step internal cam mechanism provides the quickest and simplest way to keep the cutting blades precisely aligned.
- Handles and grips designed to allow greater mechanical advantage for crisp, controlled cutting.

Jaw Material: Alloy Steel
Handle Type: Straight

SKU	Cutting Cap.	Hardness	Overall Length
632-14223	Soft 7/16 in; Medium 3/8 in; Hard 5/16 in	Soft (15RC)1; Medium (31RC)2; Hard (42RC)3	26 in
632-14233	Soft 9/16 in; Medium 1/2 in; Hard 7/16 in	Soft (15RC)1; Medium (31RC)2; Hard (42RC)3	38 in

Linemans Pliers

ANCHOR BRAND



Solid Joint Lineman's Pliers

Features:
- Hardened and tempered.
- Precision ground cutters.

Material: Drop Forged Steel

SKU	Overall Length
103-10-308	8 in

KLEIN TOOLS



Lineman's High-Leverage Pliers

Features:
- Hot-riveted joint ensures smooth action and no handle wobble.
- Streamlined design with sure-gripping, cross-hatched knurled jaws.
- Unique handle tempering helps absorb the snap when cutting wire.
- Precision-hardened plier head for on-the-job toughness.
- Handform handles for full gripping and cutting power.

Material: Steel

SKU	Overall Length
409-D213-9NE	9.33 in

Locking Pliers

IRWIN TOOLS



VISE-GRIP® Straight Jaw Locking Pliers

Features:
- Straight jaws provide maximum contact on flat, square, or hex work.

Material: Alloy Steel

SKU	Jaw Opening	Overall Length	Throat Depth
586-302L3	1-1/8 in	7 in	1-1/2 in
586-10R-3	1-5/8 in	10 in	1-3/4 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

IRWIN TOOLS



VISE-GRIP® The Original™ Curved Jaw Locking Pliers with Wire Cutters

Features:
- Curved jaw puts tremendous pressure on four points of any style nut or bolt head.
- Includes convenient wire cutter.
- Constructed of high-grade heat-treated alloy steel for maximum toughness and durability.
- Guarded release trigger quickly unlocks and protects from accidental release.
- Turn screw to adjust pressure and fit, stays adjusted for repetitive use.
- Hex key adjusting screw offers controlled release and draws materials tightly together.

Material: Alloy Steel

SKU	Jaw Opening	Overall Length	Throat Depth
586-7WR-3	1-5/8 in	7 in	1-3/4 in
586-10WR-3	1-7/8 in	10 in	2-5/8 in

IRWIN VISE GRIP



Locking Chain Clamps

Features:
- Chain holds and locks around any shape or size.
- Turn screw to adjust pressure and fit.
- Constructed of high-grade heat-treated alloy steel.
- Guarded release trigger quickly unlocks and protects from accidental release.

Material: High-Grade Heat Treated Alloy Steel
Chain Length: 18 in

SKU	Jaw Opening	Overall Length
586-20R	18 in	9 in

IRWIN VISE GRIP



Locking Sheet Metal Clamps

Features:
- Locks to work, eliminates hand gripping.
- Makes bending, forming and crimping jobs easier.

Throat Depth: 1-3/4 in
Material: Alloy Steel

SKU	Jaw Opening	Overall Length
586-23	3-1/8 in	8 in



Long Nose Locking Pliers

Features:
- Convenient wire cutter cuts up to a 1/4 in bolt.
- Long, straight nose allows for use in narrow spaces not reachable by curved or straight jaws.

Material: High-Grade Heat-Treated Alloy Steel

SKU	Jaw Opening	Overall Length	Throat Depth
586-6LN-3	2-1/4 in	6 in	2 in
586-9LN-3	2-7/8 in	9 in	2-2/32 in

Multi-Purpose Plier Sets

GEARWRENCH



Modular Pitbull Plier Sets

Features:
- K9™ jaw design for a strong grip, even when on a 35° angle.
- Professional, ergonomic dual material grips with tether point.
- Aggressive angled teeth for increased grip.

Includes: (1) 10 in Pitbull K9™ Straight Jaw Dual Material Tongue Pliers; (1) 8 in Pitbull Dual Material Slip Joint Pliers; (1) Pitbull Long Nose Plier; (1) Digonal Cutting Plier; (1)Linemans Plier
Material: Dual Matieral Handle; Alloy Steel

SKU
329-GWMSPLR01

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Pipe Cutters

RIDGID



Heavy-Duty Pipe Cutters

Features:
- Extra long shank protects adjustments threads, while an extra-large handle is provided for quick, easy adjustment.
- Can be converted to 3-wheel cutter by replacing rollers with cutter wheel.
- 2A ad 4S can be ordered as 3-wheel model for use in areas where a complete turn is not possible.
- 2A and 4S can be ordered as 3-wheel model for use in areas where a complete turn is not possible.

Cutting Direction: Straight
Material: Cast Iron
Handle Type: T-Handle

SKU	Pipe Cap.
632-32840	2 in - 4 in

Specialty Pliers

BEST WELDS



MIG Welding Pliers

Features:
- Multipurpose tool with 8 functions resulting in more efficient time and production.
- Durable carbon steel construction paired with an easy to use spring operated handle.

Jaw Shape: Double-Edged
Material: Carbon Steel

SKU	Overall Length	Wire Diam
900-YS-50	21 cm	0.8 mm - 1.5 mm

Tongue & Groove Pliers

CHANNELLOCK



Tongue and Groove Pliers

Features:
- Undercut tongue and groove design won't slip.
- Patented reinforcing edge minimizes stress breakage.
- PermaLock® fastener eliminates nut and bolt failure.

SKU	Overall Length	Jaw Opening	Jaw Shape	No. of Adjustments
140-420-BULK	9.50 in	1.50 in	420® Straight	5
140-426-BULK	6.50 in	0.87 in	426 Straight	5
140-430-BULK	10 in	2 in	430® Straight	7
140-440-BULK	12 in	2.25 in	440® Straight	7
140-460-BULK	16.50 in	3.75 in	460 Straight	8
140-480-BULK	20.25 in	5.50 in	Bigazz® Straight	12

Tubing Cutters

RIDGID



Constant Swing Tubing Cutters

Features:
- Features an enclosed feed screw to eliminate clogging and jamming, grooved rollers for close-to-flare cuts, and a fold-away reamer.
- X-CEL® Wheel Pin, ball detent design, allows users to change cutter wheel quickly, no tool needed.
- Spare cutter wheel included in the knob.
- Made from high-strength zinc alloy.
- Cuts copper, brass, aluminum tubing, and thin-wall conduit.

Cutting Cap.: 1/8 in - 1-1/8 in
Cut Type: Wheel Cut
Handle Type: Screw Knob

SKU	Jaw Material	Blade Material
632-31622	Zinc Alloy	Steel

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Threaders Manual



Exposed Ratchet Threader Sets

Features:
- All threader sets use same 12-R dies in die head.

SKU	Pipe Cap.
632-36475	1/2 in (NPT) - 2 in (NPT)

Threaders Powered



Model 300 Power Drive Threading Machines

Features:
- Cam-action rear centering device turns with chuck.
- Two heavy-duty support bars.
- Speed grip chuck with replaceable jaw inserts.
- Lightweight, portable design.
- Self-contained oil system with adjustable flow control.

Speed: 36 RPM
Amps: 15 A
Power Cap.: 1/2 hp
Phase: Single

SKU	Pipe Cap.
632-15682	1/8 in - 2 in



Model 700 Power Drive/Hand Held Threaders

Features:
- Designed for RIDGID® Model 12-R die heads.
- Other RIDGID® die heads (00-R, 00-RB, 11-R) can be used using adapters.
- It can also be used with 258/258XL pipe cutters.
- Double-throw reversible switch.
- Spur gear reduction face gear drive, spring-loaded adapter pawls, and hardened steel spindle gear.
- Cast aluminum body.

Speed: 26 to 30 RPM
Amps: 13 A
Power Cap.: 1/2 hp
Phase: Single Phase; Universal

SKU	Pipe Cap.
632-41935	1/8 in - 2 in

Threaders Powered Accessories



Pipe Dies for Machine Die Heads

Features:
- Strong and durable pipe dies for use in universal die heads.
- Applicable to a wide variety of die heads.
- A convenient replacement to keep systems functioning for longer.

Pipe Cap.: 1 in - 2 in

SKU	For Model
632-47750	Universal Die Heads Nos 504A/711/713/811A/815A/816/817/842
632-47770	Universal Die Heads Nos 504A/711/713/811A/815A/816/817/842
632-47790	Universal Die Heads Nos 504A/711/713/811A/815A/816/817/842

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

RIDGID



V-Head Pipe Stands

Features:
- V Head pipe stand.
- Locking ring allows for quick vertical height adjustments.
- Durable steel construction.

Height Adjustment: 28 in - 52 in
Pipe Cap.: 1/8 in - 12 in
Wt. Cap.: 2500 lb

SKU	For Model
632-56662	VJ-99

CLAMPS & VISES

Clamps & Spreaders

ANCHOR BRAND



Drop Forged C-Clamps

Features:
- Extra throat depth.
- Non-slip clamping on all shapes.
- Steel spindles are copper plated for spatter protection.
- Swivel pads adjust freely to bear evenly on clamped part.

Body Material: Drop Forged Steel
Handle Type: Sliding Pin
Handle Material: Steel

SKU	Opening Size	Overall Length	Throat Depth	Pressure
102-404C	3-1/4 in	4 in	3-1/4 in	6200 lb
102-406C	6-1/16 in	6 in	4-1/8 in	6900 lb
102-408C	8-1/4 in	8 in	5 in	6600 lb
102-410C	12-1/4 in	10 in	6 in	8000 lb
102-412C	12-1/4 in	12 in	6-5/16 in	9300 lb

ANCHOR BRAND



Locking C-Clamps

Features:
- Easy to lock and release.

Body Material: Alloy Steel

SKU	Opening Size	Overall Length	Throat Depth
100-AB-11RI	3-3/4 in	11 in	2.625 in

IRWIN VISE GRIP



Locking C-Clamps with Swivel Pads

Features:
- Swivel pads hold tapered work, awkward fabricating jobs, and delicate projects.
- Turn screw to adjust pressure and fit.
- Constructed of high-grade heat-treated alloy steel.
- Guarded release trigger quickly unlocks and protects from accidental release.

SKU	Opening Size	Overall Length	Throat Depth
586-11SP	3-3/8 in	11 in	2-5/8 in



The Original™ Locking C-Clamps with Regular Tips

Features:
- Wide-opening jaws provide greater versatility in clamping a variety of shapes.
- Turn screw to adjust pressure and fit.
- Classic trigger release designed to provide maximum locking force.

Pressure: Adjustable Turn Screw
Body Material: Heat-Treated Alloy Steel

SKU	Opening Size	Overall Length	Throat Depth
586-6R	2-1/8 in	6 in	1-1/2 in
586-11R	4 in	11 in	2-5/8 in
586-18R	8 in	18 in	9-1/2 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



SQ Series Bar Clamps

Features:
- Comes with standard rail profile and standard pad.
- Heat treated, high carbon Acme threaded screw, tempered and quenched to give greater loading capacity and longer service life.
- The high-strength sliding pin T-Handle is sized according to the clamp's capability.

Body Material: Drop-forged steel
Handle Type: Sliding Pin T-Handle
Handle Material: Steel

SKU	Opening Size	Throat Depth	Load Cap.	Bar Width
013-SQ-4	6 in	4-3/4 in	1330 lb	55/64 in
013-SQ-8	8 in	5-1/2 in	2660 lb	1-3/16 in
013-SQ-12	12 in	5-1/2 in	2660 lb	1-3/16 in
013-SQ-16	16 in	5-1/2 in	2660 lb	1-3/16 in
013-SQ-20	20 in	5-1/2 in	2660 lb	1-3/16 in
013-SQ-24	24 in	5-1/2 in	2660 lb	1-3/16 in



Shop Bench Vises

Features:
- Heavy duty 30,000 PSI casting for strength and durability.
- Replaceable top jaws and built-in pipe jaws.
- 360° swivel base with double lockdown for quick and easy positioning.
- Designed for general duty applications.
- Built-in pipe jaws handle various pipe sizes.
- Rubber pinch point safety guards.

Pipe Jaw Cap.: 3/4 in - 3 in
Jaw Material: Hardened Steel
Base Type: Swivel
Material: Cast Iron; Ductile Iron Base

SKU	Jaw Width	Jaw Opening	Throat Depth
825-63304	8 in	8 in	4 in

Vises



Mechanics Vises

Features:
- Swivel base rotates 360 degrees and has double lockdowns ensuring maximum stability.
- Powder coat paint resists scratches and provides a tough durable finish.
- Replaceable hardened steel top and pipe jaws.

Pipe Jaw Cap.: 1/4 in - 3-1/2 in
Jaw Material: Steel
Material: Cast Iron

SKU	Jaw Width	Jaw Opening	Throat Depth
825-21500	6 in	5-3/4 in	4-1/8 in
825-21800	8 in	8-1/4 in	4-3/4 in



Tradesman Vises

Features:
- Large anvil surface.
- 60,000 PSI tensile ductile iron body parts.
- 360° swivel base with double lockdowns.
- Wider jaws provide greater clamping surface.
- Fully enclosed spindle increases the life of the vise.

Pipe Jaw Cap.: 1/4 in - 3-1/2 in
Jaw Material: Steel
Material: Cast Iron

SKU	Jaw Width	Jaw Opening	Throat Depth
825-28807	6-1/2 in	6 in	4 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Utility Bench Vises

Features:
- Replaceable hardened steel jaws with a serrated pattern ensure grip and a long life.
- Dual lock-downs and a 360° swivel base.
- Built-in pipe jaws handle a range of pipe sizes.
- Large anvil work surface for forming and shaping materials.

Pipe Jaw Cap.: 1/4 in - 2 in
Jaw Material: Hardened Steel
Material: Cast Iron

SKU	Jaw Width	Jaw Opening	Throat Depth
825-28820	6-1/2 in	6 in	4 in



TRISTAND® Portable Chain Vises

Features:
- Benders are located at the rear of the base and three tool hangers are provided.
- Integrated ground lug provides a conductive surface to connect the weld ground.
- Leg chain retains legs even when subjected to rugged use during operation and transport.
- Rugged tool tray offers prolonged stability before requiring a leg adjustment.

SKU	Pipe Cap.
632-36273	1/8 in - 6 in



Top Screw Bench Chain Vises

Features:
- Rugged cast-iron base has handy pipe rest and bender.
- Crank handle is anchored to base.

SKU	Pipe Cap.
632-40195	1/8 in - 4 in
632-40210	1/4 in - 6 in

HAMMERS, SLEDGES, MALLETS & AXES

Hammers



Chipping Hammers

Features:
- Hammer heads are hardened to precisely controlled temperatures for durability and strength.
- Wide-blade design removes slag faster and adds to the life of the tool.
- Drop forged, heat-treated, hardened head withstands more grinds.

Handle Material: Steel
Head Material: Forged Steel
Head Length: 6 in

SKU	Overall Length
900-CH-200	11 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

STANLEY



COMPO-CAST® Standard Soft-Face Hammers

Features:
- Uni-Cast™ construction of non-ferrous materials eliminates sparking and won't absorb liquids.
- No exposed metal on face, head, or shaft.
- Dead blow function eliminates bounceback when striking hardened surfaces.
- Soft face helps prevent marring.
- Steel reinforced handle provides strength and resists breaking on overstrike.

Head Material: Polyurethane Over Steel

SKU	Head Weight	Head Length
680-57-532A	28 oz	4-1/16 in
680-57-533A	42 oz	4-5/8 in

TRUE TEMPER



Toughstrike American Hickory Engineer Hammers

Features:
- American hickory handle reduces shock.
- Double-face forged steel hammer head for maximum durability.
- Wedge/ring connection for trusted head retention.
- Used for heavy hammering, light demolition work, and driving spikes/wedges.

Handle Type: Wood
Handle Material: American Hickory

SKU	Head Weight	Handle Length
027-20184300	3 lb	15 in
027-20184600	4 lb	15 in

TRUE TEMPER



Toughstrike Fiberglass Engineer Hammers

Features:
- Fiberglass handle for increased handle strength.
- Double-face forged steel hammer head for maximum durability.
- Overstrike protection to prevent handle breakage.
- Epoxy connection for trusted head retention.
- Used for heavy hammering, light demolition work, and driving spikes/wedges.

Handle Type: Fiberglass
Handle Material: Fiberglass

SKU	Head Weight	Handle Length
027-20184200	3 lb	15 in
027-20184500	4 lb	15 in



TOUGHSTRIKE™ American Hickory Sledge Hammers

Features:
- American hickory handle reduces shock.
- Double-face forged steel hammer head for maximum durability.
- Overstrike protection to prevent handle breakage.
- Wedge/ring connection for trusted head retention.

Handle Type: Straight
Handle Material: American Hickory

SKU	Head Weight	Handle Length
027-20184800	6 lb	36 in
027-20185000	8 lb	36 in
027-20185200	10 lb	36 in
027-20185400	12 lb	36 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



B.A.S.H® Unbreakable™ Handle Sledge Hammers

Features:
- Unbreakable™ Technology—steel core eliminates breaking during overstrikes.
- Safety Plate—secures head to handle preventing head dislodging.
- Ergonomic Handle—shaped and thickened for improved comfort and less vibration.
- Non-Slip Grip—vulcanized rubber handle for secure grip while striking.

Handle Type: Ergonomic and Unbreakable™
Handle Material: Vulcanized Rubber; Steel

SKU	Head Weight	Handle Length
825-20212	2-1/2 lb	12 in
825-20412	4 lb	12 in
825-20416	4 lb	16 in
825-20616	6 lb	16 in
825-20624	6 lb	24 in
825-20824	8 lb	24 in



B.A.S.H® Unbreakable™ Handle Sledge Hammers

Features:
- Unbreakable™ Technology—steel core eliminates breaking during overstrikes.
- Safety Plate—secures head to handle preventing head dislodging.
- Ergonomic Handle—shaped and thickened for improved comfort and less vibration.
- Non-Slip Grip—vulcanized rubber handle for secure grip while striking.

Handle Type: Ergonomic and Unbreakable™
Handle Material: Vulcanized Rubber; Steel

SKU	Head Weight	Handle Length
825-20816	8 lb	16 in
825-21030	10 lb	32 in
825-21230	12 lb	32 in



Unbreakable™ Handle Brass Sledge Hammers

Features:
- Non-sparking brass head for safe use near combustible materials.
- Non-marring brass head helps absorb impact and reduce work damage.
- Patented Unbreakable Technology - steel core eliminates breaking during overstrikes.
- Ergonomic Handle is shaped and thickened for improved comfort and less vibration.
- Non-Slip Grip - vulcanized rubber handle for secure grip while striking.
- Safety plate secures head to handle preventing head dislodging.

Handle Material: Vulcanized Rubber; Steel

SKU	Head Weight	Handle Length
825-90212	2-1/2 lb	12 in
825-90412	4 lb	12 in
825-90416	4 lb	16 in
825-90616	6 lb	16 in
825-90816	8 lb	16 in
825-90830	8 lb	30 in

FILES

Half Round Files



Half-Round Files

Features:
- Used on concave, convex and flat surfaces.
- Rounded on one side, flat on opposite.
- Backs of all half-round bastard files are double-cut.
- Backs of all 4 in and 6 in files are single-cut.
- Backs of all half-round second-cut files are longer than 6 in are double-cut.

Tool Shape: Straight

SKU	Cut Type	Length	Style
183-05190N	Double-Cut Bastard	14 in	Pipeliner File; American Pattern
183-05194N	Double-Cut on Flat Side; Bastard Cut	14 in	American Pattern

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Socket Sets



21-Pc Socket Sets

Features:
- 3/4 in drive for larger jobs.
- Chrome vanadium steel provides strength and durability.

Drive Type: Square
Opening Size: 7/8 in to 2 in
Includes: (16) 12 Pt Std. Sockets 7/8 to 2 in; 20 in Ratchet Handle; 20 in Sliding T-Bar; 4 in and 8 in Extension Bars; Metal Case
Material: Alloy Steel
Measuring System: SAE

SKU	Drive Size	No. of Points
103-07-880	3/4 in	12



GEARWRENCH® Bit Socket Sets with Foam Tray

Features:
- Premium quality tools organized in sturdy foam storage trays.
- Bits made of S2 steel for strength and durability.
- Heat-treated socket base for maximum durability.
- Hard stamped size markings for easy identification.

Drive Size: 1/4 in;3/8 in; 1/2 in
Material: S2 Steel

SKU	Includes	Measuring System
329-GWMSBSKCBSAE	(29) Hex bit Sockets; (7) Long Ball End Hex Bit Sockets; (14) Hex Bit Impact Sockets; (18) Torx Bit Sockets; (3) Tamper-Proof Torx Bit Sockets; (3) Slotted Bit Sockets; (3) Phillips Bit Sockets; (1) Pozidriv Bit Socket	SAE
329-GWMSBSKCBMM	(25) Hex bit Sockets; (8) Long Ball End Hex Bit Sockets; (14) Hex Bit Impact Sockets; (13) External Torx Bit Sockets; (4) Extra Long Triple Square Bit Sockets; (10) Long Torx Bit Sockets	Metric



Modular Impact Socket Sets

Features:
- Off-corner loading design to reduce fastener rounding.
- High-visibility laser-etched markings with secondary hard stamped sizes provide quick size identification.
- Includes premium precut foam storage tray with high visibility size markings for organization.

No. of Points: 6
Drive Size: 1/4 in; 3/8 in; 1/2 in
Material: Chrome Molybdenum Alloy Steel

SKU	Includes	Measuring System
329-GWMSISKMM	(16) 1/2 in Drive Deep Impact Sockets: 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 8 mm, 9 mm;(10) 1/2 in Drive Standard Impact Sockets: 24 mm, 25 mm, 26 mm, 27 mm, 28 mm, 29 mm, 30 mm, 31 mm, 32 mm, 36 mm; (14) 1/4 in Drive Standard Impact Sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 4.5 mm, 4 mm, 5.5 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm; (13) 3/8 in Drive Deep Impact Sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 21 mm, 8 mm, 9 mm; (13) 3/8 in Drive Standard Impact Sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 21 mm, 8 mm, 9 mm; Foam Tray	Metric
329-GWMSISKSAE	(9) 1/2 in Drive Deep Impact Sockets: 1/2 in, 11/16 in, 13/16 in, 3/4 in, 3/8 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (10) 1/2 in Drive Standard Impact Sockets: 1 in, 1-1/16 in, 1-1/2 in, 1-1/4 in, 1-1/8 in, 1-3/16 in, 1-3/8 in, 15/16 in, 1-5/16 in, 1-7/16 in; (10) 1/4 in Drive Deep Impact Sockets: 1/2 in, 1/4 in, 11/32 in, 3/16 in, 3/8 in, 5/16 in, 7/16 in, 7/32 in, 9/16 in, 9/32 in; (10) 1/4 in Drive Standard Impact Sockets: 1/2 in, 1/4 in, 11/32 in, 3/16 in, 3/8 in, 5/16 in, 7/16 in, 7/32 in, 9/16 in, 9/32 in; (12) 3/8 in Drive Deep Impact Sockets: 1 in, 1/2 in, 11/16 in, 13/16 in, 15/16 in, 3/4 in, 3/8 in, 5/16 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (12) 3/8 in Drive Standard Impact Sockets: 1 in, 1/2 in, 11/16 in, 13/16 in, 15/16 in, 3/4 in, 3/8 in, 5/16 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in	SAE

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

GEARWRENCH



Modular Master Socket Sets

Features:
- Off-corner loading design reduces fastener rounding.
- Chamfered opening quickly guides fasteners into socket.
- Serration depth inside the socket is as deep as the fastener hold it in the correct position.

No. of Points: 6; 12
Material: Alloy Steel

SKU	Drive Size	Includes
Measuring System: SAE		
329-GWMSSKT14SAE	1/4 in	(10) 12 Point Deep Sockets: 1/2 in, 1/4 in, 11/32 in, 3/16 in, 3/8 in, 5/16 in, 7/16 in, 7/32 in, 9/16 in, 9/32 in; (10) 12 Point Standard Sockets: 1/2 in, 1/4 in, 11/32 in, 3/16 in, 3/8 in, 5/16 in, 7/16 in, 7/32 in, 9/16 in, 9/32 in; (10) 6 Point Deep Sockets: 1/2 in, 1/4 in, 11/32 in, 3/16 in, 3/8 in, 5/16 in, 7/16 in, 7/32 in, 9/16 in, 9/32 in; (7) 6 Point Flex Sockets: 1/2 in, 1/4 in, 3/16 in, 3/8 in, 5/16 in, 7/16 in, 9/16 in; (11) 6 Point Standard Sockets: 1/2 in, 1/4 in, 11/32 in, 3/16 in, 3/8 in, 5/16 in, 5/32 in, 7/16 in, 7/32 in, 9/16 in, 9/32 in
329-GWMSSKT38SAE	3/8 in	(13) 12 Point Deep Sockets: 1 in, 1/2 in, 1/4 in, 11/16 in, 13/16 in, 15/16 in, 3/4 in, 3/8 in, 5/16 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (13) 12 Point Standard Sockets: 1 in, 1/2 in, 1/4 in, 11/16 in, 13/16 in, 15/16 in, 3/4 in, 3/8 in, 5/16 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (1) 6 Point 2-1/2 in Universal Spark Plug Socket: 5/8 in; (1) 6 Point 2-3/4 in Universal Spark Plug Socket: 13/16 in; (12) 6 Point Deep Sockets: 1 in, 1/2 in, 1/4 in, 11/16 in, 13/16 in, 15/16 in, 3/4 in, 3/8 in, 5/16 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (11) 6 Point Mid Length Sockets: 1/2 in, 1/4 in, 11/16 in, 13/16 in, 3/4 in, 3/8 in, 5/16 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (7) 6 Point Flex Sockets: 1/2 in, 11/16 in, 3/4 in, 3/8 in, 5/8 in, 7/16 in, 9/16 in; (11) 6 Point Standard Sockets: 1 in, 1/2 in, 1/4 in, 11/16 in, 13/16 in, 15/16 in, 3/4 in, 3/8 in, 5/16 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in
329-GWMSSKT12SAE	1/2 in	(15) 12 Point Deep Sockets: 1 in, 1/2 in, 11/16 in, 1-1/16 in, 1-1/2 in, 1-1/4 in, 1-1/8 in, 13/16 in, 15/16 in, 3/4 in, 5/8 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (16) 12 Point Standard Sockets: 1 in, 1/2 in, 11/16 in, 1-1/16 in, 1-1/2 in, 1-1/4 in, 1-1/8 in, 13/16 in, 1-3/16 in, 15/16 in, 3/4 in, 3/8 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (14) 6 Point Deep Sockets: 1 in, 1/2 in, 11/16 in, 1-1/16 in, 1-1/2 in, 1-1/4 in, 1-1/8 in, 13/16 in, 15/16 in, 3/4 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in; (15) 6 Point Standard Sockets: 1 in, 1/2 in, 11/16 in, 1-1/16 in, 1-1/2 in, 1-1/4 in, 13/16 in, 1-3/16 in, 15/16 in, 3/4 in, 3/8 in, 5/8 in, 7/16 in, 7/8 in, 9/16 in
Measuring System: Metric		
329-GWMSSKT14MM	1/4 in	(12) 12 Point Deep Sockets: 4 mm, 5.5 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm; (13) 12 Point Standard Sockets: 4 mm, 5.5 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm; (13) 6 Point Deep Sockets: 4 mm, 5.5 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm,; (12) 6 Point Flex Sockets: 5.5 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm; (13) 6 Point Mid Length Sockets: 4 mm, 5.5 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm; (13) 6 Point Standard Sockets: 4 mm, 5.5 mm, 5 mm, 6 mm, 7 mm, 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm;
329-GWMSSKT12MM	1/2 in	(15) 6 Point Standard Sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 23 mm, 24 mm; (25) 12 Point Standard Sockets: 8 mm, 9 mm, 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 26 mm, 28 mm, 29 mm, 23 mm, 24 mm, 25 mm, 27 mm, 30 mm, 32 mm, 36 mm; (10) 6 Point Deep Sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm; (17) 12 Point Deep Sockets: 10 mm, 11 mm, 12 mm, 13 mm, 14 mm, 15 mm, 16 mm, 17 mm, 18 mm, 19 mm, 20 mm, 21 mm, 22 mm, 24 mm, 27 mm, 30 mm, 32 mm

Milwaukee



SHOCKWAVE Impact Duty™ PACKOUT™ Socket Sets

Features:
- SHOCKWAVE Impact Duty™ Socket Set features the boldest, longest-lasting markings and extreme impact durability in high torque applications.
- Non-slip hex geometry to prevent socket and fastener rounding.
- Removable Tray for easy storage in tool chests.

Material: Chrome Molybdenum Steel
Measuring System: SAE

SKU	Includes
495-49-66-6800	1/4 in; 9/32 in; 5/16 in; 11/32 in; 3/8 in; 7/16 in 1/2; 9/16; 5/8; 11/16; 3/4; 13/16; 7/8; 15/16; 1/4 in hex to 3/8 in square Socket Adapter; 3 in extension; 3/8 in Universal Joint; PACKOUT™ Organizer
495-49-66-6802	3/8 in; 7/16 in; 1/2 in; 9/16 in; 5/8 in; 11/16 in; 3/4 in; 13/16 in; 7/8 in; 15/16 in; 1 in; 1-1/16 in; 1-1/8 in; 1-1/4 in; 1-1/2 in; PACKOUT™ Organizer

KNIVES & MULTI-PURPOSE TOOLS

Knife Blades

ANCHOR BRAND



Blade Dispenser Containers

Features:
- Dispenses one blade at a time.
- Fits most utility knives.

No. of Cutting Edges: 1
Quantity: 100 Blades per Dispenser

SKU	Blade Shape
102-AB-11-100	Trapezoid

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Heavy Duty Utility Blades

Features:
- Fits most standard utility knives.
- Precision honed edge.
- 0.025 in Blade thickness.

No. of Cutting Edges: 1
Blade Shape: Trapezoid

SKU	Quantity
680-11-921	5 Blades per Card
680-11-921A	100 Blades per Dispenser



Single-Edge Razor Blades

Features:
- For all standard razor blade tools.
- Steel backed high-carbon steel blade.

No. of Cutting Edges: 1
Type: #9 Steel-Backed Razor
Quantity: 100 Blades per Pack

SKU	Blade Shape
680-11-515	Rectangular

Knives



Retractable Blade Utility Knives

Features:
- Features a multi-stop button and retractable blade to help minimize injuries in the workplace.

Handle Material: Zinc Alloy
Blade Tip Shape: Triangular
Includes: Five blades

SKU	Overall Length
102-AB-99	6 in



Self-Retracting Safety Knives

Features:
- Self-retracting spring action returns blade safely into the housing when not in use.
- Interlocking nose reduces blade wobble.
- Ergonomic grip fits comfortably in the hand.
- Two blade positions - 2mm extension for box cutting and full extension for general use.
- Tool-free entry.

Handle Material: Aluminum
Blade Tip Shape: Utility
Includes: (1) Irwin Blue Blade™

SKU	Overall Length
586-2088600	6 in



Classic 99® Retractable Utility Knives

Features:
- Pro-grade, carbon alloy steel blade is built for durability and long-term reliability.
- Interlocking nose tightly holds knife edge in place.
- Choose between 3 different positions for best use.
- Storage space for up to 10 additional blades in handle.

Handle Material: Metal
Blade Tip Shape: Utility
Includes: (3) 11-921 1992® Heavy-Duty Blades

SKU	Overall Length
680-10-099	6 in



QuickChange™ Retractable Utility Knives

Features:
- Change blades quickly without a screwdriver.
- Three position retractable blade slide.
- Swing-out blade storage magazine.
- Integrated string cutter for use even when blade is retracted.

Handle Material: Metal
Blade Tip Shape: Utility
Includes: (3) 11-921 1992® Heavy-Duty Blades

SKU	Handle Length	Overall Length
680-10-499	6 in	6-3/8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

STANLEY



Self-Retracting Utility Knives

Features:
- Spring-loaded blade retracts into knife automatically when pressure on slide button is released.
- Knife can't be left around or put in a pocket with the blade exposed.
- INTERLOCK® nose secures blade safely between knife halves.

Handle Material: Carbon Steel
Blade Tip Shape: Round Point
Includes: (1) 11-987 Blade

SKU	Handle Length	Overall Length
680-10-189C	5-7/8 in	5-7/8 in

TOOL STORAGE

Tool Boxes

Milwaukee



PACKOUT™ Multi-Drawer Tool Boxes

Features:
- Impact resistant body.
- Metal ball bearing drawer slides.
- Metal reinforced corners.
- Internal organization.
- Includes quick-adjust dividers.

Depth: 16.3 in
Height: 14.3 in
Width: 22.2 in
Capacity Vol.: 50 lb

SKU	No. of Trays
495-48-22-8442	2
495-48-22-8443	3

Milwaukee



PACKOUT™ Organizers

Features:
- Constructed with impact resistant materials for work site durability and features a weather seal to keep out rain and jobsite debris.
- The interior features 10 removable bins that can be mounted onto common jobsite materials for easy access and no-travel bins seals to prevent the bins contents from migrating between bins during transport.

Depth: 4.61 in
Height: 4.61 in
No. of Compartments: 10

SKU	Width
495-48-22-8430	15 in



PACKOUT™ Rolling Tool Boxes

Features:
- The rolling tool storage box connects with all other PACKOUT™ system components via integrated locking cleats.
- Industrial-grade extension handle.
- Metal reinforced locking point and corners.
- Mounting location for the ONE-KEY™ TICK™.
- Nine inch all-terrain wheels.
- Interior organizer tray.
- Heavy-duty latches.

Depth: 24 in
Height: 15.8 in
No. of Trays: 1
Carrying Method: Industrial-Grade Extension Handle; 9 in All-Terrain Wheels

SKU	Capacity Vol.	Width
495-48-22-8428	35 gal	38 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



PACKOUT™ Tool Boxes

Features:
- IP65 rated weather seal.
- Metal reinforced locking point.
- Metal reinforced corners.
- Customizable foam insert style available.

SKU	Capacity Vol.	Width	Height	No. of Compartments	No. of Trays
495-48-22-8432	50 lb	15.2 in	7 in	2	—
495-48-22-8422	75 lb	9.8 in	13 in	1	1
495-48-22-8450	75 lb	15.2 in	6.2 in	1	—
495-48-22-8429	100 lb	15.5 in	16.9 in	1	1

Tool Storage Parts & Accessories



TOUGHSYSTEM® 2.0 DXL™ Storage Kits

Features:
- Maximize productivity and customize your storage solution.
- Organize your space with a variety of storage options.

SKU	Includes
115-DWST086501	14 pc
115-DWST086502	22 pc
115-DWST086503	23 pc



TOUGHSYSTEM® 2.0 DXL™ Work Station Accessories

Features:
- Work in tough conditions with an impact-resistant body structure.
- Customize your work station with various accessories.

SKU	Width	Depth	Height	No. of Drawers
115-DWST08510	22 in	30 in	10 in	1
115-DWST08520	22 in	30 in	10 in	2
115-DWST08530	26 in	26 in	10 in	—
115-DWST08550	21.15 in	33.85 in	2 in	—



PACKOUT™ Bins

Features:
- Secure mounting when paired with PACKOUT™ Wall Plates, strongly holding the PACKOUT™ solution mounted to the wall.
- Keep your tools securely in place and protected, hook features protective rubber grips.
- Constructed with an impact resistant body, these bins are built to withstand harsh jobsite conditions.

Height: 7.3 in

SKU	Width
495-48-22-8062	4 in
495-48-22-8063	8 in



PACKOUT™ Crate Parts and Accessories

Features:
- Organize your crate.
- Part of the PACKOUT™ Modular Storage System.

Height: 9.2 in

SKU	Width
495-48-22-8040	3.7 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Milwaukee® PACKOUT™

MOST VERSATILE DURABLE
MODULAR STORAGE SYSTEM

MILWAUKEE® PACKOUT™ is the industry's most versatile and durable Modular Storage System. With over 100 solutions, this system revolutionizes tool transportation, organization, and storage for the trades on the jobsite, in transit, and in shops.

The PACKOUT™ Modular Storage System is made up of Tool boxes, Organizers, Totes, Bags, Mounting Plates, Racks, Power Tools, and much more. All of these solutions are impact resistant and have modular connectivity to build your system providing maximum productivity, performance, and safety on the job.











PACKOUT™ Hooks

Features:

- Modular connectivity with all PACKOUT™ components, allowing you to fully customize your shop.
- Securely locks onto wall plates, slides onto tool box lids.
- Reinforced hook maintains shape.

SKU	Height	Hook Type
495-48-22-8334	4 in	4 in Straight Hook
495-48-22-8333	7 in	4 in S-Hook
495-48-22-8335	7 in	3 in Curved Hook
495-48-22-8330	8 in	9 in Straight Hook
495-48-22-8332	8 in	9 in Straight Hook
495-48-22-8331	11 in	6 in Curved Hook



PACKOUT™ Organizer Parts and Accessories

Features:

- Organize tools, materials, and other jobsite needs.

SKU	Type
495-48-22-8336	Organizer Cup
495-48-22-8337	Roll Holder
495-48-22-8339	Battery Rack, M18™
495-48-22-8338	Battery Rack, M12™
495-48-22-8340	Tool Rack
495-48-22-8341	Screwdriver Rack
495-48-22-8347	Compact Shelf
495-48-22-8343	Tool Station
495-48-22-8349	Long Handle Tool Rack
495-48-22-8445	Cabinet
495-48-22-8480	Shelf and E-Track Kit



PACKOUT™ Tool Box Parts and Accessories

Features:

- Fully customize your tool box.
- Impact resistant.

Height: 5 in

SKU	Width
495-48-22-8045	19.8 in

Tool Work Stations



TOUGHSYSTEM® 2.0 DXL™ Modular Work Stations

Features:

- Help protect tools and equipment.
- Innovative modular workstation.
- Maximize storage potential on the jobsite.
- Connect and stack DEWALT® TOUGHSYSTEM® 2.0 modules from the top or bottom using patented auto-connect front latches (each sold separately).

SKU	Number of Drawers
115-DWST60520	1
115-DWST60510	2

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

PRYING TOOLS

Bars

TRUE TEMPER



Pinch Point Crowbars

Features:
- Hardened, drop-forged steel construction.
- Heavy-duty tool for stubborn prying tasks and heavy lifting.
- Useful for breaking up hard surfaces.

Stock Size: 1-1/4 in
Tip Width: 1-1/4 in

SKU	Wt.	Overall Length
027-1160100	18 lb	60 in

KLEIN TOOLS



Grizzly™ Bars

Features:
- A heavy, strong, multi-purpose tool that saves time and effort on the job.
- The 3 in (76 mm) width protects concrete when stripping forms.
- Efficient blade angle and 55-1/2 in (141 cm) total length provide high leverage as a crow bar and nail and spike puller.
- Blade is forged and hardened alloy with keyhole nail-pulling slot in center and V-notch in tapered edge.
- Can also be used to help align walls during tilt-up construction, to roll and align large pipe, to remove shingles and flooring, and for many other stripping and prying tasks.

Stock Shape: Round
Tip Type: Claw - Offset

SKU	Overall Length
409-64306	55-1/2 in

HAND TOOL ORGANIZERS & BELTS

Tool Bags

Milwaukee



PACKOUT™ Backpacks

Features:
- Made with ballistic tear resistant material for heavy-duty jobsite use.
- Impact-resistant molded base that connects with other components.
- High volume compartment for more storage space.

Width: 15 in
Depth: 10.3 in
Material: 1680D Ballistic

SKU	No. of Compartments	Height
495-48-22-8301	46 Inside Pockets; 2 Outside Pockets	19 in

Tool Pouches & Holders

BEST WELDS®



Leather Holsters

Features:
- Genuine leather holster, keeps pliers safe and handy.
- Prevents wear and tear.

Width: 3-1/2 in
Height: 10-1/2 in

SKU	Material	No. of Compartments
900-BW-50-HOLSTER	Leather	1

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

BENDING & FLARING TOOLS

Hand Benders

RIDGID



400 Series Instrument Benders

Features:
- Offset cushion grip handles eliminate knuckle cracking when forming 180° bends.
- A 90° start angle and unique oil absorbing shoe minimize bending effort while forming accurate bends in copper, steel and stainless steel tubing.

Overall Length: 17 in
Throat Depth: -
Jaw Width: 1 in
Body Material: Steel

SKU	Radius	Tube O.D.
632-36132	1-1/2 in	1/2 in

Snips

CRESCENT Wiss



MetalMaster® Snips

Features:
- Withstands strain of cutting heavy stock and tight curves.
- Spring-action for fast, effortless feed.
- Handy hang-up hole.
- Non-slip, textured grips and safety latch for superior control.
- Additional styles available.

Cut Type: Aviation
Cutting Direction: Straight; Left-Cut; Right-Cut
Length: 9-3/4 in
Jaw Type: CNC-Ground Edges; Serrated
Jaw Material: Precision-Cast Molybdenum Steel

SKU	Cutting Cap.	Cutting Length
186-M3R	Low-Carbon, Cold-Rolled 18 ga	1-1/2 in

SHEARS, SCISSORS & SNIPS

Shears & Scissors

CRESCENT Wiss



Inlaid® Bent Handle Industrial Shears

Features:
- Hot drop-forged nickel-plated blades are strong and durable.
- Configure the SET-EASY® pivot adjustment to match your preference.
- Handle rings designed to comfortably fit users' hands.

Cut Type: Shear Cut
Material: High Carbon Steel

SKU	Cutting Length	Overall Length
186-W20	4.75 in	10.375 in

HEX, TORX & SPLINE KEYS

Hex Key Sets

BONDHUS



Ball End L-Wrench Sets

Features:
- Angle entry to 25° for faster insertion and removal of screws.
- Works in hard to reach areas.

Tip Type: Ball End; Hex
Handle Type: L-Handle

SKU	Measuring System	Includes
116-10937	SAE	0.050 in; 1/16 in; 5/64 in; 3/32 in; 7/64 in; 1/8 in; 9/64 in; 5/32 in; 3/16 in; 7/32 in; 1/4 in; 5/16 in; 3/8 in; Holder
116-10999	Metric	1.5 mm; 2 mm; 2.5 mm; 3 mm; 4 mm; 5 mm; 6 mm; 8 mm; 10 mm; Holder

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Eklind



Ball-Hex-L™ Key Sets

Features:
- Made with Eklind® alloy steel.
- Heat treated for optimum strength and ductility.
- Finished with Eklind® Black Finish to resist rust.

Tip Type: Hex Ball
Handle Type: L-Handle
Quantity: 13 per set

SKU	Measuring System	Includes
269-13213	Inch	0.05 in; 1/16 in; 5/64 in; 3/32 in; 7/64 in; 1/8 in; 9/64 in; 5/32 in; 3/16 in; 7/32 in; 1/4 in; 5/16 in; 3/8 in

KLEIN TOOLS



7-Pc Cushion-Grip Screwdriver Sets

Features:
- Special heat-treated shafts.
- All with cushion-grip high quality.
- Tip-Ident® quickly identifies the screwdriver type and tip orientation.


Tip Type: Phillips; Slotted
Measuring System: SAE

SKU	Includes	Tip Size
409-85076	1/4 in Square; 3/16 in 5/16 in with 3 in Shank Cabinet Tip; 3/16 in Cabinet Tip with 6 in Shank; 1/4 in Cabinet Tip; #1 and #2 Phillips	#1; #2; 3/16 in; 1/4 in; 5/16 in

SCREWDRIVERS & NUTDRIVERS

Screwdriver Sets

GEARWRENCH



Modular Screwdriver Sets

Features:
- Dual material handle offers a more comfortable grip and higher performance.
- Blades laser etched with part number and size for quick identification.
- Oil and solvent resistant handle provides a longer tool life.

Tip Type: Phillips
Measuring System: SAE; Metric

SKU	Includes
329-GWMSSCRPH	(6) Phillips® Dual Material Screwdrivers: #0 x 2-1/2 in, #1 x 3 in, #1 x 6 in, #2 x 1-1/2 in, #2 x 4 in, #3 x 6 in; (3) Mini Phillips® Dual Material Screwdrivers: #00 x 60 mm#0 x 60 mm#1 x 60 mm

Torx Screwdriver Sets

GEARWRENCH



Modular Torx® Screwdriver Sets

Features:
- Ergonomic tri-lobe dual material handle provides the optimal balance of strength and efficiency.
- Speed Zone handle design for faster rotation in low-torque applications.
- Non-slip black oxide tip for more secure fit in fastener.
- Blades laser etched with part number and size for quick identification.
- Oil and solvent resistant handle provides a longer tool life.

Shank Material: Alloy Steel

SKU	Includes
329-GWMSSCRTX	(7) Torx® Dual Material Screwdrivers: T10 x 4 in, T15 x 4 in, T20 x 4 in, T25 x 6 in, T27 x 6 in, T30 x 6 in, T40 x 6 in (3) Mini Torx® Dual Material Screwdrivers: T5 x 60 mm, T6 x 60 mm, T7 x 60 mm

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

EXTRACTORS & SETS

Extractor Sets

PROTO



Extractor Sets

Features:
- Strong, heat-treated tool steel.
- Corresponding drill-bit size stamped on each tool.
- Corrosion-resistant finish.

SKU	Includes
577-9500B	1/8 in; 3/16 in; 7/32 in; 5/16 in; 3/8 in; 7/16 in; 17/32 in; 5/8 in; 3/4 in; 1 in

PUTTY KNIVES & SCRAPERS

Scrapers & Putty Knives

Red Devil



4200 Professional Series Putty Knives

Features:
- Comfort grip handles are shatterproof.
- Mirror-finished and lacquered to prevent rust and add life to blades.
- Solid steel nail setting head.

Blade Material: High-Carbon Steel
Handle Material: Black Nylon, Solvent Resistant

SKU	Blade Width	Overall Length
630-4205	2 in	7.75 in

MULTI-PURPOSE HAND TOOL SETS

Multi-Purpose Tool Sets

CRESCENT



1/4 in and 3/8 in Drive 6-Pt SAE/Metric Professional Tool Sets

Features:
- Incredible access from long wrenches with narrow heads, adjustable wrenches and pliers, and a long-beam ratchets with small teardrop heads.
- Long nose and diagonal pliers with professional, ergonomic dipped grips wipe clean easily.
- Co-molded bit driver and screwdriver handles with ergonomic grip for improved performance.
- Shallow and deep SAE/metric 6-point full polish chrome sockets with stamped size markings for easy socket identification.
- 6 inch adjustable wrench with hex jaw design reduces slippage by gripping fasteners tightly.
- Manufactured from chrome alloy steel for better strength and longer tool life.

Quantity: 180 pc

SKU	Includes	Drive Size
181-CTK180	(2) Ratchets; (3) Extensions Adapter; (51) Standard Sockets; (31) Deep Sockets Spark Plug Socket; (12) Combination Wrenches; (24) Hex Keys; (2) Pliers Adjustable Wrench; (4) Screwdrivers Magnetic Bit Driver; (46) Bits; Bit Adapter	1/4 in; 3/8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

GEARWRENCH



Bolt Biter™ Mechanics Tool Sets

Features:

- Mechanics tools have been designed with professional users in mind for better productivity, access, and strength.
- Bi-directional design for removing or tightening damaged fasteners.
- Tapered entry enables socket to easily seat on a damaged fastener.
- Dual sized sockets designed to work with both SAE and metric fasteners.
- High-visibility laser etched markings provide quick size identification.

SKU	Includes	Drive Size
329-GWMSBBS02	(1) 90T Ratchet; (1) Extension Bar; (2) Adapters; (38) Bolt Biter™ Extraction Sockets; (1) 12 Point Long Pattern Combination Wrenches; (30) Bolt Biter™ Wrench Insert Estraction Sockets; (5) Bolt Biter™ Screw Extractors; (16) Bolt Biter™ Nut Extractor Drivers	1/4 in; 1/8 in; 1/2 in

LAWN & GARDEN TOOLS

Shovels & Spades

RAZORBACK PROFESSIONAL TOOLS



Round Point Digging Shovels

Features:

- This round point shovel is tough enough to dig in the hardest, rockiest soil.
- Features a heavy-duty steel blade.

Blade Type: Forward-Turned Step; Open-Back
Blade No.: #2
Handle Material: North American Hardwood
Handle Length: 48 in
Blade Material: Steel
Blade Thickness: 14 ga

SKU	Blade Length	Blade Width
760-45520	12 in	9.5 in

RAZORBACK PROFESSIONAL TOOLS



Square Point Transfer Shovels

Features:

- It's perfect for moving loose garden material, sand, top soil or debris.
- It can also be used to shape beds, mix concrete, level off areas that need to be flat or to scrape stubborn material off driveways or other hard surfaces.

Blade No.: #2
Handle Material: North American Hardwood
Handle Length: 48 in
Blade Material: Steel
Blade Thickness: 14 ga

SKU	Blade Length	Blade Width	Blade Type	Socket Length
760-44101	12 in	9.5 in	Open-Back; Rolled-Step	Dual Rivet Extended Tab
760-44124	12 in	9.5 in	Forward-Turned Step; Open-Back	—

TRUE TEMPER



Aluminum Scoop with Hardwood Handle

Features:

- Durable and lightweight scoop is ideal for snow removal.
- Features a D-Grip handle for optimum lift and leverage.

Blade Type: Ribbed
Blade No.: #12
Handle Material: Hardwood; Plastic
Handle Length: 26 in
Blade Material: Aluminum
Blade Thickness: 0.076 in

SKU	Blade Length	Blade Width
027-2681200	18 in	15.25 in



Eagle™ Shovels

Features:

- Steel collar for added strength at the handle/socket connection.
- Lightweight fiberglass handle resists splintering, cracking, and weathering.

Blade Type: Open-Back
Blade No.: #2
Handle Material: White Ash
Handle Length: 46 in
Blade Material: Steel

SKU	Blade Length	Blade Width
027-1554300	11 in	8-1/4 in
027-1554500	10-1/2 in	9 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

THE AMES COMPANIES®
est. 1774

MADE TO HANDLE IT ALL







TRUE TEMPER® UnionTools® Jackson® PROFESSIONAL TOOLS RAZORBACK® PROFESSIONAL TOOLS

TRUE TEMPER



Poly Scoops with Hardwood Handle

Features:
- This poly scoop is perfect for moving and scooping grain, seed, feed, fertilizers, and other granulated materials.
- Sturdy enough for general clean-up or for moving mulch, soil, or even snow.

Blade Type: Scoop
Blade No.: #12
Handle Material: Hardwood; Steel
Handle Length: 26 in
Blade Material: Poly

SKU	Blade Length	Blade Width
027-2604300	18 in	14.37 in

UnionTools



Round Point Shovels

Features:
- Dura-Torque® crimp collar for super-strong head-to-handle connection.
- This shovel is of good quality and designed for light-to medium-duty jobs or for occasional users.

Blade Type: Forward Turned-Step; Open-Back
Blade No.: #2
Handle Material: Hardwood
Handle Length: 48 in
Blade Material: Steel
Blade Thickness: 16-ga
Socket Length: 9 in

SKU	Blade Length	Blade Width
760-40191	11.5 in	9.25 in



Square Point Transfer Shovels

Features:
- Perfect for moving loose garden material, sand, top soil, or debris.
- Can also be used to shape beds, mix concrete, level off areas that need to be flat, or to scrape stubborn material off driveways or other hard surfaces.

Blade Type: Forward Turned-Step; Open-Back
Blade No.: #2
Handle Material: North American Hardwood
Handle Length: 44 in
Blade Material: Steel
Socket Length: 9 in

SKU	Blade Length	Blade Width
760-40184	11.5 in	9.25 in

Sprayers

CHAPIN
COVER MORE GROUND



3.5 gal Industrial Concrete Open Head Sprayers

Features:
- Tri-Poxy lined steel tank provides triple protection against rust, corrosion and damage from denting.
- Featuring a large 4 in-wide mouth opening for easy filling and cleaning.
- Chemical-resistant seals and gaskets designed to handle a variety of chemicals.
- Brass pump, wand, nozzle and shut-off with lock-on feature.
- Reinforced hose with thread fittings.

Operating Pressure: 40 to 60 psi
Extension Type: Brass Wand
Hose Length: 48 in
Pump Type: Piston with Chemical-Resistant Seals and Gaskets
Nozzle Type: Brass Fan-Tip
Body Material: Tri-Poxy® Steel

SKU	Capacity Vol.	Extension Length
139-1949	3-1/2 gal	24 in



Lawn and Garden Sprayers

Features:
- Ideal for weed control, pest control and fertilizers.
- Features Chapin's unique in-tank anti-clog filter, for a clog-free, steady spray.
- Ergonomic pump handle makes pumping and carrying easy.
- Lightweight, rust-free polyethylene tank is translucent so it's easy to check fluid levels.

Operating Pressure: 45 psi
Extension Type: Straight Poly Wand
Hose Length: 34 in
Pump Type: Universal PL Nitrile
Nozzle Type: Poly Adjustable Cone Nozzle
Body Material: Polyethylene

SKU	Capacity Vol.	Extension Length
139-20002	2 gal	18 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Water Hoses

Jackson PROFESSIONAL TOOLS



Pro-Flow™ Commercial Duty Hoses

Features:
- Octagonal heavy-duty crushproof couplings.
- Continuous flow tube keeps water flowing even if kinked.
- Metal spring collar prevents kinking at faucet.
- Anti-bacterial lining prevents deterioration and extends hose life.

Operating Pressure: 450 psi
Reinforcement: PVC

SKU	Inside Diam	Length
027-4003600	5/8 in	50 ft
027-4003800	5/8 in	100 ft

Wheelbarrows

TRUE TEMPER



Steel Wheelbarrows

Features:
- Ideal for homeowners, landscapers, and light construction work.
- The seamless steel tray is plenty tough and will provide years of service.

Wheel Type: Never Flat Tire
Handle Length: 58.75 in
Frame Material: Steel
No. of Wheels: 1

SKU	Capacity Vol.	Tray Type
027-R6FF25	6 cu ft	Seamless Steel

TAPE MEASURES

ANCHOR BRAND



Easy to Read Tape Measures

Features:
- Groove for measuring on string or wire.
- Nail slot for drawing circles.
- Sliding end hook for true zero measurements.
- Sliding lock.

Graduations: 1/8 in
Blade Material: Steel
End Type: Hook

SKU	Blade Length	Blade Width	No. of Scales
103-43-113	12 ft	1/2 in	1
103-43-119	16 ft	3/4 in	1
103-43-123	25 ft	1 in	2

KOMELON USA Division



MagGrip™ Pro Tapes

Features:
- Large flared magnetic end hook.
- Heavy duty nylon coated blades for maximum durability.
- Rubberized case protects end hook and button.

Graduations: 1/16 in
No. of Scales: 1
Blade Material: Steel
Blade Finish: Nylon Coating
End Type: Magnetic Dual End Hook

SKU	Blade Length	Blade Width
416-7125	25 ft	1 in
416-7130	30 ft	1 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

KOMELON USA Division



Speed Mark Tapes

Features:
- Acrylic Coated Steel Blade.
- Speed Mark fractional graduations on blade.
- Ergonomically designed ABS plastic case.
- Additional sizes available.

Graduations: Fractional
No. of Scales: 1
Blade Material: Steel
Blade Finish: Acrylic
End Type: Hook

SKU	Blade Length	Blade Width
416-SM3925	25 ft	1 in

STANLEY



FatMax® Classic Tape Measures

Features:
- Durable high-impact case with non-slip rubber stands up to job site demands.
- Protective full tape blade Mylar® coating and added BladeArmor® coating at the hook extends tape life against abrasion and heavy use.
- Easy to read measurements with large font numbers.
- Standard stud markers.
- Additional sizes available.

Graduations: 1/16 in; Inch; Feet
No. of Scales: 3
Blade Material: Steel
Blade Finish: Mylar® Polyester Film; BladeArmor™ First 3 in
End Type: 3-Rivet Hook

SKU	Blade Length	Blade Width
680-33-725	25 ft	1-1/4 in

STANLEY



Powerlock® Tape Rules 1/2 in Wide Blade

Features:
- Cast-metal case is durable and suitable for heavy-duty use.
- Mylar® polyester film extends life of entire blade.
- Secure blade lock won't creep during measurements.
- Corrosion-resistant Tru-zero end hook for accurate measurements.

Graduations: 1/16; 1/10
No. of Scales: 2
Blade Material: Steel
Blade Finish: Mylar® Polyester Film
End Type: Hook

SKU	Blade Length	Blade Width
680-33-272	12 ft	1/2 in



Powerlock® Tape Rules Wide Blade

Features:
- Seven-foot blade standout.
- Mylar® polyester film extends life of entire blade.
- Chrome high-impact ABS case is job site tough.
- Secure blade lock won't creep during measurements.
- Corrosion-resistant Tru-zero end hook for accurate measurements.
- Additional sizes available.

Graduations: 1/16 in
No. of Scales: 1
Blade Material: Steel
End Type: Hook

SKU	Blade Length	Blade Width	Blade Finish	Case Material
680-33-425	25 ft	1 in	Polyester	ABS Plastic
680-33-835	35 ft	1 in	Mylar® Polyester Film	ABS

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

STANLEY



Tape Rules

Features:
- 7 ft standout.
- Polymer-coated blade for long life.
- Durable textured case for a non-slip grip.
- High-contrast colors for easy readability.

Graduations: 1/16 in
No. of Scales: 2
Blade Material: Steel
Blade Finish: Polymer
End Type: 3-Rivet Hook

SKU	Blade Length	Blade Width
680-30-454	25 ft	1 in

LEVELS

Empire



500 Series Magnetic I-Beam Levels

Features:
- Impact resistant acrylic mono vials offer superior durability.
- All metal I-Beam frame offers superior durability and protects long-life accuracy.
- High contrast vial surrounds improve vial visibility.
- Ergonomic, grip zones enhance comfort and portability.
- Impact resistant endcaps protect frame and vials.

Accuracy: 0.0005 in/in
No. of Vials: 3
Body Material: Aluminum
Width: 1 in
Height: 2.25 in

SKU	Length
272-500M.24	24 in
272-500M.48	48 in

Empire



Torpedo Levels

Features:
- Advanced frame design.
- Magnetic-base level.
- Top-read window.
- Tri-vial versatility.

Accuracy: 0.001
No. of Vials: 3
Vial Positions: (1) 45°; (1) Level; (1) Plumb
Base Type: Grooved; Magnetic
Body Material: Aluminum
Width: 1.6 in
Height: 0.6 in

SKU	Length
272-581-9	9 in



True Blue® Heavy-Duty Magnetic Torpedo Levels

Features:
- High contrast e-BAND™ vials highlight the edge of the bubble.
- V-Groove working edge for accurate alignment on pipe or conduit.
- Aluminum frame with top read window.

Accuracy: 0.0005 in per in
No. of Vials: 3
Vial Positions: 45°; Level; Plumb
Base Type: Magnetic; V-Groove
Body Material: Aluminum

SKU	Length
272-em81.9	9 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

SQUARES

Empire



True Blue® Combination Squares

Features:
- Machined square head.
- Self-aligning drawbolt, hardened scriber.
- Etched blade with permanently marked graduations.

Graduation(s): 16ths, 32nds
No. of Scales: 1
Increment @ Scale: 1/16 in @ 1 in
Material: Steel
Measuring System: Inch

SKU	Blade Length	Blade Width
272-e250	12 in	1 in

GAUGING TAPES

CRESCENT Lufkin



Atlas® Oil Gauging Tapes

Features:
- Heavy-duty frame designed for years of rugged use.
- All frames include a grounding strap.
- Plumb bob must be ordered separately.

Blade Style: D1
Increment @ Scale: 1/8 in @ 1 ft

SKU	Blade Length	Blade Width
182-CN1290SF590N	25 ft	1/2 in

DERRICK TAPES

CRESCENT Lufkin



Derrick Surveying Tapes

Features:
- Extra large winding drum provides rapid line recovery and permits tape line to be easily detached from reel.
- Special hook ring with ribbed face at zero.
- Leather thong is provided to use through eye at rear when tape is removed from reel.

Blade Thickness: 0.019 in
Increment @ Scale: 0.01 ft @ 1 ft
No. of Scales: 1
Blade Material: Steel
Blade Finish: Chrome Clad®
End Type: Hook w/Ring

SKU	Blade Length	Blade Width
182-C2276DN	100 ft	1/4 in

INSPECTION MIRRORS & MAGNIFIERS

ULLMAN



Telescoping Inspection Mirrors

Features:
- Mirror can be adjusted to nearly any angle for optimal viewing.
- Grips prevent drops and slipping in wet or oily hands.

Mirror/Magnifier Size: 2-1/8 in W x 3-1/2 in L
Length: 11-3/8 in - 15-1/4 in
Handle Type: Dipped Vinyl Grip; Telescoping
Material: Stainless Steel

SKU	Shape
758-K-2	Rectangular

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

INSPECTION MIRROR REFILLS

ULLMAN



Inspection Mirror Refills

Features:
- Replacements for oval and rectangular inspection mirrors.

SKU	Length	Width
758-K-2R	3-1/2 in	2-1/8 in

MARKERS

MARKAL



B-L Paintstik® Solid Paint Markers

Features:
- Marks bleed through solvent-based or oil-based primers or paints.
- Durable weather-resistant and UV-resistant marks.
- To prevent bleeding through the finished coat of paint, seal the marked areas with water-based epoxy paint.

Length: 4.25 in
Temp. Range: -50° F - 150° F
Flash Point: 250° F
Dia.: 11/16 in

SKU	Color
434-80725	Blue



Paintstik® Original B® Solid Paint Markers

Features:
- Solid paint marker combines the durability of paint in the convenience of a crayon.
- Superior marking performance on oily, icy, wet, dry, or cold surfaces.
- Weather-resistant and UV-resistant for long-lasting marks.
- Works on rough, rusty, or dirty surfaces.

Length: 4-3/4 in
Temp. Range: -50° F - 150° F
Flash Point: 204° C
Dia.: 11/16 in

SKU	Color
434-80220	White
434-80221	Yellow

MARKAL



Quik Stik® All Purpose Solid Paint Markers

Features:
- Fast-drying, permanent, vibrant paint marks dry in 5 to 7 minutes.
- Marks on virtually any surface-wet, smooth, rough, or hot.
- New Easy Grip Airtight Cap for convenient pocket storage, self-storing cap keeps the marker clean and fresh between uses.
- Weather-resistant and UV-resistant paint for long-lasting marks.

Length: 6 in
Temp. Range: 0° F - 392° F
Flash Point: 67.8° C
Dia.: 11/16 in

SKU	Color
434-61051	White
434-61053	Yellow

BEST WELDS®



Paint Markers

Features:
- Permanent, durable, fast-curing, industrial-strength paint.
- Lead- and xylene-free paint.
- Marks on all surfaces, whether they're clean, dirty or oily.
- Reversible tip.

Tip Type: Poly; Reversible Bullet/Bullet
Temp Range: -50° F - 150° F
Capacity Vol.: 10 ml

SKU	Color	Tip Size
900-PAINTMKR-BLK	Black	3/16 in; 1/8 in
900-PAINTMKR-RED	Red	3/16 in; 1/8 in
900-PAINTMKR-YEL	Yellow	3/16 in; 1/8 in
900-PAINTMKR-BLU	Blue	3/16 in; 1/8 in
900-PAINTMKR-WHT	White	2 mm; 4 mm
900-PAINTMKR-OR	Orange	2 mm; 4 mm
900-PAINTMKR-GRN	Green	2 mm; 4 mm

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

DYKEM



BRITE-MARK® Medium Permanent Paint Markers

Features:
- Make permanent bright marks on metal, rubber, plastic, glass, concrete, leather, stone, wood, vinyl and more.
- Formula is not xylene-based.
- Valve actuated mechanism prevents paint in barrel from drying when cap is left off.
- Heavy duty aluminum body with large paint capacity.
- Bullet tips are replaceable to ensure complete use of paint in each marker.
- Drying Time: 25 – 35 seconds.

Tip Size: Medium; Felt #15
Tip Type: Reversible Bullet/Bullet

SKU	Color
253-84002	Black
253-84003	White
253-84004	Yellow

MARKAL



Silver-Streak® Metal Marker Refills

Features:
- Highly-visible marks illuminate when cutting or welding.
- Superior to soapstone in markability and durability-will not rub, burn, or blow off surface.
- Marks on oily, wet, or rusty metals, and will not scratch or abrade surfaces.

Tip Size: 1/16 in
Tip Type: Variable (Refills)
Temp Range: 0 °F - 150 °F

SKU	Color
434-96007	silver

MARKAL



Paint-Riter® Valve Action® Paint Markers

Features:
- Variety of colors for improved mark identification, quality control, and parts inspection.
- Fast-drying, permanent paint for immediate handling reduces work downtime.
- Xylene-free paint reduces user health risks and makes for a safer marking tool.
- Durable metal barrel and clip-cap reduce breakage and store easily in pocket.

Tip Size: 1/8 in
Tip Type: Round Bullet
Temp Range: -50° F - 150° F
Capacity Vol.: 10 mL

SKU	Color
434-96820	White
434-96821	Yellow
434-96822	Red
434-96823	Black
434-96824	Orange
434-96825	Blue



Silver-Streak® Metal Markers with Mechanical Holder

Features:
- Highly-visible marks illuminate when cutting or welding.
- Superior to soapstone in markability and durability-will not rub, burn, or blow off surface.
- Marks on oily, wet or rusty metals, and will not scratch or abrade surfaces.
- Durable, mechanical holder prevents stick breakage and features a convenient, built-in sharpener, and pocket clip for easy storage.

Tip Size: 1/8 in
Tip Type: Round

SKU	Color
434-96006	silver

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Sharpie



Fine Tip Permanent Markers

Features:
- Permanent alcohol based ink that is fade and water resistant.
- Pocket clip for portability.

Tip Size: Fine

SKU	Color	Quantity
652-35010	Black	1 Marker per Pack



Mean Streak Permanent Marking Sticks

Features:
- Marking sticks mark on dark surfaces and write on most surfaces.
- Specially formulated to mark on wet and oily surfaces.
- Extra bold tip marks dark surfaces with an opaque line.
- Waterproof formula resists fading and adheres to virtually any surface.
- Easy-to-use, twist-up container.
- Quick-drying ink is waterproof, smearproof and fade-resistant.

Tip Size: Extra Bold
Tip Type: Bullet

SKU	Color
652-85018	White

PENCILS

MARKAL



Silver-Streak and Red-Riter Welders Pencils

Features:
- Markal Silver-Streak and Red-Riter welders pencils make torch-resistant marks that will not burn or rub off like soapstone.
- Ideal for fine line marking during metal layout and fabrication, these highly visible marks illuminate when cutting or welding.
- Durable marks will not scratch or abrade metal surfaces.

Color: Silver
Length: 4-5/8 in

SKU	Lead Grade
434-96101	#2

SOAPSTONE HOLDERS

ANCHOR BRAND



Standard Soapstone Holders

Features:
- Pocket clip.
- Positive lock adjustment.
- Spring tension friction guide for soapstone.

Length: 5 in

SKU	Shape
900-RH-30	Round
900-SH-10	Flat

WYPO



Flat Soapstone Holders

Features:
- Spring steel pocket clip oversized to fit leather aprons.
- Non-corrosive channel with brass indexing trigger provides superior sliding action.
- Practical design allows for one handed operation and easy use.
- Brass trigger depresses and slides to proper alignment hole and snaps back to lock in position.

SKU	Shape	Length
326-400-1	Flat	5 in

SOAPSTONES

BEST WELDS®



Soapstones

Features:
- Grain cut to ensure good strength and long service life.
- Marks will not contaminate welds and are easily removed.
- Low water content for increased hardness and resistance to breakage.

Length: 5 in
Color: White

SKU	Shape	Width	Thickness
900-FL-5-THIN	Flat	1/2 in	1/16 in
900-FL-5	Flat	1/2 in	3/16 in
900-RD-5	Round	1/4 in	1/4 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Drills

IRWIN Unibit



Unibit® High Speed Steel Fractional Self-Starting

Features:
- Single-flute cutting edge for greater control through steps.
- Hex shank prevents slipping in drill chuck.
- New SpeedPoint tip penetrates faster than previous Unibits and prevents walking.
- Ideal for drilling holes into thin materials such as stainless steel, copper, brass, aluminum, plastic and laminates.

Measurement Type: Fractional
Cutting Edge Material: HSS

SKU	Cutting Diam.	Material Thickness	No. of Steps
585-10231	1/8 in - 1/2 in	1/8 in	13
585-10234	3/16 in - 7/8 in	1/16 in	12
585-10235	1/4 in - 1-3/8 in	1/8 in	10

LENOX



Vari-Bit® Step Drill Bits

Features:
- Sturdy step drill bits feature high speed steel construction and steam oxide coating.
- Patented design with two cutting flutes allows for clean burr-free holes.
- Split point design for faster penetration and less walking.

No. of Steps: 9
Measurement Type: Fractional
Cutting Edge Material: HSS

SKU	Cutting Diam.	Material Thickness
433-30883VB3	1/4 in - 3/4 in	1/8 in

Wrenches

Milwaukee



Shockwave™ Impact Duty™ Socket Adapters

Features:
- Impact Duty™ socket adapters are made from a proprietary steel, heat treated to control hardness and provide durability.
- Transforms impact socket wrenches into impact drivers with square hex bits for every application.
- The socket adapter has a heavy-duty construction for fastening capabilities in all impacts.
- Built to withstand frequent use and save users the expense of having to buy a separate drill driver.

Material: Heat Treated Proprietary Steel

SKU	Type
495-48-32-5034	1/4 in Hex to 1/2 in Square

DEWALT



20V MAX* XR® Compact Mid-Range Cordless Impact Wrenches

Features:
- Variable speed trigger helps to provide speed control.
- Compact and lightweight design for comfort when working in tight spaces.
- Includes the new Precision Wrench™ Control feature, which helps add more control when using the tool in forward and reverse.
- Brushless motor for increased efficiency and runtime vs brushed model.
- LED light to help illuminate dimly lit areas.

Voltage: 20V
Batt. Type: Lithium-Ion
Speed: 2000 RPM
Torque: 800 ft-lbs
Handle Type: Pistol Grip

SKU	Drive Size
115-DCF891B	1/2 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



M18 FUEL™ Compact Impact Wrenches with Friction Ring

Features:

- POWERSTATE™ brushless motor delivers up to 250 ft·lb of nut-busting torque.
- REDLINK PLUS™ Intelligence ensures maximum performance and protects from overloads, heating and over-discharge.
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power, includes auto shut-off and bolt-removal mode.
- Bolt-removal mode offers more control after bolt breakaway as RPMs drastically slow down once the bolt is loosened.
- Auto shut-off mode prevents over tightening and increases productivity by applying no more than 20 ft·lb of torque.
- Tri-LEDs deliver high definition lighting to increase workspace visibility with less shadows.
- Compatible with all M18™ batteries and chargers.

Voltage: 18 V DC
Speed: 2400 RPM
Cycle Rate: 3500 IPM
Torque: 250 ft·lb
Control Type: Trigger
Handle Type: Pistol Grip
Includes: (1) M18 FUEL™ 3/8 in Compact Impact Wrench w/Friction Ring (2854-20); (2) M18™ REDLITHIUM™ XC5.0 Resistant Batteries (48-11-1850R); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Carrying Case

SKU	Drive Size	Drive Type
495-2854-22R	3/8 in	Square



M18 FUEL™ Compact Impact Wrenches with Pin Detent

Features:

- POWERSTATE™ brushless motor delivers up to 250 ft·lb of nut-busting torque.
- REDLINK PLUS™ Intelligence ensures maximum performance and protects from overloads, heating and over-discharge.
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power, includes auto shut-off and bolt-removal mode.
- Bolt-removal mode offers more control after bolt breakaway as RPMs drastically slow down once the bolt is loosened.
- Tri-LEDs deliver high definition lighting to increase workspace visibility with less shadows.
- Compatible with all M18™ batteries and chargers.

Voltage: 18 V DC
Speed: 2400 RPM
Cycle Rate: 3500 IPM
Torque: 250 ft·lb
Control Type: Trigger
Handle Type: Pistol Grip
Includes: (1) M18 FUEL™ 1/2 in Compact Impact Wrench w/Pin Detent Bare Tool (2855P-20); (2) M18™ REDLITHIUM™ XC5.0 Resistant Capacity Battery Pack (48-11-1850R); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Carrying Case

SKU	Drive Size	Drive Type
495-2855P-22R	1/2 in	Square

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



M18 FUEL™ High Torque 1/2 in Impact Wrenches with Pin Detent

Features:

- Features a pin detent design for maximum socket retention.
- Bolt removal mode provides maximum nut-busting torque to break fastener free, then slows to 750 RPM for more control when removing fasteners.
- Premium rubber over-mold withstands corrosive materials and provides increased comfort when in use.
- REDLINK PLUS™ intelligence prevents damage to the tool and battery due to overloading or overheating.
- REDLITHIUM™ batteries deliver more work per charge and more work over the life of the battery.
- LED light to illuminate the work area.

Voltage: 18 V DC
Speed: 2000 RPM
Cycle Rate: 2700 IPM
Torque: 1100 ft·lb
Control Type: Trigger
Handle Type: Pistol Grip

SKU	Drive Size	Includes
495-2966-22	1/2 in	(1) M18 FUEL™ 1/2 in High Torque Impact Wrench w/ Pin Detent (2966-20); (2) M18™ REDLITHIUM™ XC5.0 Resistant Battery (48-11-1850R); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812); (1) Blow Molded Case; (1) Lanyard Loop
495-2966-20	1/2 in	(1) M18 FUEL™ 1/2 in High Torque Impact Wrench w/ Pin Detent (2966-20); (1) Lanyard Loop



M18 FUEL™ High Torque Cordless Impact Wrenches

Features:

- Superior performance of maximum fastening and nut-busting torque with up to 2X more runtime.
- POWERSTATE™ Brushless Motor runs cooler with no wearable components.
- REDLINK PLUS™ Intelligence allows the operator to choose between two fastening modes with Milwaukee's proprietary DRIVE CONTROL™ feature.
- REDLITHIUM™ XC 4.0 Battery Packs provide superior pack construction, electronics and performance.

Voltage: 18 V
Batt. Type: Lithium Ion
Speed: 2300 RPM
Torque: 750 ft·lb
Includes: M18 FUEL™ 7/16" Hex Utility High Torque Impact Wrench w/ ONE-KEY™; (2) M18™ REDLITHIUM™ XC5.0 Battery Pack; (1) M12 and M18 Multi-Voltage Charger; (1) Contractor Bag; (1) Inverter

SKU	Drive Size	Drive Type
495-2865-22	7/16 in	Hex

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



M18 FUEL™ w/ONE-KEY™ High Torque Impact Wrenches 3/4 in Friction Ring

Features:

- ONE-KEY™ compatible to customize, track and manage tool's performance and location.
- POWERSTATE™ brushless motor delivers up to 1200 ft·lb of fastening torque and 1500 ft·lb of nut-busting torque.
- Features a friction ring with thru-hole design to ensure quick and easy socket changes.
- Easily toggle up to four custom performance profiles that can be saved to the memory of the tool.
- Premium rubber over-mold withstands corrosive materials and provides increased comfort when in use.
- LED light to illuminate the work area.

Voltage: 18 V DC
Batt. Type: Lithium Ion
Speed: 1800 RPM
Torque: 1600 ft·lb
Control Type: Trigger
Handle Type: Pistol Grip
Includes: (1) M18 FUEL™ w/ONE-KEY™ High Torque Impact Wrench 3/4 in Friction Ring Bare Tool (2864-20); (2) M18™ REDLITHIUM™ XC5.0 Resistant Capacity Battery Pack (48-11-1850R); (1) M18™ and M12™ Multi-Voltage Charger (48-59-1812)

SKU	Drive Size	Drive Type
495-2864-22R	3/4 in	Square



M18™ FUEL™ 1 in High Torque Cordless Impact Wrenches w/ONE-KEY™

Features:

- POWERSTATE™ Brushless Motor delivers up to 1,800 ft·lb nut-busting torque.
- ONE-KEY™ Compatible allowing ability to customize, track and manage tools for increased productivity and investment protection, includes the ability to set a repeatable torque output for maximum control.
- 4-Mode DRIVE CONTROL™ provides greater control over output speed and power.
- REDLINK PLUS™ Intelligence ensures maximum performance and protects from overloads, heating and over-discharge.
- Handle rotates 270 degrees and easily adjusts without a tool.
- LED light to illuminate the work area.
- Premium rubber overmold withstands corrosive materials and provides increased comfort when in use.
- Eliminates compressors and generators, providing greater portability and lower cost of ownership.
- Integrated lanyard loop allows for safer use and easier storage.
- Compatible with all M18™ batteries.

Voltage: 18 V DC
Batt. Type: M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0
Speed: 1,650 RPM
Cycle Rate: 2,450 IPM
Torque: 1,500 ft·lb Fastening; 1,800 ft·lb Nut Busting
Control Type: 4-Mode Customizable
Handle Type: Pistol Grip
Includes: (1) M18 FUEL™ 1" High Torque Impact Wrench w/ ONE-KEY™ (2867-20); (2) M18™ REDLITHIUM™ HIGH OUTPUT™ XC8.0 Battery Packs (48-11-1880), Tool-Free Adjustable Handle; (1) Lanyard Loop; (1) Rapid Charger; (1) Contractor Bag

SKU	Drive Size	Drive Type
495-2867-22	1 in	Square

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Grinders

DEWALT



4.7 hp Large Angle Grinders

Features:
- Motor provides overload protection.
- Dust Ejection System™.
- Anti-Vibe trigger handle.
- Lightweight design.
- Automatic turn-off brushes.

Watts: 3,450 W
Speed: 6,500 RPM
Control Type: Trigger; No Lock-On
Spindle Thread: 5/8 in to 11

SKU	Wheel Dia	Amps
115-DWE4559N	9 in	15 A



Medium Angle Grinders

Features:
- AC/DC capacity works off welding machines and generators for increased productivity and versatility.
- Rear handle design for greater comfort and control.
- External brush doors for easy servicing.
- Motor provides high speed for fast material removal.
- Sealed ball and roller bearings for extended motor life.
- High power-to-weight ratio for greater efficiency and reduced user fatigue.

Watts: 2250 W
Speed: 8500 RPM
Control Type: Trigger Switch
Spindle Thread: 5/8 in to 11 in

SKU	Wheel Dia	Amps
115-DW840	7 in	13 A

DEWALT



Small Angle Grinders

Features:
- 11 Amp AC/DC 11,000 RPM motor designed for faster material removal and higher overload protection.
- Low profile gear case allows tool to fit into tight spaces.
- Quick-Change™ Wheel Release provides easier and quicker wheel removal without the need for a wrench.

Watts: 1400 W
Amps: 11A
Speed: 11000 RPM
Spindle Thread: 5/8 in - 11

SKU	Wheel Dia	Control Type
115-DWE402	4-1/2 in	Paddle Switch with Lock-Off
115-DWE402N	4-1/2 in	Paddle Switch with No Lock-On



Trigger Grip Angle Grinders

Features:
- The high performance grinder with trigger grip is powered by a 13 amp motor and equipped with Dust Ejection System™ technology to protect the tool from damaging dust and debris that enters through air intake vents.

Watts: 1700 W
Speed: 9000 rpm
Control Type: Trigger
Spindle Thread: 5/8 in-11

SKU	Wheel Dia	Amps
115-DWE43116	4-1/2 in; 5 in; 6 in	13 A

metabo
PROFESSIONAL POWER TOOL SOLUTIONS



Small Angle Grinders

Features:
- Double insulation.
- Sturdy, durable Metabo Marathon motor.
- Additional Metabo VibraTech (MVT) handle for vibration damping.

Spindle Thread: 5/8 in-11 UNC

SKU	Wheel Dia	Amps	Watts	Speed	Control Type
469-WP11-125Q	4-1/2 in to 5 in	11	1100 W	11000 RPM	Paddle Switch
469-W11-125Q	4-1/2 in to 5 in	11	1100 W	11000 RPM	On/Off Switch
469-WE15-150Q	6 in	13.5	1550 W	9600 RPM	Sliding Switch w/ Lock
469-WEP15-150Q	6 in	13.5	1550 W	9600 RPM	Paddle Switch; Non-Locking

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



5 in Corded Angle Grinders

Features:
- Electronic clutch extends tool life and prevents bind-up.
- Tool-free accessory change without a wrench for all accessories.
- Advanced airflow system maximizes airflow and reduces debris ingress, improving motor life and performance.
- Soft start allows maximum control at start-up.
- Overload protection maximizes motor life.
- Constant Power Technology™ maintains constant speed under load.
- Tool-free adjustable guard provides quick guard installations and adjustments.
- Anti-vibration side handle reduces vibration, increasing user comfort during extended use.

Watts: 1,400 W
Speed: 11,000 RPM
Control Type: Trigger; No-Lock
Spindle Thread: 5/8 in-11

SKU	Wheel Dia	Amps
495-6121-31A	5 in	11 A



1-1/2 in Die Grinders

Features:
- Motor provides high power and speed for all 1-1/2 in grinding applications.
- AC/DC capacity works off welding machines and generators for increased productivity and versatility.
- Precision 1/4 in collet securely holds all proper accessories (1/8 in reducing sleeve as optional accessory).

Watts: 350 W
Amps: 4.2 A
Speed: 25,000 RPM
Control Type: Paddle; No-Locking

SKU	Collet Size	Wheel Diam
115-DWE4887N	1/4 in	1-1/2 in



M18 FUEL™ Cordless Die Grinders

Features:
- Milwaukee® POWERSTATE™ Brushless Motor provides more power, more run-time, and longer life.
- REDLINK PLUS™ Electronic Intelligence enables advanced communication between your batteries and tools, allowing for unmatched levels of performance, protection, and productivity.
- The Milwaukee® REDLITHIUM™ Battery Pack is the most durable pack on the market delivering more run-time, power and longer battery life.

Collet Size: 1/4 in
Power Source: Cordless
Length: 16-1/4 in

SKU	Voltage
495-2984-20	18V DC

CUTTING TOOLS

Band Saws



Deep Cut Variable-Speed Band Saws

Features:
- Powerful 11 A motor provides maximum performance and durability.
- All metal direct drive delivers maximum tool life with all metal direct drive gearing system, while requiring less servicing than a chain drive.
- Revolutionary cut visibility, slimmer motor housing increases user line of site delivering superior cut accuracy.
- Lighter weight, delivers more control over the tool and less fatigue at the conclusion of the work day.
- Job Site Armor™ Technology, proprietary composite material and crush zone barriers provide long lasting rugged protection.
- Gear protecting clutch extends gear and motor life by absorbing high impact forces caused by blade lock-ups.
- Tool-free locking adjustable shoe, button actuated tool-free design allows user to quickly adjust from an extended shoe to no shoe in seconds.
- Debris Protection System delivers longer pulley life by removing debris during use.

Blade Thickness: 0.02 in
Linear Speed: 0 SFPM - 380 SFPM
Amps: 11 A
Voltage: 120 V
Control Type: LED On/Off Switch; Speed Dial; Trigger
Drive Gearing: Direct; Clutched Gear
Handle Type: Top D-Handle; Top T-Handle
Cutting Cap.: 5 in x 5 in Rectangular Stock; 5 in Round Stock

SKU	Blade Length
495-6232-21	44-7/8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Circular Saws



Classic Series Portable Corded Carbide Saw Blades

Features:
- Precision-ground teeth for smooth, accurate cuts.
- Corrosion-resistant coating helps prevent rusting.

No. of Teeth: 24
Grind: ATB
Kerf: 0.087 in
Tooth Angle: 19°

SKU	Blade Diam	Arbor Diam
585-25130	7-1/4 in	5/8 in

BATTERIES



Lithium Batteries

Features:
- This Duracell High Power Lithium battery is designed for use in household items like cameras, electronics, and more.
- Duracell High Power Lithium batteries are designed and developed for long lasting quality performance.
- Duracell High Power Lithium batteries provide durable value because they are guaranteed for 10 years in storage.

Voltage: 3 V

SKU	Battery Type	Batt. Size
243-DL2032BPK	Lithium Cell	2032



Procell® Batteries

Features:
- AA, AAA, C and D batteries are guaranteed for 7 years in storage, 9V batteries are guaranteed for 5 years in storage.
- Recommended for scheduled battery replacement programs.

SKU	Batt. Size	Voltage
243-PC2400BKD	AAA	1.5 V
243-PC1500BKD	AA	1.5 V
243-PC1400	C	1.5 V
243-PC1300	D	1.5 V
243-PC1604BKD	9.0 V	9V



Procell® Intense Batteries

Features:
- Reliable performance.
- Excellent resistance to corrosion.
- Designed to meet all major quality, safety, and environmental standards.

Voltage: 1.5V DC

SKU	Battery Type	Batt. Size
243-PX1300	Alkaline	D

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

DURACELL



Watch/Electronic Batteries

Features:

- Duracell's Silver Oxide Button batteries provide reliable, long lasting power for your medical devices, watches, toys, electronics and more.
- Duracell Silver Oxide Button Batteries provide durable value because they are guaranteed for 4 years in storage.

Voltage: 1.5 V

SKU	Battery Type	Batt. Size
243-D303/357PK	Silver Oxide	357/303

RAYOVAC



Lithium Keyless Entry Batteries

Features:

- Reliable, affordable and long-lasting power source.
- Provide high performance at a great price, keeping your specialty devices going strong.
- Commonly used in keyless remotes, car security systems, cameras, calculators, medical devices and more.

Voltage: 3.0 V

SKU	Battery Type	Batt. Size
620-KECR2032-1G	Lithium	CR2032

Energizer



Industrial Alkaline Batteries

Features:

- Designed for industrial, professional use.
- Long-lasting power source.
- Batteries operate well in extreme conditions.
- Date-coded and 100% mercury-free.

Voltage: 1.5 V

SKU	Battery Type	Batt. Size
827-EN91	Alkaline	AA
827-EN92	Alkaline	AAA



Ultra Pro™ Alkaline Batteries

Features:

- These powerful cells make excellent power sources for a wide variety of household devices including smoke alarms, security systems, radios, and much more.

Voltage: 1.5 V

SKU	Battery Type	Batt. Size
620-ALAA-8J	Alkaline	AA
620-ALAAA-8J	Alkaline	AAA

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

FLASHLIGHTS & LANTERNS



Stylus Pro® LED Pen Lights

Features:
- Sleek design fits in your pocket.
- Use for close inspection and to illuminate tight spaces.
- IPX4 rated for water resistant operation, all openings o-ring sealed.
- One meter impact resistance tested.

Batt. Type: Alkaline
Beam Concentration (MBCP): 950 cd
Lumens: 100
Modes: On/Off
Run Time: Up to 8 h
Lamp Life: 30,000 h

SKU	No. of Batteries	Batt. Size
683-66118	2	AAA

EXTENSION & POWER CORDS



Vinyl Extension Cords

Features:
- Vinyl jackets offer great abrasion, moisture and sunlight resistance.
- Molded plugs and heavy duty strain relief prolongs the life of the cord.
- Reinforced blades prevent bending and breaking.
- Outer jacket won't mark floors or walls.

No. of Outlets: 1
Conductor Size: 12/3 AWG
Amps: 15 A

SKU	Length	Voltage
172-02588-0002	50 ft	125 V
172-2589SW0002	100 ft	125 V

COMPRESSORS, BLOW GUNS, HOSES & FITTINGS

Air Hose Fittings



King Cable® Safety Cables

Features:
- King Cable® is the low cost answer to eliminate injuries by broken air hose connections.
- Highly resistant to rust and corrosion.

Body Material: Galvanized Carbon Steel
Operating Pressure: 200 psi
Cable/Wire Size: 1/8 in

SKU
238-WB1

Blow Gun Parts & Accessories



Replacement Nozzles

Features:
- High grade aluminum construction.
- Perfect tool for cleaning and drying applications when paired with the recommeneded safety air gun model.
- Replacement nozzle for the 75LJ and U75LJ safety air guns.

Connection Type: Threaded
Length: 2-3/8 in

SKU	Body Material
335-75LJNA-1	Aluminum

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Blow Guns

GUARDAIR



Long John® Safety Air Guns

Features:
- Safety air guns are ideal for cleaning inaccessible and hard-to-reach areas.
- Use to blow off floor debris, clean masonry forms, tanks, ovens, molds and rafters, as well as machinery and storage areas.

Operating Pressure: 150 psi
Noise Level: 107 dB
Air Consumption: 34 cfm
Output: 2 lb
Inlet Size: 1/4 in (FNPT)

SKU	Extension Length	Material
335-75LJ006AA	6 in	Aluminum Extension; Zinc Alloy Nozzle
335-75LJ012AA	12 in	Aluminum Extension; Zinc Alloy Nozzle
335-75LJ018SA	18 in	Steel Extension; Alloy Nozzle
335-75LJ018AA	18 in	Aluminum Extension; Zinc Alloy Nozzle
335-75LJ024AA	24 in	Aluminum Extension; Zinc Alloy Nozzle
335-75LJ024NN	24 in	Nylon
335-75LJ036AA	36 in	Aluminum Extension; Zinc Alloy Nozzle
335-75LJ048AA	48 in	Aluminum Extension; Zinc Alloy Nozzle
335-75LJ060AA	60 in	Aluminum Extension; Zinc Alloy Nozzle
335-75LJ072SA	72 in	Steel Extension; Nozzle

FINISHING TOOLS

Pneumatic Angle Grinders

Ingersoll Rand



MAX Series Angle Grinders

Features:
- With a lightweight composite housing and ergonomic design, the Max Series Angle Grinders are easier to work with for long periods of time.
- Governed motor optimizes air consumption for the task at hand, delivering more power when you need it while increasing the life of abrasives and reducing consumable costs.

Spindle Thread: 5/8 in to 11
Power Cap.: 0.88 hp
Free Speed: 12000 RPM
Control Type: Throttle Lever
Inlet Size: 1/4 in NPTF
Hose Size: 3/8 in

SKU	Wheel Dia.
383-3445MAX	4-1/2 in

Pneumatic Die Grinders

Ingersoll Rand



300 Series Right Angle Die Grinders

Features:
- Ergonomic and lightweight.

Air Consumption: 6 CFM
Pressure: 90 psi
Hose Size: 3/8 in
Collet Size: 1/4 in; 6 mm

SKU	Power Cap.	Free Speed	Noise Level	Vibration	Length	Housing Material
383-301B	1/4 hp	21000 rpm	90 dB to 92 dB	5.9 m/s2	5.27 in	Aluminum
383-302B	0.33 hp	20000 rpm	90 dB	5.5 m/s2 +/- 1.5 m/s2	6.93 in	Composite



300 Series Straight Die Grinders

Features:
- Durable and ergonomic.
- Great for porting, weld breaking/grinding, smoothing edges, de-burring, and polishing.

Pressure: 90 psi
Hose Size: 3/8 in
Collet Size: 1/4 in; 6 mm

SKU	Power Cap.	Free Speed	Air Consumption	Noise Level	Vibration	Length	Housing Material
383-307B	1/4 hp	28000 rpm	6 CFM	83 dB	4.5 m/s2	5.19 in	Aluminum
383-308B	0.33 hp	25,000 rpm	28 CFM	92 dB	3.7 m/sec²; 1.2 m/sec²	6.85 in	Composite

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



G-Series Angle Die Grinders

Features:
- Internal contamination-free air controller helps maintain tool speed to maximize material removal rate.
- One-nut access for all motor servicing.
- Ideal for industrial-duty material removal with burs, grinding wheels and coated abrasives.

Free Speed: 20,000 rpm
Air Consumption: 25 CFM
Pressure: 90 psi
Vibration: 5.6 m/sec²
Hose Size: 3/8 in
Housing Material: Composite

SKU	Collet Size	Power Cap.
383-G1A200RG4	1/4 in	0.4 hp



MAX Series Die Grinders

Features:
- Lightweight yet durable design.
- All ball bearing construction.
- Safety release throttle.
- Ergonomic and durable composite housing.
- 0.4 hp and 20,000/25,000 RPM motor delivers the power you need for the toughest jobs.
- Enhanced grip design and low-profile throttle lever provides for extended run time without fatigue.
- Spindle lock feature on the 5102MAX allows for faster abrasive changeovers and lube free design eliminates contamination of work environment.
- All ball bearing construction.

Free Speed: 20,000 RPM
Air Consumption: 6 CFM
Pressure: 90 psi
Noise Level: 84.1 dB - 90 dB
Vibration: 3.3 m/sec²
Hose Size: 3/8 in
Length: 7.05 in
Housing Material: Composite

SKU	Collet Size	Power Cap.
383-5102MAX	1/4 in NPT(F); 6 mm	1/3 hp; 2/5 hp

Pneumatic Impact Wrenches



1 in Air Impactool™ Wrenches

Features:
- Superior balance.
- Angled down exhaust.
- Ergonomic grip.
- Variable speed trigger.

Free Speed: 5250 rpm
Air Consumption: 11 CFM
Noise Level: 109.8 dB(A)
Inlet Size: 1/2 in NPT(F)
Hose Size: 3/4 in
Control Type: Inside Trigger
Retainer Type: Square; Hog-Ring; Thru-Hole; 6 in Ext.
Handle Type: D-Handle

SKU	Drive Size	Torque
383-285B-6	1 in	1475 ft-lb



2146MAX Series Impact Wrenches

Features:
- Cold-forged twin hammer impact mechanism and motor deliver 2,000 ft-lb of Nut Busting Torque, durability, and efficiency.
- Steel hammer case stands up to drops and everyday abuse.
- Patented one-hand forward/reverse and feather-touch trigger provides maximum control.
- Pressure gauge improves productivity and prolongs product life.

Free Speed: 5500 RPM
Air Consumption: 90 psig
Noise Level: 88.8 dB A
Hose Size: 1/2 in
Retainer Type: Square
Handle Type: Pistol Grip

SKU	Drive Size	Torque
383-2146Q1MAX	3/4 in	1300 ft-lb - 2000 ft-lb

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



2850MAX Air Impact Wrenches

Features:
- Engineered to make quick work of big jobs like semi, bus and tractor tires.
- Chemical resistant housing and steel core design stand up to drops and harsh work environments.
- Highly engineered design delivers the power you need over the life of the tool.
- 360° adjustable side handle rotates fully around the tool as the job demands.
- Swivel hose connection keeps cords from getting tangled so you can move freely around the work.

Free Speed: 5500 RPM
Air Consumption: 14 L/min
Noise Level: 97.6 dB
Inlet Size: 1/2 in
Hose Size: 3/4 in
Control Type: Trigger
Retainer Type: Friction Ring; Thru-hole Retainer
Handle Type: D-Handle

SKU	Drive Size	Torque
383-2850MAX-6	1 in Square; 6 in Extended	2000 ft-lb Forward; 2100 ft-lb Reverse



3900Ti Series Impact Wrenches

Features:
- Features high-performance seven-vane reverse bias motor.
- Powerful twin-hammer mechanism.
- Variable speed lever-style throttle.
- Durable powder-coated finish.
- Comfortable ergonomic grip handle.

Noise Level: 101 dBA
Inlet Size: 1/2 in (NPT)
Hose Size: 3/4 in
Control Type: Variable Speed
Retainer Type: Through Hole
Handle Type: D-Handle

SKU	Drive Size	Torque	Cycle Rate	Free Speed	Air Consumption
383-3940B2TI	1 in	500 ft-lb - 2500 ft-lb (Forward); 2750 ft-lb (Reverse)	800 blows/min	6,000 rpm	64 cfm
383-3955B2TI	1-1/2 in	1600 ft-lb - 4700 ft-lb (Forward);5000 ft-lb (Reverse)	—	2,750 rpm	80 cfm



Angle Wrenches

Features:
- Proven quality and reliability.
- Time tested to offer power, speed, and convenient operating features to deliver consistent results.

Free Speed: 300 rpm
Air Consumption: 65 CFM
Noise Level: 82 dB(A)
Inlet Size: 1/2 in NPT(F)
Hose Size: 1/2 in
Control Type: Lever
Retainer Type: Friction Ring
Handle Type: Right Angle

SKU	Drive Size	Torque
383-9RSQ83	1/2 in	82 ft-lb



Heavy-Duty Air Impact Wrenches

Features:
- Ideal for heavy equipment maintenance and manufacturing, the 261 3/4" air impact offers a powerful vane motor and jumbo hammer mechanism for high torque output and great power-to-weight ratio.

Cycle Rate: 1000 IPM
Free Speed: 5500 rpm
Air Consumption: 9.5 CFM
Noise Level: 98.1/109.1 dBA
Inlet Size: 3/8 in (NPT)
Hose Size: 1/2 in
Control Type: Variable Speed Trigger
Retainer Type: Ring
Handle Type: Pistol

SKU	Drive Size	Torque
383-261	3/4 in	200 ft-lb - 900 ft-lb; 1100 ft-lb Reverse

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

DEMOLITION TOOLS

Pneumatic Chipping Hammers

Ingersoll Rand



Vibration Reduced Air Hammers

Features:
- Comfort anti-slip grip that reduces shock.
- Anti-vibration feature reduces tool vibration.
- Increased power.
- Quick change retainer allows for faster chisel changeovers.
- Reduced noise.

Air Consumption: 24.1 CFM

SKU
383-123MAX

AIR HOSE REELS

REELCRAFT



Heavy Duty Spring Retractable Hose Reels

Features:
- The steel guide arm and base are stamped with ribs and gussets and robotically welded to insure maximum strength and lightest possible weight.
- The full flow swivel combines the highest grade seal design and materials with bearing areas to insure maximum service life.
- Declutching arbor virtually eliminates possibility of spring damage due to reverse winding.

Hose Length: 50 ft
Height: 20-1/4 in
Width: 7 in
Length: 19-3/4 in
Outlet Size: 1/4 NPT (M)
Inlet Size: 1/2 NPT(F)

SKU	Operating Pressure	Hose ID
523-76500LP	300 psi	3/8 in

GAS CUTTING & WELDING

Outfits

BEST WELDS®



G250 Series Cutting and Welding Outfits

Features:
- Built-in flashback and check valves for safety.
- Patented high contrast gauges.
- Color-coded knobs on regulators.
- Features G250 regulator.

Welding Range: 3/8 in - 3 in
Includes: CA270-V Cutting Attachment; WH270FC-V Welding Handle; 0-3-101 Cutting Tip; 0-UM-250 Welding Nozzle; G250-150-540 Oxygen Regulator; G250-15-510 Fuel Gas Regulator; 3/16 in x 20 ft RM Hose; Goggles; Striker

SKU	Gas Type	Cutting Cap.
900-0384-2706	Acetylene; Oxygen	3/8 in to 5 in



G350 Series Cutting and Welding Outfits

Features:
- Built-in flashback and check valves for safety.
- Patented high contrast gauges.
- Color-coded knobs on regulators.
- Features G350 regulator.

Welding Range: - 3 in
Includes: CA370-V Cutting Attachment; WH370FC-V Welding Handle; 1-1-101 Cutting Tip; 2-UM-350 Welding Nozzle; G350-150-540 Oxygen Regulator; G350-15-510 Fuel Gas Regulator; 1/4 in x 25 ft RM Hose; Goggles; Striker

SKU	Gas Type	Cutting Cap.
900-0384-2704	Acetylene; Oxygen	3/8 in to 6 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Quick Connects

WESTERN ENTERPRISES



Quick Connect Sets

Features:
- Non-interchangeable oxygen and fuel gas connectors.
- Instant closure on reverse flow check valves.
- Spring-loaded locking mechanism responds to fingertip action and achieves a gas-tight connection.
- Double seal socket connection on second seal.

Material: Brass
Gas Type: Fuel Gas; Oxygen

SKU	Connection Type	Includes
312-QDB10	Torch-to-Hose	QDB11; QDB12
312-QDB20	Hose-to-Hose	QDB21; QDB22
312-QDB30	Regulator-to-Hose	QDB31; QDB32



Quick Connects

Features:
- Non-interchangeable oxygen and fuel gas connectors.
- Instant closure on reverse flow check valves.
- Spring-loaded locking mechanism responds to fingertip action and achieves a gas-tight connection.
- Double seal socket connection on second seal.
- Color-coding for gas service type provides additional safety.

Material: Brass
Gas Type: Inert Gas

SKU	Connection Type
312-QDB33	QDB300 Male Plug; QDB301 Female Socket; Regulator-to-Hose
312-QDB34	QDB302 Male Plug; QDB303 Female Socket; Regulator-to-Hose

Tips & Nozzles

BEST WELDS®



Victor® Style 1-Pc Acetylene Cutting Tips - 1-101 Series

Features:
- One-piece tip for acetylene-oxygen.
- Medium preheat for general hand and machine cutting.

Material: Copper
Gas Type: Acetylene; Oxygen
Process: General Hand or Machine Cutting
Used With: 2460; CA 1060; ST; SST; 1400C
Head Type: Cutting torch

SKU	Tip Size Symbol	Orifice
900-1-101-0	0	0.041 in
900-1-101-1	1	0.047 in
900-1-101-2	2	0.060 in
900-1-101-3	3	0.071 in
900-1-101-4	4	0.083 in

Torches & Handles

BERNZOMATIC®



Max Performance Torch Heads TS8000

Features:
- The Bernzomatic® Max Performance Torch is built with instant on/off ignition, an adjustable ultra-swirl flame and flame lock option for continuous use.
- It is pressure regulated for consistent performance when inverted, making it ideal for large diameter soldering, light brazing, woodworking and cooking.

Uses Cutting Tip: Swirl Flame
For Model: 14.1 oz MAP-Pro®; 14.1 oz and 16 oz Propane Fuel Cylinders

SKU	Length
189-361530	14 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

MIG WELDING

Mig Gun Parts & Accessories



MIG Contact Tips

Features:
- Works with Best Welds® gas diffuser or equivalent OEM MIG guns.
- Industry part number easily recognizable.

Material: Copper
Used With: Best Welds® 250/400; Tweco® No 2, 3 and 4
Overall Length: 1.5 in

SKU	Tip I.D.	Wire Size	Type
900-14-35	0.044 in	0.035 in	Standard
900-14-45	0.054 in	0.045 in	Standard
900-14H-35	0.044 in	0.035 in	Heavy Duty

Mig Guns



MIG Guns For Miller® Consumables

Features:
- Mig guns are designed for use with Miller® style front end consumables.
- Comfort grip trigger and handle for easy usage.
- Heavy duty spring strain relief.

Welding Amp @ Duty Cycle: 250 A @ 80%; 280 A @ 60%
Wire Size: 0.030 in - 0.035 in
Cable Length: 15 ft

SKU	Gas Type	Cooling Method
900-250M153035M	Argon/CO2	Air



MIG Guns For Tweco® Consumables

Features:
- Designed to use Tweco® style front end consumables.
- Comfort grip trigger and handle.
- Heavy duty spring strain relief.

Welding Amp @ Duty Cycle: 250 A @ 80%; 280 A @ 60%
Wire Size: 0.030 in - 0.035 in
Cable Length: 15 ft

SKU	Gas Type	Cooling Method
900-250153035M	Argon/CO2	Air

MANUAL WELDING

Electrode Holders



Electrode Holders - High Tong Type

Features:
- Lever designed for better hand clearance and better hold.
- Made from high quality materials for both high conductivity and improved cable connections.
- Ergonomically designed heavy-duty shock-proof nylon handle.

Body Material: Brass

SKU	Amps	Electrode Cap.	Cable Cap.	Length
900-A-532	200 A	3.2 mm	#3	8.46 in
900-A-316	250 A	4 mm	1/0	9.25 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

MIG Welding Wires



ER70S-6 MIG Premium Welding Wires

Features:

- Mild steel welding wire that contains high levels of manganese and silicon which produces high quality welds when used on dirty, oily or rusty steel.
- The high silicon content increases the fluidity of the weld pool, creating a smoother bead appearance resulting in minimal post-weld grinding.
- Engineered to provide porosity-free, x-ray quality welds at the highest tensile strength of all the plain carbon steel wires.

Material: Carbon Steel
Tensile Strength: 85,000 psi
Dia.: 0.035 in

SKU	Wt.
900-70S6035X33S	33 lb
900-70S6035X44S	44 lb



ER70S-6 MIG Welding Wires

Features:

- High quality welds when used on dirty, oily, or rusty steel.
- Creates a smooth bead appearance resulting in minimal post-weld grinding.
- Provides porosity free, x-ray quality weld.

Material: Carbon Steel
Tensile Strength: 550 MPa

SKU	Dia.	Wt.
900-70S6035X33-BOX	0.035 in	33 lb

TIG Welding Wires



ER308L TIG Welding Rods

Features:

- Used for welding types 304, 304L, 308 and 308L stainless steels.
- Very similar to type 308 but has a carbon content held to a max of 0.03% to avoid carbide precipitation.

Material: Stainless Steel
Tensile Strength: 84 kpsi
Wt.: 10 lb

SKU	Dia.
900-308L116X36x10	1/16 in
900-308L18X36x10	1/8 in
900-308L332x36x10	3/32 in



ER316L TIG Welding Rods

Features:

- Used for welding types 316 and 316L stainless steels.
- Maximum carbon content of 0.03% to reduce the possibility of formation of intergranular carbide precipitation.
- Primarily used for welding low carbon molybdenum bearing austenitic alloys.

Material: Stainless Steel
Tensile Strength: 55 ksi

SKU	Dia.	Wt.
900-316L18X36x10	1/8 in	10 lb
900-316L332X36x10	3/32 in	10 lb
900-316L532x36x10	5/32 in	10 lb

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Welding Stick Electrodes



Mild Steel Electrodes

Features:
- Excellent arc starting and stability.
- For best performance, store in rod oven at recommended temperature.

Material: Carbon Steel
Length: 14 in
Type: E7018

SKU	Dia.	Wt.
900-7018-18X5	1/8 in	5 lb
900-7018-18X50	1/8 in	50 lb
900-7018-332X5	3/32 in	5 lb
900-7018-332X50	3/32 in	50 lb

Welding/Brazing Alloys & Fluxes



E71T-GS Flux Cored Welding Wires

Features:
- All position, single pass, flux cored welding wire designed to weld carbon steel.
- Shielding gas is not required.
- Produces smooth arc action, low spatter, full slag coverage, and easy slag removal.

Material: E71T-GS Alloy
Tensile Strength: 70,000 psi

SKU	Dia.	Wt.
900-71TGS030X2	0.030 in	2 lb
900-71TGS035X2	0.035 in	2 lb
900-71TGS035X10	0.035 in	10 lb

WELDING & CUTTING ACCESSORIES

Anti-Spatter & Chemicals



Lube Pads

Features:
- Eliminates erratic wire feed caused by dust particles of flashing being trapped inside conduit lines.
- Contains no solvents, abrasives, carbon, sulfur, nitrogen, moly disulphide or silicon.
- Non-flammable, non-toxic.

SKU
905-LUBE-PAD-6PK-TREATED



Nozzle Dip Gels

Features:
- Prevents spatter build up on nozzles and tips.
- Odorless—no unpleasant or harmful odors.

Chemical Compound: Petroleum Jelly
Physical Form: Gel

SKU	Capacity Vol.
905-NOZZLE-DIP	16 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Plant-Oil Based Anti-Spatter

Features:
- Plant-oil based formulation dissolved in a liquified gas propellant
- Does not contain any silicone materials or chlorinated solvents
- Coating is heat resistant for high temperature applications
- Provides a uniform coating that prevents spatter build up on MIG nozzles, tips, fixtures, and materials during welding applications
- Non-toxic, non-irritating, and readily biodegradable.

Physical Form: Liquid

SKU	Capacity Vol.
905-BW-QP160Z	16 oz



Magnetic Centering Heads with Vial

Features:
- One piece Y-shaped body design with magnetic legs.
- Built-in dial with 2-1/2° increments that turns 360°.
- Hardened center punch marks set position by taping with a hammer.
- Used to establish and mark a centerline at any angle around circumference on a pipe or tank or as a protractor level.
- Keep magnets away from sensitive electronic devices.

Head Type: Y-Shaped

SKU	Pipe Cap.
496-53025-M	1 in - 16 in

Centering Heads



Centering Heads

Features:
- Aids in setting of center lines, establishing angles and marks for butt-ins, location points inside pipes and tanks, laying out keyways, and measuring declivity.
- The Y-type head is fitted with an adjustable dial bubble protractor (DSL).
- Use a tapping hammer to operate the hardened centering pin.

Head Type: Y-Type

Type: #6 Standard Centering Head; DSL

SKU	Pipe Cap.	Head Width
430-14775	1/2 in - 4 in	4 in

Cutting & Burning Guides



Rap-Around Pipe Templates

Features:
- Has a tough edge to protect from fraying and splitting which extends the life of the product.
- Clear vinyl container for protection in between jobs.

SKU	Size Group	Width	Length	Pipe Capacity
900-RA150	Small	2-1/2 in	2 ft	1 in - 3 in
900-RA160	Large	4 in	4 ft	3 in - 6 in
900-RA170	Large	4 in	6 ft	3 in - 10 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

CURV-O-MARK®



Wrap-A-Round® Rulers

Features:
- Feature metric scale and pitch chart.
- Resists heat and cold.

Length: 6 ft
Resistance: Cold; Heat
Pipe Capacity: 3 in - 10 in

SKU	Size Group	Width
430-14753	Large	3.88 in

Cylinder & Caps

BERNZOMATIC®



Disposable Butane Cylinders

Features:
- Ideal for light or detailed soldering.
- For use with BernzOmatic® Micro Torches.

Capacity Vol.: 5.6 oz

SKU	Gas Type	Model
870-426329	Butane	BF56

WORTHINGTON CYLINDERS
A Worthington Industries Company



MAP-Pro™ Hand Torch Cylinders

Features:
- Ideal for medium to heavy soldering and brazing.
- Flame temperature in air is 3600 degrees F.

SKU	Gas Type	Model
870-332477	MAP-Pro™	MG9

WORTHINGTON CYLINDERS
A Worthington Industries Company



TX 9 Propane Cylinders

Features:
- Ideal for general soldering.
- Flame temperature in air is 3450 degrees F.

Capacity Vol.: 14.1 oz

SKU	Gas Type
870-304182	Propane

Cylinder Pliers & Wrenches

BEST WELDS®



Box Tank Wrenches

Features:
- Heavy-duty forged steel box tank wrench.
- Designed for B & MC acetylene valves.

Material: Steel

SKU	Opening Size	Length
900-00W5	3/16 in	3-1/8 in

Dry Rod Ovens

BEST WELDS®



Electrode Ovens

Features:
- Includes external thermostat control.
- Each oven is tested and heated to rated temperature before shipping.

Voltage: 110 V
Digital Thermometer: No

SKU	Capacity Wt.	Watts
900-BW-ELECTRODE-OVEN-ET	10 lb	80 W
900-20LB-ELECTRODE-OVEN	20 lb	220 V
900-50LB-ELECTRODE-OVEN	50 lb	220 V

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Ground Clamps



Ground Clamps

Features:
- Contoured handle lever for easy jaw opening.
- Large contact area assures positive grounding.
- Conductor body holds the cable securely.

Jaw Opening: 2 in
Throat Depth: 3.86 in

SKU	Amps	Cable Cap.
900-TGC-300	300 A	3/0



Steel Ground Clamps

Features:
- Galvanized steel plated.
- Large hex screw cable connection assures safe cable connection every time.
- Pure copper braided shunts allows both jaws to carry welding current.

Jaw Opening: 2 in
Throat Depth: 6.2 in

SKU	Amps	Cable Cap.
900-EG-500	500 A	3/0

Rod Holders



Rod Storage Tubes

Features:
- 1/8-inch nominal wall thickness for superior strength and durability.
- Neoprene seal keeps your rods air and water tight.
- Made of high impact polyethylene.

Capacity Wt.: 10 lb

SKU	Length	Color
900-BW14-BLU	14 in	Blue
900-BW14-BLA	14 in	Black
900-BW14-RED	14 in	Red
900-BW36-BLU	36 in	Blue
900-BW36-BLA	36 in	Black
900-BW36-RED	36 in	Red

Spark Lighter & Flints



SL-3F Spark Lighters

Features:
- Triple flint lighter.
- Consistent, reliable sparking.

SKU
900-SL-3F




SL-E Spark Lighters

Features:
- Single flint lighter.
- Consistent, reliable sparking.

SKU
900-SL-E

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Flints

Features:

- Economically priced and designed for any of the Shurlite® family of flint lighters.
- Guaranteed to fit perfectly on Shurlite® lighters.
- Guaranteed to remain seated in the flint holder.
- Larger size for longer life.

SKU
322-5012X




Shurlite® Spark Lighters

Features:

- Strong frame and rugged design.

SKU	Quantity
322-4501	1 Lighter per Box
322-3001	10 Lighters per Box

Tip Cleaners



Tip Cleaner Sets

Features:

- Constructed of stainless steel.
- Rust-proof.
- Tapered ends for easy cleaning.

Dia.: 0.014 in; 0.018 in; 0.021 in; 0.024 in; 0.028 in; 0.032 in; 0.035 in; 0.037 in; 0.039 in; 0.042 in; 0.048 in; 0.055 in; 0.062 in
Length: 8 cm
Size Group: #6 to #26

SKU	Material	Includes
900-STC	Aluminum Lower Body; Stainless Steel Upper Body; Steel Cleaner	(13) Cleaners; Alumnum Lower/ Stainless Steel Upper Case; File



Tip Cleaner Sets


Features:

- Uniform ridges wipe and polish the orifice wall.
- Tapered ends allows smooth easy entry without scratching.
- Attractive aluminum case with a contained spool assembly.
- Smooth leader pilot.
- Tangle-free closed loops.

Dia.: 0.014 in; 0.018 in; 0.021 in; 0.024 in; 0.028 in; 0.032 in; 0.035 in; 0.037 in; 0.039 in; 0.042 in; 0.048 in; 0.055 in; 0.062 in
Size Group: 6 to 26
Used With: Welding Tips

SKU	Material	Includes
326-STANDARD	Stainless Steel	(13) Cleaners; Case; File

Welding Blankets, Curtains, & Rolls



Curtain Frames

Features:

- Freestanding, portable curtain frame is easy to assemble and can be used individually or in multiple units to form various configurations.
- Providing sturdiness and strength, square steel tubing and bolted bracket system prevent slipping and twisting.
- Combined with Best Welds safety fabrics, curtain frames provide protection for welding areas, machine shops, grinding and other safety applications.
- Quick assembly design.

Material: Steel
Color: Black
Includes: 1 in Square Steel Tubing; Bolted Brackets; 24 in Platform T Legs

SKU	Length	Width
902-CURTAIN-FRAME	6 ft	6 ft

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Roll Goods

Features:
- Protects against light sparks and spatter.
- Grommeted and hemmed with fiberglass thread.
- Designed for use in areas where a fabric with high heat resistance is required.

Material: Fiberglass

SKU	Length	Width	Color
902-RG-2523RA-40	50 yd	40 in	Red
902-RG-2025-60	50 yd	60 in	Tan




Welding Blankets

Features:
- Protects against light sparks and spatter.
- Grommeted and hemmed with high temperature thread.
- Designed for use in areas where a fabric with high heat resistance is required.

Material: Fiberglass

SKU	Length	Width	Color
902-2025-18-6x6	6 ft	6 ft	White
902-AC2300-24-6X6	6 ft	6 ft	Yellow
902-2025-18-6x8	6 ft	8 ft	Tan
902-AC2300-24-6X8	6 ft	8 ft	Yellow
902-AC2300-24-10X10	10 ft	10 ft	Yellow



Welding Curtains

Features:
- Heavy duty PVC designed to filter far/near UV radiation and blue light.
- Transparent curtains providing UV and blue light protection when visibility is necessary.
- Curtains are grommeted across top and in each corner.
- Hemmed with high temperature thread.

Material: PVC

SKU	Length	Width	Color
902-CURTAIN-6X6-ORG	6 ft	6 ft	Orange
902-CURTAIN-6X8-ORG	8 ft	6 ft	Orange
902-CURTAIN-6X8-GRN	8 ft	6 ft	Green

Welding Cables & Power Cables



Welding Cables

Features:
- Custom lengths available.
- Custom assemblies available.
- Resistant to oil, chemicals, and solvents.


Jacket Material: EPDM
Number of Conductors: 1
Voltage: 600 V
Insulation: EPDM
Conductor Material: Stranded Copper

SKU	Cable/Wire Description	Temp Range	Insulation Thickness
911-1-250	1 AWG x 250 ft	-50° C (-58° F) - 105° C (221° F)	0.06 in
911-1/0-250	1/0 AWG x 250 ft	-50° C (-58° F) - 105° C (221° F)	0.08 in
911-1/0-500	1/0 AWG x 500 ft	-50° C (-58° F) - 105° C (221° F)	0.08 in
911-2-250	2 AWG x 250 ft	-50° C (-58° F) - 105° C (221° F)	0.06 in
911-2-500-RED	2 AWG x 500 ft	-50° C(-58° F) - 105° C (221° F)	0.06 in
911-2/0-250	2/0 AWG x 250 ft	-50° C (-58° F) - 105° C (221° F)	0.08 in
911-2/0-500	2/0 AWG x 500 ft	-50° C (-58° F) - 105° C (221° F)	0.08 in
911-4-500-RED	4 AWG x 500 ft	-50° C (-58° F) - 105° C (221° F)	0.06 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Welding Clamps, Spreaders & Holders



Multi-Purpose Magnetic Holders

Features:

- Enables fast and accurate holding of any ferrous object.
- Can be utilized as double-sided holder for welding and assembly work.
- Will hold sheets or tubes at 45°, 90° and 135° angles.
- Compact design allows use in tight places.

SKU	Capacity Wt.	Length	Width	Height
900-M-061	45 lb	4-7/10 in	3-2/5 in	14/50 in
900-M-063	80 lb	6.3 in	4 in	0.63 in
900-M-065	95 lb	9 in	5 in	0.88 in

Welding Hose & Compressed Gas Fittings



Hose Repair Kits

Features:

- Hose repair kits come in convenient durable, plastic case with full color label and description chart.

Size: B-Size

SKU	Hose I.D.
312-CK-26	1/4 in
312-CK-5	3/16 in; 1/4 in Plain 5111

Welding Hoses



Grade R Single-Line Welding Hoses

Features:

- High quality Grade R single-line welding hoses.
- Grade R welding hoses are designed for carrying acetylene or oxygen to welding equipment.
- Green hose carries oxygen to welding equipment.
- Red hose carries acetylene.
- Hose cover resists oils.

Hose I.D.: 1/4 in
Length: 800 ft
Gas Type: Oxygen

SKU	Grade	Pressure
907-1/4X1-GRN-RL	R	200 psi



Grade R Twin-Line Welding Hoses

Features:

- High quality Grade R twin-line welding hoses.
- Green hose carries oxygen to welding equipment.
- Red hose carries acetylene.
- Hose cover resists oils.

Hose I.D.: 1/4 in
Gas Type: Acetylene Only

SKU	Grade	Pressure	Length
907-LB254	R	200 psi	25 ft
907-LB504	R	200 psi	50 ft
907-LB1004	R	200 psi	100 ft

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Grade T Twin-Line Welding Hoses

Features:
- High quality Grade T twin-line welding hoses.
- Green hose carries oxygen to welding equipment.
- Red hose carries fuel gases.
- Hose cover resists flames and oils.

Hose I.D.: 1/4 in
Gas Type: Fuel Gases; Oxygen

SKU	Grade	Pressure	Length
907-T254	T	200 psi	25 ft
907-T504	T	200 psi	50 ft
907-T1004	T	200 psi	100 ft

SOLDERING & BRAZING

Soldering/Brazing Torches



High Heat Torch TS4000

Features:
- Work faster and more efficiently with maximum heat.
- Ideal for job site projects including large soldering, brazing, heat treating and light welding.
- Large, optimized swirl flame provides maximum heat output.
- Pressure regulated for consistent performance when tilted or momentarily inverted.
- Run-lock button keeps the torch lit for continuous use.

SKU	Gas Type	Body Material
189-361524	MAPP® (Methyl Acetylene-Propadiene)	Cast Aluminum



Trigger Start Micro Torches

Features:
- Micro flame butane torch for light, detailed work.
- Trigger start for ease of use.
- Refillable for convenience.

SKU	Gas Type
189-ST2200T	Butane

TORCH & WEED BURNERS



Hotspotter All Purpose Propane Torches

Features:
- Flame tools are for exterior maintenance and repair.
- Hotspotter is an all-purpose propane torch that delivers at full cylinder pressure with no smoke and no fumes.
- Ergonomic handle with adjustable trigger.
- Hooks up to standard 20-pound propane tank.

Gas Type: Propane
Handle Length: 31 in
Hose Length: 10 ft

SKU	Output Power
312-WB-101	500000 Btu

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

ARC GOUGING

Arc Gouging Electrodes



DC Copperclad Gouging Electrodes

Features:
- Full synthetic graphite.
- Superb arc starting and stability.

Length: 12 in
Coating: Copper
Model Type: Pointed

SKU	Amps	Dia.
900-22-033-003X	200 A - 250 A	3/16 in
900-22-043-003X	300 A - 400 A	1/4 in
900-22-053-003X	350 A - 450 A	5/16 in
900-22-063-003X	450 A - 600 A	3/8 in

Arc Gouging Torches & Cables



Arc Gouging Torches With Cables

Features:
- Sturdy gouging torch with cable is made with durable construction.
- Fully interchangeable with other gouging torch brands.
- Heavy duty construction, yet lightweight for everyday usage.

Cable Length: 7 ft

SKU
900-GT61-082-008

COATED ABRASIVES

Coated Disc Abrasives



3M™ Cubitron™ II Fibre Discs 982C

Features:
- Sturdy fibre discs employ precision ceramic grain and last up to twice as long.
- Discs run cool and wear evenly.
- Can be run wet or dry.

Grit: 36+
Abrasive Material: Precision Shaped Ceramic

SKU	Dia.	Arbor Diam.	Speed	Mounting
405-051141-27400	4-1/2 in	7/8 in	13,300 RPM	Center Hole
405-051141-27401	5 in	7/8 in	12,000 RPM	Center Hole
405-051141-27402	7 in	7/8 in	8,600 RPM	Center Hole
405-051141-27404	5 in	—	12,000 RPM	TN Quick Change



Resin Fiber Discs

Features:
- Ideal for blending, finishing and surface preparation.
- Rigid yet flexible backing for the most demanding applications.
- Electrostatically distributed grains for the most consistent grain application.

Abrasive Material: Aluminum Oxide
Mounting: Arbor Hole

SKU	Dia.	Arbor Diam.	Grit	Speed
102-45A60	4-1/2 in	5/8 in	60	12,000 RPM
102-5A24	5 in	7/8 in	24	10,000 RPM
102-45A36	4-1/2 in	7/8 in	36	11,000 RPM

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Coated Flap Disc Abrasives



3M™ Cubitron™ II Flap Discs 967A

Features:
- Precision shaped abrasive grain for fast cut and long life.
- Versatile, all purpose polycotton backing works great for common metalworking applications.

Abrasive Material: Precision Shaped Ceramic
Tool Shape: T27

SKU	Dia.	Grit	Arbor Diameter	Speed
405-051141-55602	4-1/2 in	40+	5/8 in	13,300 RPM
405-051141-55603	4-1/2 in	60+	5/8 in	13,300 RPM
405-051141-55604	4-1/2 in	80+	5/8 in	13,300 RPM
405-051141-55605	4-1/2 in	40+	7/8 in	13,300 RPM
405-051141-55606	4-1/2 in	60+	7/8 in	13,300 RPM
405-051141-55607	4-1/2 in	80+	7/8 in	13,300 RPM
405-051141-55609	7 in	60+	5/8 in	8,600 RPM



3M™ Flap Discs 769F

Features:
- Delivers long-lasting high performance and versatility at a value price.
- Contains 3M™ Precision-Shaped Grain, which cuts faster and lasts longer than conventional abrasive grain.
- Proven to outperform traditional alumina zirconia flap discs

Arbor Diameter: 7/8 in
Speed: 13,300 RPM
Abrasive Material: Precision Shaped Ceramic

SKU	Dia.	Grit	Tool Shape
405-638060-05903	4-1/2 in	40+	T27
405-638060-05904	4-1/2 in	60+	T27
405-038060-05905	4-1/2 in	80+	T27
405-638060-05906	4-1/2 in	40+	T29



Tiger® Big Cat® High Density Flap Discs

Features:
- A thicker disc with larger flaps which conforms to curved and irregular surfaces while producing a consistent finish.
- 30 to 40 percent longer life than standard flap discs.
- Ideal for a working angle less than 15 degrees.

Speed: 12,000 RPM
Dia.: 4-1/2 in
Abrasive Material: Zirconia Alumina
Tool Shape: Type 27

SKU	Grit	Arbor Diameter
804-50803	40	7/8 in
804-50808	40	5/8 - 11 in
804-50804	60	7/8 in
804-50809	60	5/8 - 11 in
804-50805	80	7/8 in
804-50810	80	5/8 - 11 in



Vortec Pro® Abrasive Flap Discs

Features:
- High cut rate and smooth grinding action.
- Phenolic backing prevents disc from scratching the workpiece and offers durability and reinforcement.

Dia.: 4-1/2 in
Abrasive Material: Zirconium
Speed: 13,000 RPM
Tool Shape: Type 29

SKU	Grit	Arbor Diameter
804-31343	36	7/8 in
804-31349	36	5/8 - 11 in
804-31344	40	7/8 in
804-31350	40	5/8 - 11 in
804-31345	60	7/8 in
804-31351	60	5/8 - 11 in
804-31346	80	7/8 in
804-31352	80	5/8 - 11 in
804-31347	120	7/8 in
804-31353	120	5/8 - 11 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Resin Bonded Abrasives



3M™ Cubitron™ 3 Cut-Off Wheels

Features:

- Specialized functionality creates perpendicular cuts using the outer edge of the wheel, making it ideal for cutting through metal.
- Powered by 3M Re-Engineered Precision Shaped Grain.
- Designed with sharp, angular structures that continuously fracture to form sharp points to wear evenly, run cool, and optimize mineral breakdown.

SKU	Dia.	Thickness	Arbor Size	Grit	Speed
Tool Shape: T27					
405-638060-90041	4-1/2 in	0.045 in	7/8 in	36+	13,300 RPM
405-638060-90042	4-1/2 in	0.09 in	5/8 in	36+	13,300 RPM
405-638060-90040	4-1/2 in	0.045 in	5/8 in	36+	13,300 RPM
405-638060-90044	4-1/2 in	0.125 in	7/8 in	36+	13,300 RPM
405-638060-90046	5 in	0.09 in	7/8 in	36+	12,250 RPM
405-638060-90048	6 in	0.045 in	7/8 in	60+	10,200 RPM
405-638060-90047	6 in	0.045 in	5/8 in	60+	10,200 RPM
Tool Shape: T1					
405-638060-90036	4-1/2 in	0.045 in	7/8 in	36+	13,300 RPM
405-638060-90037	5 in	0.045 in	7/8 in	36+	12,250 RPM
405-638060-90038	6 in	0.045 in	7/8 in	60+	10,200 RPM



3M™ Cubitron™ 3 Depressed Center Grinding Wheels

Features:

- Specially formulated for use on stainless steel, mild steel, and aerospace alloys.
- Designed with sharp, angular structures that continuously fracture to form sharp points to wear evenly, run cool, and optimize mineral breakdown.

Thickness: 1/4 in
Grit: 36+
Tool Shape: T27

SKU	Dia.	Arbor Size	Speed
405-638060-90001	4 in	3/8 in	15,300 RPM
405-638060-90002	4-1/2 in	5/8 in	13,300 RPM
405-638060-90003	4-1/2 in	7/8 in	13,300 RPM
405-638060-90004	5 in	5/8 in	12,250 RPM
405-638060-90007	5 in	7/8 in	12,250 RPM
405-638060-90006	6 in	5/8 in	10,200 RPM
405-638060-90005	6 in	7/8 in	10,200 RPM
405-638060-90009	7 in	5/8 in	8,500 RPM
405-638060-90008	7 in	7/8 in	8,500 RPM



Cutting Wheels

Features:

- Improved formulation increases life and performance by 30%.
- Delivers a fast cut rate and consistent performance at a good value.
- Suitable for all steel and ferrous metals.

Tool Shape: T1

SKU	Dia.	Thickness	Arbor Size	Grit	Speed
903-1RC4578	4-1/2 in	0.045 in	7/8 in	60	13,300 RPM
903-1RC678	6 in	0.045 in	7/8 in	60	10,200 RPM
903-14321	14 in	3/32 in	1 in	36	4,400 RPM

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Depressed Center Grinding Wheels

Features:
- Improved formulation increases life and performance by 30%.
- Delivers a fast grinding rate and consistent performance at a good value.
- Suitable for all steel and ferrous metals.

Thickness: 1/4 in
Grit: 24
Speed: 13,300 RPM

SKU	Tool Shape	Dia.	Arbor Size
903-4121478	Type 28	4-1/2 in	7/8 in
903-41247T	Depressed Center	4-1/2 in	5/8 in-11



Flexible Depressed Center Wheels

Features:
- Aluminum oxide grain - effective for all steel and ferrous metals.
- Flexible for light stock removal, blending, finishing, and polishing.
- Consistent performance at competitive price.

Thickness: 1/8 in

SKU	Dia.	Arbor Size	Grit	Speed
903-45A27M	4-1/2 in	7/8 in	30	13,300 RPM
903-45A27MT	4-1/2 in	5/8 in-11	46	13,300 RPM
903-7A27M	7 in	5/8 in-11	46	8,600 RPM



High Performance™ Cutting Wheels

Features:
- Make fast cuts with a thin wheel design and high-grain concentration.
- Built with two sheets of fiberglass for optimized strength to help to reduce breakage.
- Efficiently cut a wide range of metals including carbon steel, stainless, and nickel-based alloys.

Thickness: 0.045 in
Grit: 60

SKU	Tool Shape	Dia.	Arbor Size	Speed
115-DW8062	T1	4-1/2 in	7/8 in	13,300 RPM
115-DW8063	T1	5 in	7/8 in	12,200 RPM
115-DW8065	T1	7 in	7/8 in	8,700 RPM
115-DW8424	T27	4-1/2 in	7/8 in	13,300 RPM
115-DW8424H	T27	4-1/2 in	5/8 in	13,300 RPM
115-DW8426	T27	6 in	7/8 in	10,200 RPM



Type 27 Grinding Wheels

Features:
- Crafted from high-performance aluminum oxide grain for durability and optimal material removal.
- High grain concentration for aggressive grinding action and smoother running wheels.
- Three full sheets of resin bonded fiberglass for durability and safety.

Thickness: 1/4 in
Grit: 24
Speed: 13,300 RPM
Tool Shape: T27

SKU	Dia.	Arbor Size
115-DW4523	4-1/2 in	5/8 in
115-DW4514	4-1/2 in	7/8 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Original Slicer® Cutting Wheels

Features:
- Designed with two full layers of high strength fiberglass for safety.
- Burr-free, cool cutting.

Arbor Size: 7/8 in
Grit: 60

SKU	Tool Shape	Dia.	Thickness	Speed
469-655331000	T1	4-1/2 in	0.045 in	15,000 RPM
469-655339000	T1	6 in	0.040 in	10,200 RPM
469-55346	T27	4-1/2 in	0.045 in	13,300 RPM
469-55347	T27	6 in	0.045 in	10,200 RPM



Slicer Plus® High Performance Cutting Wheels

Features:
- Specially engineered with coated aluminum oxide proprietary bond for the toughest applications.
- Designed for delivering thicker sectional cuts in steel, stainless steel, heavy rebar and harder metals.
- Suitable for use on heavy wall pipe and angle iron.

Thickness: 0.045 in
Arbor Size: 7/8 in
Grit: 60

SKU	Tool Shape	Dia.	Speed
469-65597000	T1	4-1/2 in	15,000 RPM
469-655998000	T1	6 in	10,200 RPM



Tiger® AO Cutting Wheels

Features:
- Strong resin bond delivers a long cutting life that keeps professionals on the job longer.
- Dual fiberglass reinforcement provides added strength for aggressive cutting.
- Smooth outer layer reduces friction for effortless cutting action and less kickback during operation

Grit: 60

SKU	Dia.	Thickness	Arbor Size	Speed
Tool Shape: T1				
804-57020	4-1/2 in	0.045 in	7/8 in	13,300 RPM
804-57021	5 in	0.045 in	7/8 in	12,200 RPM
804-57023	7 in	0.060 in	7/8 in	8,600 RPM
Tool Shape: T27				
804-57041	4-1/2 in	0.045 in	7/8 in	13,300 RPM
804-57040	4-1/2 in	0.045 in	5/8 in	13,300 RPM
804-57042	5 in	0.045 in	5/8 in-11	12,200 RPM
804-57043	5 in	0.045 in	7/8 in	12,200 RPM
804-57044	6 in	0.045 in	5/8 in	10,200 RPM
804-57045	6 in	0.045 in	7/8 in	10,200 RPM

NON WOVEN ABRASIVES

Non Woven Disc Abrasives



Scotch-Brite™ Roloc™ Surface-Conditioning Discs

Features:
- Tough non-woven disc aggressively deburrs and finishes.
- Open-web construction resists loading and runs cool.
- Conforms well to help preserve irregular or contoured surfaces.

Roughness Grade: Medium
Abrasive Material: Aluminum Oxide
Mounting: Roloc™ TR


SKU	Speed	Dia.
405-048011-05527	25,000 rpm	2 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Non Woven Pad Abrasives

Scotch-Brite™



Scotch-Brite™ General Purpose Scouring Pad

Features:
- Use for everyday cleaning of most cooking utensils and equipment.
- Scours 2 to 3 times faster and lasts 2 to 3 times longer than comparable pads.
- Non-rusting and resilient, this synthetic pad is an ideal replacement for steel wool or stainless steel scrubbers.

Abrasive Material: Synthetic Fiber
Thickness: 5/8 in

SKU	Roughness Grade
489-082931	Medium Duty



Scotch-Brite™ Hand Pads

Features:
- Hand pads are a great alternative to steel wool, similar performance without the shredding, rusting, or splintering.
- May be used by hand, with a hand pad block, or on an in-line sander.
- Available in a variety of grades, including aluminum oxide, nepheline syenite, or silicon carbide abrasive materials.

Abrasive Material: Aluminum Oxide

SKU	Roughness Grade
405-048011-04029	Very Fine
405-048011-65055	Medium

WIRE BRUSH ABRASIVES

Cup Brushes

ANCHOR BRAND



Knot Cup Brushes

Features:
- Provides flexible brushing action and cost-effective performance in general purpose cleaning applications.
- Quickly completes rough surface-prep and debris-removal tasks.
- Features a threaded nut, making for smooth, efficient operation on angle grinders.

Wire Size: 0.02 in
Arbor Size: 5/8 in - 11
Wire Material: Carbon Steel

SKU	Dia.	Trim Length
102-3KC58	3 in	1 in
102-4KC58	4 in	1-1/4 in

WEILER



Single Row Heavy-Duty Knot Wire Cup Brushes

Features:
- Knot wire cup brush provides heavy-duty, aggressive brushing action.
- Best suited for demanding cleaning applications on flat surfaces.
- Ideal tool for removing surface rust and light corrosion from bevel ends prior to welding.

Wire Size: 0.02 in
Arbor Size: 5/8 in - 11 UNC
Wire Material: Steel

SKU	Dia.	Trim Length
804-13286	2 3/4 in	1 in

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

End Brushes



Crimped Wire Solid End Brushes

Features:
- Light-duty cleaning in corners and hard to reach areas.
- Solid End Construction.
- Very flexible brushing action.

Wire Size: 0.006 in
Trim Length: 1 in
Speed: 22,000 RPM
Stem Diam: 1/4 in
Wire Material: Stainless Steel

SKU	Dia.	Trim Length
804-10021	1 in	1 in



Knot Wire End Brushes

Features:
- Hollow-end wire brush.
- Rugged knot-type construction provides aggressive, high-impact action for severe applications.
- Ideal for cleaning in recessed areas.

Brush Dia.: 1-1/8 in
Trim Length: 7/8 in
Speed: 22,000 RPM
Stem Diam: 1/4 in
Wire Material: Steel

SKU	Wire Size	Trim Length
804-10027	0.014 in	7/8 in
804-10028	0.020 in	7/8 in

Scratch Brushes



Hand Scratch Brushes

Features:
- Heavy-duty industrial brushes.
- Wire fill and length is unsurpassed.
- Durable wood handle.

Block Material: Wood

SKU	Handle Type	Bristle Material	Bristle Rows
102-387	Shoe	Carbon Steel	4 X 16
102-387SS	Shoe	Stainless Steel	4 X 16
102-388	Curved	Carbon Steel	3 X 19
102-388SS	Curved	Stainless Steel	3 X 19



Utility Brushes

Features:
- Abrasive metal brush removes corrosion, oxidation.
- Narrow bristle configuration is ideal for cleaning tight spaces.
- Rust-resistant.

Bristle Material: Stainless Steel
Block Material: Wood
Block Width: 1/2 in
Bristle Rows: 3 X 7

SKU	Handle Type
102-30SS	Curved



Small Hand Scratch Brushes

Features:
- For general cleaning in the plating, metal finishing, aircraft and missile industries.
- Also used with inert arc aluminum welding.

Bristle Material: Stainless Steel
Block Width: 1/2 in
Trim Length: 1/2 in
Overall Length: 7-1/2 in
Bristle Rows: 3 X 7

SKU	Handle Type	Handle Material	Block Material
804-44075	Curved	Plastic	Plastic
804-44167	Curved	Wood	Wood

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

Wheel Brushes



Knot Wheel Brushes

Features:
- Heavy-duty brushing action with some flexibility.
- Ideal for demanding cleaning applications on somewhat irregular surfaces.

Dia.: 4 in
Arbor Diam: 5/8 in - 11
No. of Knots: 20
Face Width: 5/8 in
Arbor Thread: 5/8 in - 11

SKU	Bristle Material	Bristle Diam
102-4K58	Carbon Steel	0.014 in
102-4K58S	Stainless Steel	0.014 in



Stringer Bead Wheel Brushes

Features:
- Very narrow face design primarily for weld cleaning and to access hard-to-reach areas.

Arbor Diam: 5/8 in - 11
Arbor Thread: 5/8 in - 11
Bristle Dia.: 0.02 in

SKU	Bristle Material	Dia.	No. of Knots	Face Width
102-4S58	Carbon Steel	4 in	30	3/16 in
102-4S58S	Stainless Steel	4 in	30	1/4 in
102-6S58	Carbon Steel	6 in	48	1/4 in



Roughneck® Max Stringer Bead Wheels

Features:
- Improved feel and comfort makes brush operation effortless.
- Stronger, sharper wire delivers consistency and performance you can count on.

Dia.: 4 in
Arbor Diam: 5/8 in
No. of Knots: 32
Face Width: 3/16 in
Arbor Thread: 11 UNC

SKU	Bristle Material	Bristle Diam
804-13131	Steel	0.020 in

COCO MATS



Heavy-Duty Coco Mats

Features:
- Tough absorbent fibers hold up under any type of foot traffic.
- Mildew resistant.

Height: 1-1/2 in
Material: Densely Woven Fibers

SKU	Length	Width
103-AB-GDN-5	36 in	22 in

BRUSHING & SWEEPING PRODUCTS

Brushes & Brooms



Warehouse Brooms

Features:
- Ideal for heavy-duty sweeping tasks.
- Reliable broom corn bristles are sturdy, yet flexible.

Handle Length: 42 in
Bristle Length: 20 in

SKU	Bristle Material
103-W36-DZ	80/20 Corn/Sotol

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

COVERING PRODUCTS

Tarps



Multiple Use Tarps

Features:
- Sun and fade resistant.
- Rot and rust proof.
- Reinforced hem.
- Heat-sealed seams.
- Grommets every 3 ft.

Material: Polyethylene
Thickness: 5 mil

SKU	Length	Width
101-0608	8 ft	6 ft
101-0810	10 ft	8 ft
101-1012	12 ft	10 ft
101-1020	20 ft	10 ft
101-2020-TARP	20 ft	20 ft

CHAIN, CABLE, ROPE & ACCESSORIES

Straps & Bungee Cords



Ratchet Tie-Down Straps

Features:
- Webbing is abrasion-resistant, won't rot or mildew, and maximizes strength.
- Ratchet provides greater tension with minimal force.
- Safety-first, spring-loaded release mechanism prevents ratchet from opening accidentally.

Length: 27 ft
Load Cap.: 3,333 lb
Break Strength: 10,000 lb

SKU	End Type	Width
130-04622	Steel Double J-Hooks	2 in

STANDS & RAMPS



Heavy Duty Pipe Stands

Features:
- Effectively holds pipe and tubing in position during pipe welding applications.
- Adjustable height.

Height: 28 in - 49 in

SKU	Load Cap.	Pipe Diam.
900-PIPE-STAND-HDJ	2500 lb	1/2 in - 18 in



Hi-Jack Style Pipe Stands

Features:
- Features durable folding frame.
- Effectively holds pipe and tubing in position during pipe welding applications.
- Adjustable height.

Height: 28 in - 49 in

SKU	Load Cap.	Pipe Diam.
900-PIPE-STAND-HJ	2500 lb	1/2 in - 18 in

STRAPPING PRODUCTS

Cable Ties



General Purpose Cable Ties

Features:
- Even at higher than recommended temperatures or exposure to flame, nylon does not give off toxic or irritating by-products.

Thickness: 0.054 in
Tensile Strength: 50 lb
Material: Nylon 6/6

SKU	Length	Width	Bundle Diam
102-1150N	11.1 in	0.18 in	3 in
102-1450N	14.6 in	0.18 in	4 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



UV Stabilized Cable Ties

Features:
- Contains increased resistance to UV light (does not totally eliminate the destructive effects of the light).

Material: Nylon 6/6

SKU	Length	Width	Thickness	Tensile Strength	Bundle Diam
102-1150UVB	11.1 in	0.18 in	0.054 in	50 lb	3 in
102-12120UVB	12 in	0.298 in	0.069 in	120 lb	3 in
102-1450UVB	14.6 in	0.18 in	0.054 in	50 lb	4 in
102-15120UVB	15 in	0.298 in	0.069 in	120 lb	4 in
102-24175UVB	24.5 in	0.350 in	0.087 in	175 lb	7.2 in



Standard Cable Ties

Features:
- Patented DoubleLock™ design has teeth on both sides of the tie, ensuring 50% greater strength than industry standards.
- Serviceable through temperatures of 32° - 185° F.

Thickness: 0.055 in
Tensile Strength: 75 lb
Material: Nylon 6/6

SKU	Length	Width	Bundle Diam
623-46-308UVB	8 in	0.17 in	2 in
623-46-310UVB	11 in	0.17 in	3 in
623-46-315UVB	14 in	0.17 in	4 in



Heavy-Duty Cable Ties

Features:
- DoubleLock™ design has teeth on both sides of the tie.
- Great for bundling wire, cable, hose, ducts and countless other applications.

Material: Nylon 6/6

SKU	Length	Width	Thickness	Tensile Strength	Bundle Diam
623-46-415UVB	15 in	0.25 in	0.072 in	120 lb	4 in
623-46-418UVB	18 in	0.35 in	0.07 in	175 lb	4.9 in
623-46-424UVB	24 in	0.35 in	0.07 in	175 lb	7 in

Tie Wire



Tie Wires

Features:
- These sturdy, versatile tie wires are efficient for indoor and outdoor jobs.
- Made of stainless steel or black annealed finish, the tie wires are essential for fastening items together.
- Wires have a high level of strength and are capable of handling heavy items.

Wt.: 3-1/2 lb

SKU	Wire Size	Material
132-71572	16 gauge	Black Annealed

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

FASTENING PRODUCTS

Reclosable Fasteners



3M™ Loop Fasteners

Features:

- When paired with 3M™ hook fasteners, this reclosable fastener provides durability for thousands of openings and closures.
- Simply press together and the tiny, stiff hooks mesh with pliable loops to create a quick, secure fastening system.
- Backed with a variety of 3M adhesive technologies, you can easily meet application demands that require thousands of easy opening and closings.
- Alternative solution to zippers, screws, snaps and more.

Length: 50 yd
Base Material: Nylon w/ Acrylic Adhesive

SKU	Style
405-021200-86285	Loop Side

COOLERS & CHESTS



400 Series Coolers

Features:

- Ultratherm® insulation for maximum cold retention and maintains ice for up to 3 days in temperatures as high as 90°F.
- HDPE hide won't chip, peel, buckle, or rust.
- UV stabilizers prevent fading, cracking in all exposures.
- Front push-button spigot is drip-resistant.
- White FDA Grade liner is easy-to-clean and resists stains and odors.
- Wide mouth pressure fit lid for easy filling.
- Keeper cord prevents lid loss.

SKU	Width	Height
385-451	13 in	20.38 in
385-431	13-1/2 in	14 in
385-4101	15-7/8 in	23-1/4 in



Seat Top Water Jugs

Features:

- Cup dispenser delivers refreshment at your fingertips.
- Ultratherm® insulation in body and lid keeps ice frozen.
- Push-button spigot is recessed and angled spigot for easy, leak-free dispensing.
- Sturdy, reinforced handles stand up to heavy loads.
- Cord tether keeps lid from getting lost or dirty.
- Sleek, pressure-fit lid cleans easily and won't trap dirt or mold.

Width: 13 in
Length: 14.5 in
Height: 19.5 in

SKU
385-42316

WIPING PRODUCTS

Towels & Wipers



Multi-Purpose Scrubbing Wipes

Features:

- Dual textured wipe, a textured side and a smooth side.
- Extra large, durable wipes, 10 inch x 12 inch.
- Multi-purpose to use on hands, tools, and surfaces.
- No water needed.
- Contains no harsh chemicals.
- Leaves hands feeling clean and refreshed.

SKU	W x L per sheet
103-360726	10 in x 12 in

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Original™ Multi-Purpose Shop Towels

Features:
- Ideal for changing oil, refilling fluids and general maintenance.
- Strong, absorbent towel is great for wiping hands, tools and cleaning up grease, oil, grime and fluids.
- Works well when wet.

SKU	W x L per sheet	Packing Type
993-75190	9 in x 12 in	Pop-Up® Box
993-75130	11 in x 9.4 in	Roll



Rags In A Box™ Heavy Duty Disposable Towels

Features:
- Ideal for painting, wiping up spills, staining and refinishing furniture.
- Soft, absorbent towels that perform like a cloth.
- Built-in handle allows you to take the box on the job while keeping rags clean.

SKU	W x L per sheet
993-75260	10 in x 12 in



Crazy Clean Wipes

Features:
- Water-based hand and surface cleaner that cuts through tar, grease, wax, ink, paint, lubricants and adhesives.
- Aggressive, citrus scented towels are industrial strength, yet gentle enough for your hands.

SKU	W x L per sheet
893-SW983	9.5 in x 12 in



X60 Cloth Wipers

Features:
- Absorbs more water and oil than rags for faster cleanup.
- Tough enough for big jobs, soft enough for face and hands if skin is uncompromised.

SKU	W x L per sheet
993-34790	8.34 in x 16.8 in



X80 Heavy-Duty Cloths

Features:
- Doesn't fall apart when tackling the most demanding jobs - even in solvents.
- Absorbs 30% more water significantly faster, and leaves 3X less lint than shop towels.
- Rinse and reuse - reduces waste and cost.

SKU	Color	W x L per sheet	Packing Type
993-41041	Blue	11.1 in x 16.8 in	Pop-Up Box
993-41043	Blue	12.2 in x 12.4 in	1 Jumbo Roll per case
993-41055	Red	12.2 in x 12.4 in	1 Jumbo Roll per case

PERSONAL HYGIENE

Hand Cleaners



Natural Orange™ Pumice Hand Cleaners

Features:
- Pumice scrubbing particles get hands clean fast.
- Lotion formula provides powerful yet gentle cleaning performance.

SKU	Capacity Vol.
315-0955-04	1 gal

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026



Scrubbing Wipes

Features:

- These extra large, dual textured wipes contain a scrubbing side for removing tough grease, tar and adhesives and a smooth side for quick dirt absorption.
- Contains skin conditioners to help prevent dryness and irritation.

Quantity: 72 wipes per dispenser

SKU	W x L Per Sheet
315-6396-06	12 in x 10-1/2 in



All Purpose Waterless Hand Cleaners

Features:

- Works equally well with or without the use of water.
- Leaves hands looking and feeling clean, conditioned, and without the greasy feeling associated with most hand cleaners.

SKU	Capacity Vol.
407-105	14 oz
407-101P	4 lb 5 oz



WypAll® Waterless Hand Wipes

Features:

- Dual textured: smooth side for wiping and abrasive side for scrubbing.
- Won't damage or fade tools, equipment or parts.
- Removes oil, grease, grim and dirt with ease.

Quantity: 75 wipes per dispenser

SKU	W x L Per Sheet
993-91371	12 in x 10 in



Hand Cleaner Towels

Features:

- Rough Touch® blue towel locks in soil to prevent it from transferring back onto hands and surfaces.
- Hands are left feeling clean with no sticky residue and no rinsing required.

Quantity: 72 wipes per dispenser

SKU	W x L Per Sheet
253-42272	10 in x 12 in



Multi-Purpose Towels

Features:

- No water necessary.
- Contains lanolin, aloe vera & vitamin E.
- Kills germs.

Quantity: 90 wipes per dispenser

SKU	W x L Per Sheet
296-TW90	10 in x 12 in



Fast Orange® Pumice Lotion Hand Cleaners

Features:

- Waterless, petroleum solvent-free hand cleaner that contains no harsh chemicals, mineral oils or ammonia that can sting cuts and abrasions.
- Fortified with aloe, lanolin, glycerin, and other skin conditioners.
- Fine pumice formula gently deep cleans the toughest dirt.
- Works great on laundry stains, scuff marks, tile floors, pet odors and many other household cleaning needs.

SKU	Capacity Vol.
253-25219	1 gal

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

WASTE RECEPTACLES

Dollies



PACKOUT™ Dollies

Features:
- Smooth roll wheels.
- Locking casters.
- QUICKSTOP™ Loading lever holds dolly securely during stacking.

Weight Cap.: 250 lb

SKU	Size
495-48-22-8410	18.9 in L x 24.4 in x 7.9 in H

Trash Can Liners



FLEX-O-BAG® Trash Can Liners and Contractor Bags

Features:
- Convenient large rolls of heavy industrial weight plastic bags in handy dispenser boxes and extra-long twist ties.
- Also included are Hold-Tite rubber bands to secure bag to can top; excluding Heavyweight Contractor Bags (HB42-20).
- No side seams to split and no gussets to weaken the bottom.

Height: 56 in
Thickness: 3 mil
Grade: Extra Heavy-Duty Contractor Bags
Quantity: 30 Bags per Box

SKU	Capacity Vol.	Width
795-HBP55-30	55 gal	36 in

Trash Cans



BRUTE® Round Containers without Lid

Features:
- Proprietary design plus a UV inhibitor ensures long life.
- Venting channels reduce the force required to remove a full can liner.
- Integrated cinches secure liners for efficient knot-free changes.
- Contoured base handles improve grip, reduce strain, and improve efficiency.
- Reinforced rims add strength and durability while transporting.
- Built-in, rounded handles allow easy, non-slip lifting and anti-jam nesting.
- Reinforced base built to withstand rough surfaces for extended life.

Height: 33 in
Dia.: 26-1/2 in

SKU	Capacity Vol.
640-FG265500GRAY	55 gal

CLEANING PRODUCTS

Dishwashing Cleaners



Manual Pot and Pan Dish Detergents

Features:
- The grease-fighting power of Dawn® dish soap, specifically formulated for tough business jobs.
- New and improved formula with more of Dawn® Professional's powerful and proprietary grease-fighting dish-washing surfactants.
- Long lasting suds provide greater cleaning capacity with less sink changeover.

SKU	Capacity Vol.
608-45112	38 oz
608-57445	1 gal

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.

© 2026

Floor & Carpet Cleaners



Oil-Based Non-Sanded Floor Sweeping Compounds

Features:

- Non-abrasive sweeping compound safe to use on any floor.
- Perfect for collecting dirt and dust on all types of wood, tile, terrazzo, and finished concrete floors without scratching.

SKU	Capacity	Color
103-FLOORSWEEP	50 lb	Red



Oil-Based Sanded Floor Sweeping Compounds

Features:

- Popular regular formula features sanded grit with an oil base.
- Effective as an abrasive for loosening grime and dirt on warehouse floors.
- Suitable for unfinished wood or concrete surfaces.
- Ideal for heavy-duty industrial cleaning tasks.

SKU	Capacity	Color
103-FLOORSWEEP-GR	50 lb	Green
103-FLOORSWEEP-GRIT	50 lb	Red
103-FLOORSWEEP-DRM300	300 lb	Red



Instant Carpet Spot Removers

Features:

- A powerful and fast-acting way to remove both water-based and oil-based spots and stains from carpets, upholstery and other fabrics.
- Latest technology in surfactants, wetting agents and solvents.

SKU	Capacity
893-SW879	20 oz

Glass Cleaners



Glass Cleaner Wipes

Features:

- Pre-moistened with a powerful, ammonia-free formula, Glass Cleaner Wipes will remove dust, dirt, oil and grease smudges, water spots, fingerprints and smoke film from any glass surface.

SKU	Quantity
893-SW933	40 Wipes Per Tub



Glass Cleaners

Features:

- This easy-to use, fast acting product uses a clinging foam to break up soils and hold them - even on vertical surfaces.
- There is no dripping, no running and no streaking.

SKU	Capacity Vol.
893-SW050	20 oz



Glass Cleaners

Features:


- Cleans with Ammonia-D® for a streak-free shine.
- Loosens soil upon contact.
- Also cleans chrome, stainless steel, Plexiglas® and other hard surfaces.
- Contains no phosphates.

Chemical Compound: Ammonia-D

SKU	Capacity Vol.
889-322338	32 oz

© 2026

Items in this catalog are a selection of our core offerings. Additional sizes, colors, flavors, and scents may be available for certain items. Visit our website for additional product information.



Immediate Response Training, LLC

www.immediateresponsetraining.com
Sales Email: twalsh@immediateresponsetraining.com
2200 S. Main Street, Suite 312, Lombard, IL 60148